

LINCOLN EATERY AND ROOFTOP 723 N LINCOLN LANE

City of Miami Beach Planning Board

FINAL SUBMITTAL, July 26, 2019

PB19-0310

SCOPE

a) CU - Sec 118-192 (a) (1) - (7)

b) CU - Entertainment Establishments - Sec 142-1362 (a) (1) - (9)

MODIFICATION OF CONDITIONAL USE APPROVAL

PPF 723 Lincoln Lane LLC, c/o Terranova Corp

801 Arthur Godfrey Rd Miami Beach, FL 33140

M GRAPHIC SCALE (IN FEET) LOT 5 FEDERATED DEPT STORES LESSEE TAX DEPT FOLIO No. 02-3234-007-0530 Adiacent Building 233.98'(C) 234.04'(P) Narth Line of the South 37 1/2 feet of Lot 4 5 O § O LEGAL DESCRIPTION: Monhole Drainage Rim Elev=4.44' Bottom Elev=-2.60' S Inv. Elev=1.57'(Conc NW Inv. Elev=1.77'(Net -[3]-No. 723 LINCOLN LANE O , 64.2 Q LOT 3 œ SURVEYOR'S NOTES: E Inv. Elev=0.86'(Conc 12") W inv. Elev=0.86'(Conc 12") MARSHALLS SIGN 30.00'(C)(D) (ABOVE) Rim Elev=4.00 204.00'(M) 204.08'(Overhang Canapy 4.18 CITY OF MIAMI BEACH FOLIO No. 02-3234-007-0500 FOLIO N LINCOLN (50' TOTAL R/W) Manhole Sanitary Rim Elev=4.63" Bottom Elev=1.82' S Inv. Elev=1.81'(PVC 8") E Inv. Elev=1.78'(PVC 8") ,55°,55 *66, *J. Rim Elev=5.06' Battorn Elev=2.58' N Inv. Elev=2.21'(Metal 16") E Inv. Elev=1.81'(Canc 12") W Inv. Elev=2.61'(Metal 8") SW Inv. Elev=2.48'(PVC 16") ·@ (DB 2132 PG 239) <u>~</u>20200 Monhole Sonitory Rim Elev=4.28' Bottom Elev=2.36' W Inv. Elev=2.35'(PVC 8") SW Inv. Elev=2.45'(PVC 6") NE Inv. Elev=2.61'(PVC 3") Catch Basin Rim Elev=4.13' Battom Elev=2.63' Manhole Drainage-Rim Elev=4.14' Bottom Elev=1.33' Inv. Elev=1.89'(Conc. 15") Inv. Elev=1.34'(Conc. 15") Manhole Drainage Rim Elev=4.33' Monhole Drainage Rim Elev=4.29 CBS COMMERCIAL BUILDING No. 741 749, 1655, 1661 SYMBOL LEGEND Center Line Front Found Side Interior Iron Pior Side, Facing a Street Single Sign Suppor Street Light Pale Planter Calculated Dimension Cancrete Pole Massura Dimensio ⊅ Light Pale Signal Cantraller Ba: Deed Dimension Wire Pull Box Concrete Black Structur Waad Pole F.F. EL Finish Floor Elevatio Water Meter Fire Hidrant Arc Length Water Valve Delta Angle Manhole Drainga Centerline Curb Inlet Official Records Boo

Catch Basin

Manhale Grease


Manhale Sanitary

(S) Sewer Valve

(G) Gas Valve

Deed Book

SKETCH OF BOUNDARY SURVEY ALTA/ACSM LAND TITLE SURVEY



LOCATION MAP Scale 1"=100" A Portion of N.W. 1/4 of Section 34, Township 53 S, Range 42 E, Miami-Dade County, Florida

The South 37 1/2 feet of Lot 4 and all of Lot 3, in Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION. according to the Plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Maint-Dade County, Florida;

A strip of land thirty (30) feet wide and marked "BRIDLE PATH", adjacent to and lying East of North thirty-one and one quarter (31-1/4) feet of Lot 3 and the South thirty-seven and one-half (37-1/2) feet of Lot 4, Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Milami-Dade County, Florida.

All distances as shown are based on the US Survey foot.

Elevations are referred to the National Geodetic Vertical Datum, 1929 (NGVD). Elevations are based on a City of Miami Beach Benchmark No. 1802, located at the Intersection of Drexel Avenue and 18th Street. Elevation 4.65 feet USCS (MLWy) or 3.7 feet NGVD 1929, based on the conversion factor for USCE (MLW) to NGVD 1929 of -0.78 feet

The accuracy obtained for all horizontal control measurements and office calculations of closed geometric figures, meets or exceeds the Standards of Practice as set forth by the Florida Board of Professional Surveyors and Mappers as contained in Chapter 5J-17,051(3)(b)15.b ii FAQ of 1 fool in 10,000 feet for Commercial Areas. The elevations as shown are based on a dosed level loop to the benchmark noted above, and meets or exceeds the Standards of Practice as set forth by the Florida Board of Professional Surveyors and Mappers as contained in Chapter 5J-17.051(3)(b)15.a FAQ, of a closure in feet of plus or minus 0.05 feet times the square root of the distance in miles.

This SKETCH OF BOUNDARY SURVEY is based on: (i) recovered monumentation; (ii) the record description and (iii) the plat of the AMENDED PLAT OF GOLF COURSE SUBDIVISION (Plat Book 6 at Page 26).

A comparison between measured, plat, record and calculated dimensions is delineated heraon. Measured dimensions (M) are based directly on the recovered monumentation. Plated dimensions (P) are based on the said plat of the AMENDED PLAT OF GOLF COURSE SUBBIVISION. Record dimensions (R) are based on the record description. Calculated dimensions (C) are a protraction based on the record description; the aforementioned AMENDED PLAT OF GOLF COURSE SUBDIVISION and field measurements.

The Subject Property does lie within a Special flood Hazard Area (SFHA) as shown on the National Flood Insurance Programs, Flood Insurance Rate Map for Mamin-Dade County, Florida and Incorporated Areas Map No. 12086003017, Community No. 12081, bearing an effective/revised date of September 11, 2009. Said map defineates the herein described land to be situated within Zone AE, base flood elevation 8 feet.

The Subject Property lies within the CD-3 Commercial, High Intensity Zoning District based on the Official Zoning Map of the City of Mam Beach, adopted September 21, 1989, effective October 1, 1989, last revised December 12, 2012 as prepared by the City's Planning Department (and depicted on the City of Maim Beach Official Website www.miamibeachfl.gov). The selback for the CD-3 commercial, high intensity zoning district. hyminatrinearum-win, line Setasok, for line Lib-s, commercian, ingi intensity sonojing district, hyminatric to Miam Beach Code of Ordinances, codified through Ordinance No. 2014-3841, enacted February 12, 2014 (Supt. No. 56), under Subpart B, Chapter 142, Article II, Division 6, Sec. 142-334(a) are as follows:

0 feet Residential uses shall follow the RM-1, 2, 3 setbacks 10 feet when abutting a residential district, otherwise once Residential uses shall follow the RM-1, 2, 3 setbacks 10 feet when abutting a residential distinct, unless separated by a street or waterway otherwise none Residential uses shall follow the RM-1, 2, 3 setbacks Feet II feet when abutting a residential distinct unless separated by a street or waterway in which case it shall be 0 feet.

Under Section 142-337(c), of the Land Development Regulations of the Code of the City of Unger Section 142-33/Co, or the Land uperlephinent requirements of the Colly of Marian Beach the Current maximum building height for Non-coasinitin bits 17 feet (7 sotres). Marian Beach the Current maximum building height for Non-coasinitin bits 187 feet (7 sotres). For the Collisis Ave. Let be soft in Section 188 feet (1 stories) in City Center Area (bounded by Drevel Ave., 16th St., Collisis Ave. Let be south properly fine of lots fronting on the south side of Lincoln Rd., Washington Rd., and Lincoln Rd.); except the height for lots fronting on Lincoln Rd. and 16th St. between Dreval and Washington are limited to 50 feet for the first 50 feet of the depth; and except the height for lots fronting on Drexel Avenue are limited to 50 feet for the first 25 feet of lot depth.

The zoning requirements stated herein are based on the sources as noted. It should also be noted that the setback requirements at the time of construction of the existing structure may have varied from the current requirements. Appearent setback encoachment may not indicate non-compliance with the herein stated requirements; contact the City of Mainri Beach Planning Department for an Official Zoning Determination. The determination of 'Zoning Compliance'

The gross floor area at <u>ground level</u> is 19,973 square feet more or less (excludes porches and corridors) and is not the gross building area

The height of the parapet wall of subject building is 18.0 feet above the adjacent grade. The highest point on the South face ornamental wall is 24.3 feet above the adjacent grade.

There is no on site parking within the Subject Property.

Only the surface indications of the underground utilities have been located in the field. The location of underground utility lines on or adjacent to the property was not secured. There were no utility plans provided by the utility companies or by the client nor were there any utility markings noted in the field. The Surveyor has performed no subsurface investigation or makings hold in the ried. The Surveyor has periorized to substance investigation or determined the location of underground footers. It should be noted that there may be other underground utilities in addition to those evidenced by visible appurtenances shown on this sketch. The owner or his agent should verify all utility locations with the appropriate utility provider before using. The names of the adjoining owners and the associated tax tolio number are based on the web based the Miami-Dade County Property Appraiser's Property Search Summary Report.

There is no visible evidence of any kind of any earth moving or building construction within

There is no observable evidence of recent street or sidewalk construction or repairs.

he appropriate authorities.

The property described hereon is the same as the property described as Parcel C in Exhibit "A" to Schedule A, of the First American Title Insurance Company, Commitment, File Number 1062-3195802 (PARCEL C), with an effective date of July 15, 2014, and all the easements coverants and restrictions evidenced by Recorded Documents and/or other little exceptions provided to the Surveyor as noted in Schedule BII of the said title commitment or apparent from a physical inspection of the site or otherwise known to me have been plotted hereon or otherwise noted as to their effect on the subject property below:

There is no roadway dedication statement or easements shown on the face of the AMENDED PLAT OF GOLF COURSE SUBDIVISION, recorded in Plat Book 6, at Page 26, the Building Line as shown is plotted hereon. Noting however, as evidenced by a note placed on the plat by the Clerk, the Board of County Commissioners of Dade County, Florids under Resolution No. 4406, recorded in Official Records Book 1884 at Page 501 accepted declications or offers to dedicate oradways shown on plats. The noadways shown on the said AMENDED PLAT OF GOLF COURSE SUBDIVISION are an indication of the intent to dedicate roadways. The "Building Line(s)" as shown on said plat are plotted hereon. The said plat of AMENDED PLAT OF GOLF COURSE SUBDIVISION does not disclose any other joiltable matters affection be suited storeout.

AMENDED PLATOR OCCE COURSE SUBDIVISION does not associse any other plottable matters affecting the subject property. The Subject Property as described hereon lies wholly within the lands described in Easement granted to Floridat Power and Light Company, recorded in Deed Book 4135, at Page 93. The easement is blanket in nature and can not be plotted.

NOTE all recording references noted hereon, refer to the Public Records of Miami-Dade County, Florida, unless otherwise noted.

Although no formal dedications for the roadways located adjacent to the Subject Property was determined, the roadways shown on the aforementioned plat and as constructed are an indication of the intent to dedicate roadways, as noted above. Pursuant to Chapter 95.361(2), indication of the intent to dedicate roadways, as noted above. Pursuant to Chapter \$5.301(2), of the Florids Stabules, a roadway constructed by a nongovernimental entity or were it cannot be determined who constructed the road, and when such road has been regularly maintained or repaired for the immediate past 7 years by a county, a municipality, or the Department of Transportation, whether jointly or severally, such road shall be deemed to be dedicated to the public to the extent of the width that adually has been maintained or repaired for the prescribed period, whether or not the road has been formally established as a public highway.

Access tolfrom the property is from Meridian Avenue, N Lincoln Lane and Meridian Court. Mendian Court lies East of and adjacent to the East limit of the said AMENDED PLAT OF GOTO. COURSE SUBDIVISION (the same being the East line of the 30 floot 'Bridle Path' as shown on the said plat), Pursuant to the adrenentioned Chapter 95.361(2) noted above, N Lincoln Lane (Dity of Milami Beach fee parcel). Meridian Avenue (shown on the said AMENDED PLAT OF GOLT COURSE SUBDIVISION) and Meridian Court, all which are maintained by the City of Marni Beach, are public rights of way, for vehicular and pedestrian use.

This Survey, as revised on February 25, 2016, represents the location of both completed and un-completed improvements. Property corners were not recovered at time of the Spot Survey and do not represent a BOUNDARY SURVEY as defined under the Standards of Practice, adopted by the Board of Professional Surveyors and Mappers, pursuant to Chapter 472,027 Florida Statutes, as set forth in <u>Chapter 5.1-17</u>, Florida Administrative Code. The building noted hereon as 'under construction is based on the First Floor Flars, Sheet A 3.01 (through revision 7) and the Layout Plan, Sheet C.2 (through revision 3), for 723 LINCOLN LANE NORTH, prepared by Wottberg Alvarez as located from limited field locations.

SURVEYOR'S CERTIFICATION

To PPF 723 Lincoln Lane, LLC; PPF LRIII Portfolio, LLC; PPF RTL Lincoln Road, LLC; Lincoln To PPF 723 Lincoln Lane, LLC, PPF LRIII Portfolo, LLC, PPF RTL Lincoln Raad, LLC, Lincoln Lane MM, LLC, Lincoln Road II, LLC, Terranova Coppatal Corporation; First American Title Insurance Company, Bilzin Sumberg Baena Price & Axetrod, LLP; Wachova Bark, NA, Bank of America, NA, a Fank of America, Na, a Fank of American, Park of the Registered Holders of LB Salle Bank National Association, as Trustee for the Registered Holders of LB SC Commercial Mortgage Park Pricept Certificates. Series 2004–C6, LINR Property, LLC, Wells Fargo Bank, NA; Zena M. Dickstein, PA, and LR Mertfalm, LLC.

This is to cartify that this map or plat and the survey on which it is based were made in accordance with the 2016 Minimum Standard Detail Requirements for ALTA/NSPS Land Title Surveys, jointly established and adopted by ALTA and NSPS, and includes Items 1, 2, 3, 4, 5, 7(a), 7(b), 1), 3 and 14 of Table A thereof. The feltowork was completed on June 29, 2018. The undersigned further certifies that this map or plat and the survey on which it is based meets the Standards of Practice, adopted by the Board of Professional Surveyors and Mappers, pursuant to Chapter 472.027 Florida Statutes, as set forth in Chapter 5-J.17, Florida Administrative Code, under Sections 5-J.17.051 and 5-J.17.052 and is a "BOUNDARY SURVEY" as defined in Section 5-J.17.0502).

E.R. BROWNELL & ASSOCIATES, INC.

Shorme Drivinell
Inomas Brownell, Executife Vice President
Professional Land Surveyor # 2891
State of Florida
Final servers Email address: tbrownell@erbrownell.com

The survey map and notes and/or report of the copies thereof are not valid without the original signature and raised seal of a Florida licensed surveyor and mapper. Any additions or deletions to the survey map and notes and/or raport by other than the signing party or parties is prohibited without written consent of the signing party or parties.

ciates, ASSO(PLANNERS FILE 19/3 & ₹ rownell Lees Ref **D** $\frac{1}{2}$ 74TH 3866 \mathbf{C} S. -09 4957 305- \bigcirc AN ANE \mathbf{Z} LINCOLI LINCOL 2 2 \sim \sim L Δ. Survey
per comments
per comments
per comments
for additional
for additional
for additional
for additional
for additional
Survey
Survey
Survey


Update
Revised
Revised
Revised
Revised
Revised
Update
Update


Sheet: 1 OF 1


J.N. 57316-F LS-2864A


DC. MAPPERS

Miami, Flarida, 3 305–860–3870 PLS/PSM No.











PROPOSED ROOFTOP BAR = 5,568 G.S.F.

Allowed/ Existing/ **ZONING DATA** Provided Required

Site Address:

* 723 Lincoln Lane North, Miami Beach, FL 33139

Legal Description:
* Parcel C: The South 37 1/2 feet of Lot 4 and all of Lot 3, in Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the Plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Miami-Dade County, Florida;

And

A strip of land thirty (30) feet wide and marked "BRIDLE PATH", adjacent to and lying East of North thirty-one and one-quarter (31-1/4) feet of Lot 3 and the South thirty-seven and one-half (37-1/2) feet of Lot 4, Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the Plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Miami-Dade County,

* CD-3 Commercial, High Intensity Zoning District

* Minimum Lot area as per Sec. 142-337 7.000 SF 19.912 SF

44,504 GSF

* As allowed under Sec. 142-332, a 3 story Commerical Use building.

Total Bldg. Area: 44,504 GSF

* Total Building Area: * Development Areas:

Floors 1st Level: 2nd Level: 18,223 GSF 3rd Level: 8.916 GSF 1,540 GSF Roof Level:

Floor Area Ratio:

* Marriagon FAD C 440 007 (-)(4)	2.25 FAR	2.24 FAR
* Maximum FAR as per Sec 142-337, (a)(1)		
* FAR Area (SF):	44,802 SF	44,504 SF
Lot Width:		
* Minimum Lot width as per Sec. 142-337	0 FT	234 FT
Building Height:		
* Maximum Height as per Sec. 142-337	75 FT	73'-11"
Number of Stories:		
* Maximum Number of Stories as per Sec. 142-337	7 stories	3 stories
Setbacks:		
* Minimum Setbacks as per Sec. 142-307(d)		
Front (South):	0 FT	0 FT
* Facing Lincoln Lane North		
Side (West):	0 FT	0 FT
* Facing Meridian Avenue		
Side (East):	0 FT	0 FT
* Facing Meridina Court		
Rear (North):	0 FT	0 FT

District No. 2

0 spaces

* Parking District Designation as per Sec. 130-31 (a) (2)

75 VALENCIA AVE., SUITE 1050 CORAL GABLES, FLORIDA 33134 V 305.666.5474 F 305.666.4994 WOLFBERGALVAREZ.COM AA 002416 EB 002354

WOLFBERG ALVAREZ

723 ROOFTOP 723 LINCOLN LANE NORTH MIAMI BEACH, FL 33139

MARCEL R. MORLOTE, A.I.A. FL. ARCHITECT FL. ARCH. REG. NO. 9564 ISSUE DATE NO. REVISION DATE g 05/28/19 DRAWING TITLE ZONING BATA SHEET NUMBER A1.00


To the best of the Architect's or Engineer's knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire—safety standards as determined by the local authority in accordance with F.B.C. 2010 Section 110.3.7.4.4 and Chapter 633, Florida Statutes.

View west from SW corner of Euclid Ct and N Lincoln Lane

LINCOLN EATERY 2

View east from SE corner of Meridian and N Lincoln Lane


Exterior Conditions Lincoln Eatery






View NE from SW corner Meridian and N Lincoln Lane

Exterior Conditions Lincoln Eatery





Most proximate entrance to rooftop elevator

1


2



Access to elevator to roof




3





Access to elevator to roof





Existing Conditions Rooftop





Existing Condition: Rooftop elevator vestibule, view to south 1



Existing Condition: View to West from doorway, toward rooftop area proposed for occupancy

All photos taken June 26, 2019

Existing Conditions Rooftop









Existing Condition: View to West from SE Side of roof



Existing Condition: View to North from SW side of roof

Existing Conditions Rooftop






Existing Condition: View to East from SW corner



Existing Condition: View to NE from S side of roof

2



Existing Condition: View to North from SE side of roof






ARQUITECTONICA

2900 Oak Avenue, Miami, FL 33133 T 305.372.1812 F 305.372.1175 www.arquitectonica.com AAC000465 LINCOLN EATERY 723 LINCOLN LANE N

G-1.07 SITE PLAN








75 VALENCIA AVE., SUITE 1050 CORAL GABLES, FLORIDA 33134 V 305.666.5474 F 305.666.4994 WOLFBERGALVAREZ.COM AA 002416 EB 002354

> 723 ROOFTOP 723 LINCOLN LANE NORTH MIAMI BEACH, FL 33139



MARCEL F. MORLOTTE, ALL

FL. ARCHITECT
FL. A

To the best of the Architect's or Engineer's knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire—safety standards as determined by the local authority in accordance with F.B.C. 2010 Section 110.3.7.4.4 and Chapter 633, Florida Statutes.

WOLFBERG ALVAREZ


ARCHITECTURE-ENGINEERING


75 VALENCIA AVE., SUITE 1050 CORAL GABLES, FLORIDA 33134 V 305.666.5474 F 305.666.4994 WOLFBERGALVAREZ.COM AA 002416 EB 002354

> 723 ROOFTOP 723 LINCOLN LANE NORTH MIAMI BEACH, FL 33139

SEAL


MARCEL P. MORD/TR. ALLA PL. ANDERDERN TR. AN





WOLFBERG ALVAREZ

SHEET NUMBER _S3.04-P



Applicable Codes and Standards:
Florida Building Code 2017 — Sixth Edition
Florida Fire Prevention Code 2017 — Sixth Edition (FFPC)
National Fire Protection Association (NFPA) 101 — Life Safety Code 2015 (LSC)

Project Summary:

The project consists of a new rooftop assembly area to be used as a bar. The scope of work includes the installation of new roof povers over the existing roofing system, a new perimeter guardrail, prefabricated planters, new restrooms, storage, and support spaces, etc. The existing building is fully sprinklered.

No cooking or food preparation will be performed.

Occupancy Classification:
Assembly Group A-2 "Bars" - FBC 2017 - Section 303.3

| Existing_Type_of_Construction: | Minimum Required: Type IIA - FBC 2017 - Table 601. | Type III (111) - FFPC 2017 - Table 12.1.6 | Maximum Allowable Stories, Area, and Height per FBC 2017 - Chapter 5: | A-2 = 4 stories Table 504.4 | A-2 = 46,500sf Table 504.3 | A-2 = 47,500sf A-2 = 85' high Table 504.3 Means of Egress:
Occupant load factors used - FBC 2017 - Table 1004.1.2 and F.F.P.C. Fifth Edition - Table 7.3.1.2

First Floor

Use Load Factor Area Description Assembly (Unconcentrated) 15 net Bar Seating Area Accessory 300 gross Storage and Mechanical Rooms

mum allowable travel distances based on occupancy are as follows

maximum allowable travel distances based on occupancy are as follows:				
	Max. Travel Distance (ft.): FFPC 5th Edition-12.2.6.2(1) (assembly); FBC 2017-Table 1017.2 and Section 1029.7	Common Path of Travel (ft.): FFPC 5th Edition-12.2.5.1.2 (assembly) FBC 2017-1029.8 (assembly)	Dead-End Corridor (ft.) FFPC 5th Edition-12.2.5.1.3 (assembly) FBC 2017-Section 1020.4	
Assembly	250 (Sprinklered)	20 (Sprinklered)	20 (Sprinklered)	


Egress Width (FFPC Sixth Edition - Table 7.3.3.1):

0.2" for level components and ramps

Minimum Stair Width (FFPC Sixth Edition – Table 7.2.2.2.1.2): 44" Minimum Egress Headroom (FFPC Sixth Edition - Section 7.1.5.1): 7'-6" Minimum 6'-8" Projections


INTERIOR WALL AND CEILING FINISH REQUIREMENTS BY OCCUPANCY

	SPRINKLERED			
GROUP	Interior exit stairways, interior exit ramps and exit passageways	Corridors and enclosure for exit access stairways and exit access ramps	Rooms and enclosed spaces	
A-2	В	В	С	



ATIONS - SECOND FLO	OOR
USE	TOTAL
ASSEMBLY (BAR)	156 SEATS
	2,783 SF / 15 = 186 PERSONS (AREA EXCLUDES CIRCULATION and PLANTER AREAS)
	USE

	/ LEGEND & NOTES: 1 HOUR FIRE RATED WALL
	2 HOUR FIRE RATED WALL
	3 HOUR FIRE RATED WALL
₹ 250'	TRAVEL DISTANCE
_20'/100'	COMMON PATH
O+FE	FIRE EXTINGUISHER ON MOUNTING BRACKET (UL-4A/40 BC)
FEC	FIRE EXTINGUISHER CABINET (UL-4A/40 BC)
/ss_	—ACTUAL OCCUPANTS EXITING
105 X	MAX. OCCUPANTS ALLOWED THRU GOVERNING COMPONENT
	EMERGENCY LIGHT
P	PULL STATION
F ⊅	FIRE ALARM HORN/STROBE
×	STROBE LIGHT
0	SMOKE DETECTOR
⊗	EXIT SIGN
EXISTING	BUILDING TO REMAIN















723 N Lincoln Lane