





BEAM SCHEDULE										REMARKS
MARK	SIZE	BOT. STR.	BOT. BNT.	TOP BAR	STIRRUPS	NO.	SIZE	NO.	SPACING	
101	12x30	1	5/8"	2	3/4"	4	1/2"	12"	12"	
102	12x24	1	5/8"	2	3/4"	6	1/2"	6"	12"-12"	
103	8x30	1	5/8"	1	3/4"	4	3/8"	12"	12"	
104	12x24	2	5/8"	-	-	-	-	-	-	
105	12x30	1	5/8"	1	3/4"	4	3/8"	12"	12"	
106	12x12	1	5/8"	1	3/4"	8	3/8"	3"	3"-6"-6"	
107	12x24	1	5/8"	2	3/4"	4	1/2"	12"	12"	
108	12x24	1	5/8"	2	3/4"	4	1/2"	6"	12"	
109	16x18	2	5/8"	2	3/4"	4	3/8"	12"	12"	
110	16x18	1	5/8"	2	3/4"	4	3/8"	12"	12"	
111	12x18	1	5/8"	1	3/4"	4	3/8"	9"	12"	
112	8x30	1	5/8"	1	3/4"	4	3/8"	12"	12"	
113	8x12	-	-	-	2	5/8"	-	-	-	
114	12x30	1	5/8"	2	1"	6	1/2"	6"	12"-12"	
115	12x30	1	5/8"	2	1"	6	1/2"	6"	12"-12"	
116	8x30	2	5/8"	-	-	-	-	-	-	
117	12x24	2	5/8"	2	3/4"	6	1/2"	6"	12"-12"	
118	8x30	2	5/8"	-	-	-	-	-	-	
119	8x30	1	1"	1	1"	4	1/2"	12"	12"	
120	12x24	1	5/8"	2	3/4"	4	1/2"	6"	12"	
121	12x24	1	5/8"	2	3/4"	4	1/2"	6"	12"	
122	12x24	2	5/8"	2	3/4"	4	1/2"	6"	12"	
123	12x24	2	5/8"	2	3/4"	4	1/2"	6"	12"	
124	12x18	1	5/8"	1	3/4"	4	3/8"	12"	12"	
125	8x12	2	5/8"	-	-	-	-	-	-	
201	8x20	1	5/8"	1	1"	5	1/2"	6"	12"	
202	8x20	1	5/8"	1	1"	5	1/2"	6"	12"	
203	8x16	2	5/8"	-	-	2	3/8"	12"	12"	
204	8x16	2	5/8"	-	-	2	3/8"	12"	12"	BEND STEEL UP 2'-0" INTO VERTICAL PORTION

- NOTES:
1. ALL CONCRETE TO BE DESIGNED FOR A MIN. 28 DAY COMPRESSIVE STRENGTH OF 2800 P.S.I. (5/2 BAG MIX).
 2. REINFORCING STEEL TO BE BENT, LAPPED AND PLACED IN ACCORDANCE WITH A.C.I. STANDARD DETAILS AND SPECIFICATIONS.
 3. ALL PILES TO BE OF CONCRETE AND SHALL BE DESIGNED AND DRIVEN IN ACCORDANCE WITH THE MIAMI BEACH BUILDING CODE.
 4. SEE ARCHITECTURAL PLANS FOR TIE COLUMNS AND INFORMATION NOT SHOWN.



norman m. giller A.I.A.
ARCHITECT
1575 WASHINGTON AVE. MIAMI BEACH, FLA.

THREE BEDROOM RESIDENCE
FOR
MR. & MRS. WALTER C. KOVNER
MIAMI BEACH FLORIDA

COMM. NO. 50157
DRAWN BY: DEH, H.H.
DATE: 1-17-51
SHEET NO. 1 OF 3

