

EUCLID AVE.

ELECTRICAL SITE PLAN SCALE 1/8"=1'-0"

5TH STREET

RITE-AID

FIGURE

AS SHOWN TO TELEPHONE CO.
POINT OF CONNECTION, PAID
BY RITE-AID, SHALL BE
VERIFY EXCEPT LOCATION.

DOWN SERVICE CABLE BANK
SHEATH SECTION DETAIL THIS

TO SERVICE CABLE THE
POWER SIDE DIVISION

ELECTRICAL DISC
FIGURE



NOTES:
1. ALL ELECTRICAL WORK SHALL BE IN ACCORDANCE WITH THE
LATEST EDITIONS OF THE NATIONAL ELECTRICAL CODE AND
ALL CITY ORDINANCES.
2. ALL ELECTRICAL WORK SHALL BE IN ACCORDANCE WITH THE
LATEST EDITIONS OF THE NATIONAL ELECTRICAL CODE AND
ALL CITY ORDINANCES.
3. ALL ELECTRICAL WORK SHALL BE IN ACCORDANCE WITH THE
LATEST EDITIONS OF THE NATIONAL ELECTRICAL CODE AND
ALL CITY ORDINANCES.

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

FIGURE DETAIL

[illegible][illegible]

Diagram illustrating a 180-degree turn for a person in a wheelchair. A vertical line indicates the turn direction.

Architectural floor plan of a building, likely a commercial or institutional structure, showing various rooms and outdoor spaces. The plan includes a large circular room, several rectangular rooms, and a long narrow room. Key areas are labeled:

- TEENANT: RITE-AID CORP.** (Floor 1-17)
- TEENANT: WASHOUL CORP.** (Floor 1-17)
- SPACES ON THE BEACH**
- PRACTICE LIFESTYLE FURNITURE**
- DRIVEWAY**
- EUCLID AVE**

The plan is detailed with dimensions, room numbers, and various annotations. A north arrow is located in the bottom left corner. The plan is oriented with the top of the page facing North.

WASHINGTON AVENUE

5TH STREET

6TH STREET

WASHINGTON AVE

PROPOSED ADDITION

EXISTING BUILDING

PARKING SPACES

SECTION 1-1

SECTION 2-2

SECTION 3-3

SECTION 4-4

SECTION 5-5

SECTION 6-6

SECTION 7-7

SECTION 8-8

SECTION 9-9

SECTION 10-10

SECTION 11-11

SECTION 12-12

SECTION 13-13

SECTION 14-14

SECTION 15-15

SECTION 16-16

SECTION 17-17

SECTION 18-18

SECTION 19-19

SECTION 20-20

SECTION 21-21

SECTION 22-22

SECTION 23-23

SECTION 24-24

SECTION 25-25

SECTION 26-26

SECTION 27-27

SECTION 28-28

SECTION 29-29

SECTION 30-30

SECTION 31-31

SECTION 32-32

SECTION 33-33

SECTION 34-34

SECTION 35-35

SECTION 36-36

SECTION 37-37

SECTION 38-38

SECTION 39-39

SECTION 40-40

SECTION 41-41

SECTION 42-42

SECTION 43-43

SECTION 44-44

SECTION 45-45

SECTION 46-46

SECTION 47-47

SECTION 48-48

SECTION 49-49

SECTION 50-50

SECTION 51-51

SECTION 52-52

SECTION 53-53

SECTION 54-54

SECTION 55-55

SECTION 56-56

SECTION 57-57

SECTION 58-58

SECTION 59-59

SECTION 60-60

SECTION 61-61

SECTION 62-62

SECTION 63-63

SECTION 64-64

SECTION 65-65

SECTION 66-66

SECTION 67-67

SECTION 68-68

SECTION 69-69

SECTION 70-70

SECTION 71-71

SECTION 72-72

SECTION 73-73

SECTION 74-74

SECTION 75-75

SECTION 76-76

SECTION 77-77

SECTION 78-78

SECTION 79-79

SECTION 80-80

SECTION 81-81

SECTION 82-82

SECTION 83-83

SECTION 84-84

SECTION 85-85

SECTION 86-86

SECTION 87-87

SECTION 88-88

SECTION 89-89

SECTION 90-90

SECTION 91-91

SECTION 92-92

SECTION 93-93

SECTION 94-94

SECTION 95-95

SECTION 96-96

SECTION 97-97

SECTION 98-98

SECTION 99-99

SECTION 100-100

SECTION 101-101

SECTION 102-102

SECTION 103-103

SECTION 104-104

SECTION 105-105

SECTION 106-106

SECTION 107-107

SECTION 108-108

SECTION 109-109

SECTION 110-110

SECTION 111-111

SECTION 112-112

SECTION 113-113

SECTION 114-114

SECTION 115-115

SECTION 116-116

SECTION 117-117

SECTION 118-118

SECTION 119-119

SECTION 120-120

SECTION 121-121

SECTION 122-122

SECTION 123-123

SECTION 124-124

SECTION 125-125

SECTION 126-126

SECTION 127-127

SECTION 128-128

SECTION 129-129

SECTION 130-130

SECTION 131-131

SECTION 132-132

SECTION 133-133

SECTION 134-134

SECTION 135-135

SECTION 136-136

SECTION 137-137

SECTION 138-138

SECTION 139-139

SECTION 140-140

SECTION 141-141

SECTION 142-142

SECTION 143-143

SECTION 144-144

SECTION 145-145

SECTION 146-146

SECTION 147-147

SECTION 148-148

SECTION 149-149

SECTION 150-150

SECTION 151-151

SECTION 152-152

SECTION 153-153

SECTION 154-154

SECTION 155-155

SECTION 156-156

SECTION 157-157

SECTION 158-158

SECTION 159-159

SECTION 160-160

SECTION 161-161

SECTION 162-162

SECTION 163-163

SECTION 164-164

SECTION 165-165

SECTION 166-166

SECTION 167-167

SECTION 168-168

SECTION 169-169

SECTION 170-170

SECTION 171-171

SECTION 172-172

SECTION 173-173

SECTION 174-174

SECTION 175-175

SECTION 176-176

SECTION 177-177

SECTION 178-178

SECTION 179-179

SECTION 180-180

SECTION 181-181

SECTION 182-182

SECTION 183-183

SECTION 184-184

SECTION 185-185

SECTION 186-186

SECTION 187-187

SECTION 188-188

SECTION 189-189

SECTION 190-190

SECTION 191-191

SECTION 192-192

SECTION 193-193

SECTION 194-194

SECTION 195-195

SECTION 196-196

SECTION 197-197

SECTION 198-198

SECTION 199-199

SECTION 200-200

SECTION 201-201

SECTION 202-202

SECTION 203-203

SECTION 204-204

SECTION 205-205

SECTION 206-206

SECTION 207-207

SECTION 208-208

SECTION 209-209

SECTION 210-210

SECTION 211-211

SECTION 212-212

SECTION 213-213

SECTION 214-214

SECTION 215-215

SECTION 216

114. Expenditures refer to a. V. D. S.
 115. Common road districts is \$ 5.00
 116. Price of all materials to be at 2-10
 117. All completed work shall be for 20%
performed, per 10, interest at 5, only.
 118. Indicates proposed grade.
 119. Indicates existing elevation
 120. Indicates elevation of slope
 121. Indicates sewer clean out
 122. Indicates inlets and French drains

DATE OF ISSUE	1/1/2011
DATE OF EXPIRY	1/1/2012

10

SECTION A-A

THE

○

100

1

11

PRECAST CATCH

100

SECTION

A UNIT LARGO DE CONCRETO
E ALGUMAS CIMENTAÇÕES

[illegible]


1. **Location**
 2. **State**
 3. **City**
 4. **County**
 5. **Zip**
 6. **Phone**
 7. **Fax**
 8. **E-mail**
 9. **Website**
 10. **Other**

THE UNIVERSITY OF CHICAGO

20.9.1975, 6:00


Figure 1

1998



SITE PLAN

1/8" = 1'-0"



SITE PLAN
 $1/8" = 1'-0"$

CURB & LANDSCAPING AREAS



LANDSCAPING PLAN

LANDSCAPING & LANDSCAPING SIGN

SITE PLAN

SCALE 1/8" = 1'-0"

N

DE, R. NO.

DE, R. NO.

DE, R. NO.



LOCATION MAP

Scale 1/8" = 1'-0"

RITE AD SO
5TH STREET & W


PLAN SCALE 1/4" = 1'-0"

HANDICAPPED LANDSCAPING SIGN NO SCALE



EUCLID AVE

WASHINGTON AVENUE



DRIVEWAY

ASPHALT SURFACING
OUTSIDE 1" THICK AFTER GRADING
ON 5" FILL MORE BASE AFTER COMPACTION
ON 10" FILL AFTER SAND FILL

NOTE: 1" H
FIRE-RET
ASSEMBLY
FIRE STOP
W/ GROUT

TENANT: RITE-AID CORP.

NOTE: SEE ELEVATION FOR
IN THIS SPACE (RITE-AID)

NOTE: ALL EXTERIOR WALLS
TO BE INSULATED
(SEE TYP. WALL)

NOTE: SEE DIMENSIONS AND
OF WINDOWS, SEE 1A" PLAN


EXISTING 10' SIDEWALK

EXISTING 6' GRASS

WORK AREA PLAN

Proposed Work Area
see item 10

Fifth Street



WASHINGTON AVE.

A-1


10/1/01

CONCRETE REMOVAL PROJECT

10/1/01

10/1/01


10/1/01



WORK AREA PLAN

PROPOSED WORK AREA
SEE BLOW UP

BOUNDARY SURVEY



STREET

5th

WASHINGTON
Avenue

AVENUE


As per Florida Building Code, Chapter 10, Part 1
REVIEWED & IN CODE COMPLIANCE

PETER DE LA ROSA P.L.S., INC.
SURVEYING • CONSULTING • PLANNING



BOUNDARY SURVEY

THIS SURVEY WAS MADE BY THE U.S. ARMY ENGINEERS, WASHINGTON, D.C., IN 1914, FOR THE PURPOSE OF DETERMINING THE BOUNDARY OF THE SITE OF THE DISTRICT OF COLUMBIA. THE SURVEY WAS MADE BY THE U.S. ARMY ENGINEERS, WASHINGTON, D.C., IN 1914, FOR THE PURPOSE OF DETERMINING THE BOUNDARY OF THE SITE OF THE DISTRICT OF COLUMBIA. THE SURVEY WAS MADE BY THE U.S. ARMY ENGINEERS, WASHINGTON, D.C., IN 1914, FOR THE PURPOSE OF DETERMINING THE BOUNDARY OF THE SITE OF THE DISTRICT OF COLUMBIA.



STREET

5th


WASHINGTON

AVENUE

LOCATION MAP
Scale 1:50

FOR THE
CITY OF WASHINGTON
THE FOLLOWING
COPY

REMARKS: This map was made by the U.S. Army Engineers, Washington, D.C., in 1914, for the purpose of determining the boundary of the site of the District of Columbia. The map was made by the U.S. Army Engineers, Washington, D.C., in 1914, for the purpose of determining the boundary of the site of the District of Columbia. The map was made by the U.S. Army Engineers, Washington, D.C., in 1914, for the purpose of determining the boundary of the site of the District of Columbia.



BENCH MARK FURNISHED BY ENGINEERING DEPT. OF DADE COUNTY FLOOR
 LOCATED AT INTERSECTION OF SCH. STREET, AND WEST SIDE OF WASHINGTON
 AVE. AND 5.00 FT. SOUTHEAST OF A TRAFFIC CONTROL LIGHT POLE
 BENCH MARK IS A RE-PAINT IN BRASS WASHER INSIDE AN OLD SQUARE
 IN THE SIDEWALK. AGVD 1929

CITY OF MIAMI
 DEPARTMENT OF PUBLIC WORKS
 200 N. MIAMI AVENUE
 MIAMI, FLORIDA 33132
 311-2222



PAVEMENT

2' CURB & GUT

5' GRASS

2' CURB & GUT

WASHINGTON

JOB COPY

CITY OF MIAMI BEACH

APPROVED FOR PERMIT BY THE FOLLOWING:

- BUILDING:
- TONING:
- DRB/HP:
- CONCURRENCY:
- PLUMBING:
- ELECTRICAL:
- MECHANICAL:
- FIRE/PREVENTION:
- ENGINEERING:
- PUBLIC WORKS:
- STRUCTURAL:
- ACCESSIBILITY:
- ELEVATOR:

ABBREVIATIONS

RLS	REGISTERED LAND SURVEYOR
PRM	PERMANENT REFERENCE MONUMENT
0°	DEGREE
0'	MINUTE OR FOOT
0"	SECOND OR INCH
CL	CLEAR
O/E	OVERHEAD ELECTRIC
N	NORTH
S	SOUTH
E	EAST
W	WEST
CONC	CONCRETE
BLK	BLOCK
STUCCO	STUCCO
NO.	NUMBER
STORY	STORY
DELTA	DELTA
POINT-OF-BEGINNING	POINT-OF-BEGINNING
POINT-OF-COMMERCE	POINT-OF-COMMERCE
FOUND	FOUND
ELEV	ELEVATION
ELECT	ELECTRIC
SEC	SECTION
TWP	TOWNSHIP
RG	RANGE
MT	MANHOLE
CB	CATCH BASIN
MEAS	MEASURED
PLS	PLASTER
REG	REGISTERED
PIPE	PIPE
STATION	STATION
R/W	RIGHT-OF-WAY
SHEET	SHEET
FLTRD	FLUORID
POWER	POWER
LIGHT	LIGHT
RADIUS	RADIUS
WALL	WALL
DISC	DISC
HYDRANT	HYDRANT
PTC	POINT OF REVERSE CURVATURE
PC	POINT OF COMPOUND CURVATURE
PT	POINT OF COMMENCEMENT
PT	POINT OF TERMINATION
PI	POINT OF INTERSECTION
MEAS	Measured and plotted

SURVEYOR'S NOTE:

THIS PLAN NOT VALID UNLESS SEALED WITH AN EMBOSSED SURVEYOR'S SEAL

PROJECT:

JOB

FIELD

DATE

SCALE

DRAW

REV

REV


Survey 1-1-1993 2-3-1993

Survey (Foundation Survey) 6-2-1992

signed and sealed 6-3-1992

UPDATED Survey FIELDWORK 5-15-96

Boundary Survey Fieldwork Drafting signed and sealed (7-6-1986) updated 2-22-93



WASHINGTON
JOB COPY
 CITY OF MIAMI BEACH
 APPROVED FOR PERMIT BY
 THE FOLLOWING:

- BUILDING:
- ZONING:
- DRB/HPB:
- CONCURRENCY:
- PLUMBING:
- ELECTRICAL:
- MECHANICAL:
- FIRE PREVENTION:
- ENGINEERING:
- PUBLIC WORKS:
- STRUCTURAL:
- ACCESSIBILITY:
- ELEVATOR:

ABBREVIATIONS

- RLS = REGISTERED LAND SURVEYOR
- PRM = PERMANENT REFERENCE MONUMENT
- 0° = DEGREE
- 0' = MINUTE OR FOOT
- 0" = SECOND OR INCH
- CL = CLEAR
- O/E = OVERHEAD ELECTRIC
- N = NORTH
- S = SOUTH
- E = EAST
- W = WEST
- CB = CONCRETE, BLOCK, STUCCO
- CON = CONCRETE
- ST = STORY
- NO. = NUMBER
- BDG = BUILDING
- RAD = RADIUS
- ARCH = ARCH
- DELTA = DELTA
- P.B. = POINT OF BEGINNING
- P.C. = POINT OF COMMENCE
- W.C. = WITH
- END = FOUND
- ELEV = ELEVATION
- ELECT = ELECTRIC
- SEC = SECTION
- TWP = TOWNSHIP
- RG = RANGE
- MH = MANHOLE
- CB = CATCH BASIN
- MEAS = MEASURED
- PR = PLAT BOOK
- ENG = ENGINE
- REG = REGULAR
- ST = STATION
- R/W = RIGHT OF WAY
- SHT = SHEET
- FLA = FLORIDA POWER AND LIGHT
- RAD = RADIUS
- N/D = NATL AND DISC
- HYD = HYDRANT
- PRC = POINT OF REVERSE CURVATURE
- PCC = POINT OF COMPOUND CURVATURE
- PC = POINT OF COMMENCE
- PT = POINT OF TERMINATION
- PI = POINT OF INTERSECTION
- MEP = Measured and plat.

Final Location Survey 1-29-31 1993
 Date Field Work 1-29-31 1993
 Date Drafting, signed and seal 2-3-1993

First Location Survey (Foundation Survey)
 Date Field Work 6-2-1992
 Date Drafting, signed and sealed 6-3-1992

UPDATED SURVEY FIELDWORK 5-15-96

Boundary Survey Fieldwork Drafting
 signed and sealed (7-6-1988)
 updated 2-(22.23) 1990.

SURVEYOR'S NOTE:
 Bear's Elevations
 Vertical
 SURVEYOR'S SEAL