

FINAL LANDSCAPE DRB SUBMITTAL 04.06.20

1910 ALTON ROAD | MIAMI BEACH, FLORIDA

CLIENT / PROPERTY INFORMATION

PROPERTY ADDRESS 1910 ALTON ROAD MIAMI BEACH, FL 33139

SCOPE OF WORK

- New streetscape design for Alton Road
- New landscape design to complement new contemporary commercial building

Plant Material Image Board

INDEX OF SHEETS

L0.00 Landscape Cover Page + Sheet Index + Landscape Legend
L0.01 General Notes + Landscape Notes
L1.00 Existing Tree Survey + Disposition Plan
L2.00 Ground Floor Landscape Plan
L2.01 Level 2 + Level 3 Landscape Plan
L2.02 Level 4 + Roof Landscape Plan
L3.00 Plant List + Landscape Details

MIAMI BEACH LANDSCAPE LEGEND

	LANDSCAPE LEGEND		
	INFORMATION REQUIRED TO BE PERMANENTLY AFFIXED TO PLANS		
	Zoning District CD-2 Lot Area 8,000 SF Acre	es184	
		REQUIRED/	
	OPEN SPACE	ALLOWED	PROVID
Δ.	Square feet of required Open Space as indicated on site plan:	ALLOWED	TROVID
	Lot Area = <u>8,000</u> s.f.x <u>20</u> % = <u>2,400</u> s.f.	1,600	1,600
B.	Square feet of parking lot open space required as indicated on site plan:	1,000	1,000
-	Number of parking spaces x 10 s.f. parking space =		
_		N/A	. <u>N/A</u>
C.	Total square feet of landscaped open space required: A+B=	N/A	N/A_
	LAWN AREA CALCULATION		
A.	Square feet of landscaped open space required	N/A	N/A
B.	Maximum lawn area (sod) permitted= % x s.f.	N/A	N/A
C. D.	trees meeting minimum requirements=	4 TREES 1 TREE 2 TREES 3 TREES N/A	4 TREE
	SHRUBS		
	Number of shrubs required: Sum of lot and street trees required x 12=	84	90
B.	% Native shrubs required: Number of shrubs provided x 50%=	22	90
	LADGE SUBLIRS OF SMALL TREES		
Δ	<u>LARGE SHRUBS OR SMALL TREES</u> Number of large shrubs or small trees required: Number of required shrubs		
Α.	x 10%=	9	10
B.	% Native large shrubs or small trees required: Number of large shrubs or		
	0		

4 CODE TREES PROVIDED : 4 NATIVE SPANISH STOPPER TREES

3 STREET TREES PROVIDED : 3 BRIDAL VEIL TREES

Rev.	Date	Rev.	Dat
DRB FIRST SUBMITTAL	03-16-2020		
DRB FINAL SUBMITTAL	04-06-2020		
		ļ.	

KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSEN

KOBI KARP ARCHITECTURE & INTERIOR DESIGN. INC. AIA. (c) 2019

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL - OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY | CC LANDSCAPE ARCHITECTURE LLC LA

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

__ Own


PRIVATE

Landscape Architect:
Name
Address
Address
Tel:

Consultant:
Name
Address
Address
Tel:

Consultant:
Name
Address
Address

Architect of Record:
Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200 Miami, Florida 33137 USA
Tel: +1(305) 573 1818
Fax: +1(305) 573 3766



KOBI KARP Lic. # AR0012578

	Date 04-06-2020	Sheet No.
_	Scale	
	Project 2001	L0.00

LANDSCAPE NOTES

- 1. ALL PLANT MATERIAL SHALL BE FLORIDA GRADE NO. 1 OR BETTER.
- 2. CONTRACTOR SHALL BECOME FAMILIAR WITH THE LOCATION OF, AVOID, AND PROTECT ALL UTILITY LINES, BURIED CABLES, AND OTHER UTILITIES.
- 3. TREE, PALM, ACCENT AND BED LINES ARE TO BE LOCATED IN THE FIELD AND APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- 4. ALL PLANTING SOIL SHALL BE 50:50 TOPSOIL:SAND MIX, FREE OF CLAY, STONES, ROCKS, OR OTHER FOREIGN MATTER. THIS SPECIFICATION INCLUDES ALL BACKFILL FOR BERMS AND OTHER LANDSCAPE AREAS.

CARE SHALL BE TAKEN TO AVOID PLACEMENT OF CONSTRUCTION FILL, GRAVEL, AND OR DEBRIS OVER THE ROOTBALLS OF INSTALLED OR

EXISTING TREES AND OR PALMS ON SITE.

GROUNDCOVER PLANTING BEDS:
6" DEPTH PLANTING SOIL SPREAD IN PLACE- THROUGHOUT.

CURLID AND LIEDOE DI ANTINO AREAC.

SHRUB AND HEDGE PLANTING AREAS: 12" DEPTH PLANTING SOIL SPREAD IN PLACE- THROUGHOUT.

REMOVE ALL LIMEROCK PRESENT TO A DEPTH OF AT LEAST 30"BEFORE PLACING NEW PLANTING SOIL. APPLY NEW CLEAN PLANTING SOIL IN PLANTING AREA AS REQUIRED

- 5. THE SITE CONTRACTOR SHALL BE RESPONSIBLE TO BRING ALL GRADES TO WITHIN 2" OF FINAL GRADES. THIS SHALL INCLUDE A 2" APPLICATION OF 50:50 TOPSOIL:SAND MIX FOR ALL LANDSCAPE AND AREAS TO BE SODDED.
- 6. THE LANDSCAPE CONTRACTOR SHALL CALCULATE AND SUBMIT AN ITEMIZED PRICE FOR THE 2" APPLICATION OF 50:50 MIX FOR ALL SOD AREAS AS A REFERENCE IN THE CASE THAT THERE WOULD BE A DISCREPANCY BETWEEN SITE AND LANDSCAPE CONTRACTORS AND NOTIFY THE SITE CONTRACTOR OR PROJECT SUPERINTENDENT AS TO THIS DISCREPANCY. IT WILL THEN BE DETERMINED WHICH PARTY WILL PROVIDE THIS 2" TOPSOIL:SAND APPLICATION AND SUBSEQUENT PAYMENT.OTHER PLANTING SOIL MIXES TO BE ADDED, I.E. FOR TREES, PALMS, SPECIMEN PLANTS, SHRUBS AND GROUNDCOVERS SHALL BE THE RESPONSIBILITY OF THE LANDSCAPE CONTRACTOR AND BE INCLUSIVE WITH THE LANDSCAPE BID.
- 7. ALL EXISTING TREE + PALM INFORMATION THAT HAS BEEN PROVIDED ON THIS PLAN FOLLOWS THE CITY OF MIAMI BEACH TREE PERMITTING GUIDELINES. ANY TREES OF PALMS CONSIDERED INVASIVE OR THAT FALLS UNDER THE TREE PERMIT EXEMPTION / PROHIBITED SPECIES LIST 24-94 (4) MAY NOT BE SHOWN FOR CLARITY PURPOSES. ANY DISCREPANCIES IF NOTED UPON FURTHER FIELD INSPECTION SHALL BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE LANDSCAPE ARCHITECT.
- 8. IRRIGATION SHALL PROVIDE FOR A 100% COVERAGE WITH 50% OVERLAP MINIMUM AND BE PROVIDED BY A FULLY AUTOMATIC IRRIGATION SYSTEM W/ RAIN MOISTURE SENSOR ATTACHED TO CONTROLLER. ALL FLORIDA BUILDING CODE APPENDIX "F" IRRIGATION REQUIREMENTS SHALL BE STRICTLY ADHERED TO FOR INSTALLATION AND PREVAILING WATER MANAGEMENT DISTRICT RESTRICTIONS AND REGULATIONS SHALL BE IN COMPLIANCE FOR POST-INSTALLATION WATERING SCHEDULES.CONTRACTOR SHALL COORDINATE WITH THE IRRIGATION CONTRACTOR AND LEAVE PROVISIONS FOR ALL SLEEVING AND PIPE ROUTING. ALL UNDERGROUND UTILITIES TO BE LOCATED BY DIALING 811 AS REQUIRED BY LAW.
- 9. ALL PLANTING BEDS SHALL BE MULCHED TO A DEPTH OF 2" with APPROVED NATURAL SHREDDED COCO BROWN MULCH MULCH FREE FROM WEEDS AND PESTS. NO 'NUGGETS', 'CYPRESS MULCH' OR 'RED DYED MULCH' TO BE ACCEPTED. KEEP MULCH 6" AWAY FROM TREE OR PALM TRUNKS AS PER INDUSTRY RECOMMENDATIONS.
- 10. SOD SHALL BE NATIVE SEA SHORE PASPALUM IN ALL LAWN AREAS AS SHOWN ON THE PLANS. SOD SHALL BE STRONGLY ROOTED, FREE FROM WEED, FUNGUS, INSECTS AND DISEASE. CONTRACTOR SHALL SOD ALL AREAS AS INDICATED ON THE PLANS OR AS DIRECTED. PAYMENT SHALL BE DETERMINED BY THE TOTAL MEASURED SODDED AREAS X THE UNIT PRICE SUBMITTED AND FIELD VERIFIED. SOD SHALL CARRY A 5-MONTH
- 11. ALL TREES, PALMS, SHRUBS AND GROUNDCOVERS, AND SOD / LAWN SHALL CARRY A ONE-YEAR WARRANTY FROM THE DATE OF FINAL ACCEPTANCE.
- 12. ALL TREES AND PALMS SHALL BE STAKED PER ACCEPTED STANDARDS BY THE FLORIDA NURSERYMEN & GROWERS LANDSCAPE ASSOCIATION (FNGLA) AND ANSI A-300 (PART 6)-2012 TREE, SHRUB, AND OTHER WOODY PLANT MANAGEMENT STANDARD PRACTICES (PLANTING AND TRANSPLANTING). CONTRACTOR SHALL ENSURE THAT THE PLANS, DETAILS, SPECIFICATIONS AND NOTES HAVE BEEN ADHERED TO AND THAT THE LANDSCAPE AND IRRIGATION INSTALLATION IS COMPLIANT TO ALL ITEMS AS DIRECTED ON THE PLANS PRIOR TO SCHEDULING OF THE FINAL INSPECTION

CONTRACTOR SHALL REMOVE ALL STAKES, POLES, WELLINGTON TAPE AND OR BRACING MATERIALS FROM ALL PALMS, TREES AND SHRUBS WITHIN 1 YEAR OF INSTALLATION.

- 13. THE PLANT LIST IS INTENDED ONLY AS AN AID TO BIDDING. ANY DISCREPANCIES FOUND BETWEEN THE QUANTITIES ON THE PLAN AND PLANT LIST, THE QUANTITIES ON THE PLAN SHALL BE HELD VALID.
- 14.IF NECESSARY, CONTRACTOR SHALL PROVIDE A WATER TRUCK DURING PLANTING TO ENSURE PROPER WATERING-IN DURING INSTALLATION AND CONTRACTOR WILL BE RESPONSIBLE FOR CONTINUAL WATERING UNTIL FINAL ACCEPTANCE BY THE OWNER.
- A MINIMUM OF 6 MONTHS OF SUPPLEMENTAL HAND OR AUTOMATIC IRRIGATION SYSTEM WATERING SHALL BE REQUIRED TO AID IN NEW TREE OR PALM ESTABLISHMENT.
- 13. FERTILIZATION: ONE COMPLETE APPLICATION OF GRANULAR FERTILIZER SHALL BE APPLIED PRIOR TO FINAL ACCEPTANCE AND APPROVAL BY THE LANDSCAPE ARCHITECT. FERTILIZER SHALL BE SCOTTS AGRIFORM 20-10-5 PLANTING TABS OR APPROVED EQUAL AS RECOMMENDED BY
- 14. SHOULD ANY TREES OR PALMS BE DAMAGED THEY SHALL BE EVALUATED BY THE CITY URBAN FORESTER TO DETERMINE CORRECTIVE ACTIONS THAT MAY INCLUDE REMOVAL, CORRECTIVE PRUNING AND OR REPLACEMENT. ANY CORRECTIVE ACTION REQUIRED SHALL BE PERFORMED IN ACCORDANCE WITH A CITY OF MIAMI BEACH CODE, ANSI-A 300 PRUNING STANDARDS AND OR AN ISSUED ERM TREE PERMIT OR ENVIRONMENTAL PERMIT. ANY CORRECTIVE PRUNIING REQUIRED SHALL BE PERFORMED BY AN ISA CERTIFIED ARBORIST OR ASCA CONSULTING ARBORIST AND THE CITY URBAN FORESTER SHALL BE CONSULTED.
- 15. ALL TREES + PALMS TO REMAIN OR BE RELOCATED ON SITE IN THE VICINITY OF CONSTRUCTION ACTIVITIES, SHALL BE PROTECTED THROUGH
 THE USE OF TREE PROTECTION BARRICADES INSTALLED AT THE TREE OR PALM DRIP LINE. A TREE PROTECTION FENCE SHALL BE CONSTRUCTED
 PRIOR TO ANY CONSTRUCTION ACTIVITY INCLUDING GRUBBING AND SHALL REMAIN IN PLACE UNTIL ON SITE CONSTRUCTION HAS BEEN
- 17. MULCH SHALL NOT BE APPLIED WITHIN 6" OF ANY TREE OR PALM TRUNK THAT IS INSTALLED OR INCORPORATED INTO THE PROJECT. FOR ROW TREES + PALMS, ALL MULCH SHALL BE AMERIGROW 'PREMIUM PINEBARK BROWN' SHREDDED MULCH OR A CITY APPROVED ALTERNATIVE.

GENERAL NOTES

- 1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL UNDERGROUND UTILITIES PRIOR TO DIGGING IN ANY AREA. THE CONTRACTOR SHALL NOTIFY ALL NECESSARY UTILITY COMPANIES 48 HOURS MINIMUM PRIOR TO DIGGING FOR VERIFICATION OF ALL UNDERGROUND UTILITIES, IRRIGATION AND ALL OTHER OBSTRUCTIONS AND COORDINATE WITH OWNER'S REPRESENTATIVE PRIOR TO INITIATING OPERATIONS. DRAWINGS ARE PREPARED ACCORDING TO THE BEST INFORMATION AVAILABLE AT THE TIME OF PREPARING DOCUMENTS.
- 2. THE CONTRACTOR IS RESPONSIBLE TO ENSURE PROPER WATERING AND MAINTENANCE OF NEW AND RELOCATED PLANT MATERIALS DURING THE ONE YEAR WARRANTY PERIOD.
- 3. CONTRACTOR IS TO REPORT ANY DISCREPANCIES BETWEEN THE CONSTRUCTION DRAWINGS AND FIELD CONDITIONS TO THE OWNER'S REPRESENTATIVE IMMEDIATELY.
- 4. LANDSCAPE CONTRACTOR SHALL COORDINATE ALL WORK WITH RELATED CONTRACTORS AND WITH THE GENERAL CONSTRUCTION OF THE PROJECT IN ORDER NOT TO IMPEDE THE PROGRESS OF THE WORK OF OTHERS OR THE CONTRACTOR'S OWN WORK.
- 5. ALL IMPROVEMENTS ARE TO BE CONSTRUCTED AND/OR INSTALLED WITHIN THE EXISTING STATE AND/OR LOCAL RIGHT OF WAY.
- 6. ALL SITE IMPROVEMENTS INCLUDING GRADING AND DRAINAGE TO BE BY OTHERS. REFER TO ARCHITECTURE AND ENGINEERING PLANS FOR ALL ADDITIONAL INFORMATION.
- 7. THE LOCATION OF THE LANDSCAPE HOLDING AREA WILL BE IDENTIFIED BY THE OWNER OR OWNER'S REPRESENTATIVE. THE CONTRACTOR SHALL ADHERE TO THE ACCESS ROUTES TO AND FROM THE HOLDING AREA WITHOUT DISRUPTING OR IMPEDING ACCESS TO THE SITE BY OTHERS. CONTRACTOR IS RESPONSIBLE FOR THE MAINTENANCE OF ALL PLANT MATERIALS, INCLUDING TEMPORARY IRRIGATION AND FERTILIZATION IF NECESSARY DURING CONSTRUCTION, WHILE BEING HELD IN LANDSCAPE HOLDING AREAS.
- 8. THE CONTRACTOR SHALL BEAR ALL COSTS OF TESTING OF SOILS, AMENDMENTS, ETC. ASSOCIATED WITH THE WORK AND INCLUDED IN THE SPECIFICATIONS. PRIOR TO COMMENCEMENT OF THE LANDSCAPE PLANTING WORK THE CONTRACTOR SHALL PROVIDE COMPLETE SOIL TESTS WITH RECOMMENDATIONS FOR SOIL TREATMENT IN THE CONSTRUCTION AREA.
- 9. LANDSCAPE CONTRACTOR SHALL FIELD STAKE THE LOCATION OF ALL PLANT MATERIAL OR FIELD STAKE THE PLANTS PRIOR TO INITIATING INSTALLATION FOR THE REVIEW AND APPROVAL OF THE OWNER'S REPRESENTATIVE AND/OR LANDSCAPE ARCHITECT. NOTE: NO PLANTING SHALL COMMENCE UNTIL THERE IS A FUNCTIONAL IRRIGATION SYSTEM IN THE AREA TO BE PLANTED. NO TREES SHALL BE PLANTED ON TOP OF IRRIGATION LINES.
- 10. LANDSCAPE CONTRACTOR SHALL FIELD ADJUST LOCATION OF PLANT MATERIAL AS NECESSARY TO AVOID DAMAGE TO ALL EXISTING UNDERGROUND UTILITIES AND/ OR EXISTING ABOVE GROUND ELEMENTS. ALL CHANGES REQUIRED SHALL BE COMPLETED AT THE CONTRACTOR'S EXPENSE AND SHALL BE COORDINATED WITH OWNER'S REPRESENTATIVE AND THE LANDSCAPE ARCHITECT.
- 11. ANY SUBSTITUTIONS IN SIZE AND/OR PLANT SPECIES MUST BE APPROVED BY THE LANDSCAPE ARCHITECT OR OWNER'S REPRESENTATIVE PRIOR TO MODIFICATION OF THE CONTRACT, PURCHASING AND DELIVERY OF PLANTS. ALL PLANTS WILL BE SUBJECT TO APPROVAL BY LANDSCAPE ARCHITECT AND/OR OWNER'S REPRESENTATIVE BEFORE PLANTING CAN BEGIN. ALL PLANT MATERIALS WILL NOT INCLUDE ANY PLANTS CONSIDERED TO BE INVASIVE BY THE CITY OF MIAMI BEACH.
- 12. A CITY OF MIAMI BEACH ROW PERMIT SHALL BE OBTAINED FROM PUBLIC WORKS FOR ALL LANDSCAPE + IRRIGATION IMPROVEMENTS WITHIN THE ROW. ALL REQUIRED STREET TREES + ROW LANDSCAPE + IRRIGATION SHALL BE REVIEWED AND APPROVED BY CMB PUBLIC WORKS + URBAN EXPRESTRY
- 13. CONTRACTOR SHALL REFER TO THE LANDSCAPE PLANTING DETAILS, GENERAL NOTES AND THE PROJECT MANUAL AND/OR SPECIFICATIONS FOR FURTHER AND COMPLETE LANDSCAPE PLANTING INSTRUCTIONS.
- 14. CONTRACTOR + LANDSCAPE ARCHITECT TO MEET ON SITE PRIOR TO COMMENCEMENT OF LANDSCAPE INSTALLATIONS. CONTRACTOR TO PROVIDE IMAGES OF ALL PROPOSED TREES TO LANDSCAPE ARCHITECT FOR APPROVAL PRIOR PURCHASING AND INSTALLATION.
- 15.LANDSCAPE CONTRACTOR SHALL COORDINATE ALL PLANTING WORK WITH PERMANENT OR TEMPORARY IRRIGATION WORK. LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL HAND WATERING AS REQUIRED BY OWNER'S REPRESENTATIVE TO SUPPLEMENT IRRIGATION WATERING AND RAINFALL. LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR HAND WATERING IN ALL PLANTING AREAS, REGARDLESS OF THE STATUS OF EXISTING OR PROPOSED IRRIGATION.
- 16.LANDSCAPE CONTRACTOR SHALL CLEAN THE WORK AREAS AT THE END OF EACH WORKING DAY. RUBBISH AND DEBRIS SHALL BE COLLECTED AND DEPOSITED OFF-SITE OR IN AN APPROVED DISPOSAL AREA DAILY. ALL MATERIALS, PRODUCTS AND EQUIPMENT SHALL BE STORED IN AN ORGANIZED FASHION AS DIRECTED BY THE OWNER'S REPRESENTATIVE.
- 17. SITE DISTANCE CONCERNS MUST BE MAINTAINED FOR CLEAR SITE VISIBILITY FROM THIRTY (30) INCHES TO SEVENTY-TWO (72) INCHES, TREE TRUNKS ARE EXCLUDED AS SPECIFIED IN APPROPRIATE MUNICIPAL CODES.
- 18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE GUARANTEE OF ALL PLANT MATERIAL FOR A PERIOD OF TWELVE (12) MONTHS FROM THE DATE OF SUBSTANTIAL COMPLETION. SUBSTANTIAL COMPLETION CONSTITUTES THE BEGINNING OF GUARANTEE PERIOD.
- 19. THE LOCATIONS OF PLANTS, AS SHOWN IN THESE PLANS, ARE APPROXIMATE. THE FINAL LOCATIONS MAY BE ADJUSTED TO ACCOMMODATE UNFORESEEN FIELD CONDITIONS TO COMPLY WITH SAFETY CRITERIA, TO AVOID CREATING UNSAFE SIGHT CONDITIONS, OR AS OTHERWISE DIRECTED BY OR APPROVED BY THE LANDSCAPE ARCHITECT OR OWNER'S REPRESENTATIVE

Rev.	Date	Rev. D	at
DRB FIRST SUBMITTAL	03-16-2020		
DRB FINAL SUBMITTAL	04-06-2020		
		I .	

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBI KARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c) 2019

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL - OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY | CC LANDSCAPE ARCHITECTURE LLC LA

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

_	Owner:

PRIVATE

Landscape Architect:
Name
Address
Address

Consultant: Name Address

Address

Tel: Email

Email

Consultant:
Name
Address
Address

Tel:


Architect of Record:
Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200
Miami, Florida 33137 USA
Tel: +1(305) 573 1818
Fax: +1(305) 573 3766



KOBI KARP Lic. # AR0012578

Date 04-06-2020
Scale
Project 2001
Sheet No.
LO.01

GENERAL + LANDSCAPE NOTES



TOTAL PALMS REMOVED: 2 PALM

REPLACEMENT TREES REQUIRED:

- (2) BRIDAL VEIL TREES @ 18' HEIGHT + 4" DBH + 10' SPREAD = 4 REPLACEMENT TREES

- (4) NATIVE SPANISH STOPPER TREES @ 14' HEIGHT + 3" DBH + 6' SPREAD = 4 REPLACEMENT TREES

BREAKDOWN:

C.M.B. EXISTING TREE INVENTORY + DISPOSITION CHART - 1910 ALTON ROAD CITY OF MIAMI BEACH CHAPTER 46 MITIGATION REQUIREMENTS: SPECIMEN D.B.H. (IN) HEIGHT (FT) SPREAD (FT) CONDITION DISPOSITION D.B.H. LOSS COMMENTS REMOVAL OF 2 PALM (ROYAL PALMS #3) #1 Royal Palm NO +/- 15" +/- 30' +/- 25' FAIR REMIAN 0 SF NOT LOCATED ON SITE. PRESERVE + PROTECT DURING CONSTRUCTION PALMS MAY BE MITIGATED AT 1 REPLACEMENT TREE PER PALM NO +/- 15" +/- 30' +/- 25' FAIR REMOVE 0 SF IN CONFLICT WITH PROPOSED SITE DESIGN #2 Royal Palm Rovstonea elata REPLACEMENT TREES REQUIRED: +/- 15" | +/- 30' | +/- 25' | FAIR | REMOVE | 0 SF | IN CONFLICT WITH PROPOSED SITE DESIGN 2 REPLACEMENT TREES REQUIRED AT 12' HEIGHT, 2" DBH + THE REMOVAL OF 2 PALM (ROYAL PALM #2-3) C.M.B. CHAPTER 46, DIVISION 2 - TREE INVENTORY + DISPOSITION PLAN NOTES CH. 46 TREE PRESERVATION + PROTECTION / TREE + PALM MITIGATION SUMMARY THIS 'EXISTING TREE INVENTORY + DISPOSITION PLAN' HAS BEEN PREPARED IN ACCORDANCE WITH THE CITY OF MIAMI BEACH, CHAPTER 46 - ENVIRONMENT, DIVISION 2, TREE PRESERVATION and 2. EXISTING TREE, PALM, AND VEGETATION INFORMATION AS INDICATED HAS BEEN PREPARED AS AN OVERLAY ON THE SURVEY PREPARED BY AMERICAN SERVICES OF MIAMI, CORP.. DATED 01.07.20. (2) REPLACEMENT TREES REQUIRED @ 12' HEIGHT + 2" DBH + 6' SPREAD 3. THE INFORMATION AS PRESENTED HEREIN HAS BEEN FIELD VERIFIED BY THE LANDSCAPE ARCHITECT ON 02.18.20 REPLACEMENT TREES PROVIDED: 8 REPLACEMENT TREES PROVIDED @ 12'HT + 2" DBH + 6' SPREAD

SUPPLEMENTAL IRRIGATION WATER.

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL -OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY | CC LANDSCAPE ARCHITECTURE LLC | LA

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

PRIVATE

Landscape Architect: Address Address

Consultant: Address

Address

Tel: Email

Email Consultant: Name Address

Address

Tel: **Architect of Record:**

Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200 Miami, Florida 33137 USA Tel: +1(305) 573 1818 Fax: +1(305) 573 3766



KOBI KARP Lic. # AR0012578

Project 2001



Sheet No.

Date 04-06-2020 EXISTING TREE SURVEY + DISPOSITION PLAN


| 1/8" = 1'-0" | |

4. MIAMI BEACH P+Z MUST APPROVE LANDSCAPE PLANS PRIOR TO REMOVING ANY TREES OR PALMS WITH A DBH BETWEEN 6" AND 12" INCHES. A WRITTEN TREE REMOVAL PERMIT IS REQUIRED FROM

6. THERE ARE NO TREES or PALMS LOCATED ON THIS PROPERTY THAT WILL REQUIRE TEMPORARY IRRIGATION. ALL EXISTING TREES + PALMS ARE MATURE AND ARE CURRENTLY THRIVING WITHOUT

5. THE OWNER RESERVES THE RIGHT TO REMOVE ANY VEGETATION NOT LOCATED WITHIN THE CITY R.O.W. w/ a D.B.H. OF LESS THAN 6" WITHOUT OBTAINING A TREE REMOVAL PERMIT.

CITY OF MIAMI BEACH GREENSPACE MANAGEMENT / P.W FOR THE REMOVAL OF TREES / PALMS WITH A DBH GREATER THAN 12" INCHES OR IN THE R.O.W.



Rev.	Date	Rev.	Date
DRB FIRST SUBMITTAL	03-16-2020		
DRB FINAL SUBMITTAL	04-06-2020		

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBI KARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c) 2019

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL -OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY CC LANDSCAPE ARCHITECTURE LLC

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

PRIVATE

Landscape Architect:

Address Address

Consultant: Name Address Address

GROUND FLOOR LANDSCAPE PLAN


| 3/32" = 1'-0" | 10' | 20'

Architect of Record: Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200 Miami, Florida 33137 USA
Tel: +1(305) 573 1818
Fax: +1(305) 573 3766




KOBI KARP Lic. # AR0012578

_	Date 04-06-2020	Sheet No.
_	Scale	
	Project 2001	L2.00



LEVEL 3



LEVEL 2

	Rev.	Date	Rev. [Date
	DRB FIRST SUBMITTAL	03-16-2020		
ł	 DRB FINAL SUBMITTAL	04-06-2020		
ł	 			
ł				

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORL
KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT

(COLLADA DROUTESTING A INTERIOR DESIGNATION AND AIA (A DOCASE)

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL -OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY CC LANDSCAPE ARCHITECTURE LLC

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

Owner:

PRIVATE

Landscape Architect:
Name
Address
Address
Tel:

Consultant: Name Address Address Tel:


Email


Consultant:
Name
Address
Address
Tel:

Architect of Record:
Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200 Miami, Florida 33137 USA
Tel: +1(305) 573 1818
Fax: +1(305) 573 3766




KOBI KARP Lic. # AR0012578





ROOF



LEVEL 4


D	RB20-0522
	MIXED USE - COMMERCIAL - OFFICE - RESIDENCE
-	910 ALTON ROAD IIAMI BEACH, FLORIDA 33139
	CHRISTOPHER CAWLEY C
	Florida Landscape Architecture Business LC 260004 780 NE 69th Street Suite 1106 Miami, FL 331 O 786.536.2961 T 305.979.1585 www.christophercawley.c
0	wner:
Na Ad Te	andscape Architect: ame ddress ddress el: mail
Na Ad Ad Te	onsultant: ame ddress ddress el: mail
Na Ad Ad Te	onsultant: ame ddress ddress el: mail
Ko 29	rchitect of Record: bbi Karp Architecture and Interior Design, Inc. 15 Biscayne Boulevard, Suite #200 iami, Florida 33137 USA 1: +1(305) 573 1818

KOBI KARP Lic. # AR0012578

L2.02

Date Rev.

DRB FIRST SUBMITTAL 03-16-2020 DRB FINAL SUBMITTAL 04-06-2020



PLANT MATERIAL SHALL NOT BE PRUNED PRIOR TO INSTALLATION, AFTER PLANTS HAVE BEEN INSTALLED, EACH PLANT SHALL BE PRUNED FOR UNIFORMITY OR AT THE DIRECTION OF THE PROJECT LANDSCAPE ARCHITECT.

ARCHITECT.


LOOSEN + SCORE BOUND ROOTS
 2" MIN DEPTH COCO BROWN MULCH LAYER - REFER TO SPECIFICATION ON SAME SHEET. MULCH SHALL BE LEVEL WITH ALL EDGES OF PAVEMENT, TYPICAL
 CONTINUOUS SOIL SAUCER - AS REQUIRED TO CONTAIN

- LEAVE MOUND OF UNDISTURBED SOIL TO PREVENT SETTLING, OR COMPACT THOROUGHLY UNDER SHRUB AS NEEDED. ADJUST HEIGHT TO PLACE TOP OF ROOT BALL EVEN WITH GRADE - PLANTING SOIL MIX. SEE SOIL SPEC ON SAME SHEET

EXISTING SOIL OR APPROVED BACKFILL

SHRUB PLANTING DETAIL

N.T.S.



GROUNDCOVERS TO BE STAGGERED AS SHOWN - SPACING BETWEEN ROWS TO BE AT A 60 DEGREE ANGLE OF THE O.C. DISTANCE AS SHOWN

FERTILIZER TO BE APPLIED AT TIME OF PLANTING. FERTILIZER SHALL BE SCOTTS AGRIFORM 20-10-5 PLANTING TABS OR APPROVED EQUAL

2" MIN DEPTH COCO BROWN MULCH LAYER - REFER TO SPECIFICATION ON SAME SHEET. MULCH SHALL BE LEVEL WITH ALL EDGES OF PAVEMENT, TYPICAL


- PLANTING SOIL MIX. SEE SOIL SPEC ON SAME SHEET

MULCH SHALL BE LEVEL WITH ALL EDGES OF


PAVEMENT TYPICAL

GROUNDCOVER PLANTING DETAIL

N.T.S.



C.M.B. LARGE TREE PLANTING DETAIL



PLANT LIST - 1910 ALTON ROAD KEY | QTY. | NATIVE | COMMON NAME **HEIGHT, SPECIFICATION, & NOTES** BOTANICAL NAME **TREES** NO BRIDAL VEIL Caesalpinia granadillo 18' ht min, 10' spread min, 4" dbh, 5' CT, standard trunk, equal to Treeworld Wholesale YES | SPANISH STOPPER 14' ht min, 6' spread min, 3" dbh, standard trunk, equal to Treeworld Wholesale Eugenia foetida SHRUBS PSL 90 YES BAHAMA WILD COFFEE SHRUB Psychotria ligustrifolia 7 gallon, 24" height, 24" spread GROUNDCOVERS NO CARISSA ' EMERALD BLANKET' Carissa macrocarpa 'Emerald Blanket' 3 gallon, 18" on center, full BOU 8 NO BOUGAINVILLEA 1 gallon, 18" on center, full STW 270 NO SNAKE PLANT 'WINTER GREEN' Sansevieria 'Winter Green' 3 gallon, 12" on center, full SOD, AGGREGATE & MULCH MLC | AMERIGROW 'PREMIUM PINEBARK BROWN' SHREDDED MULCH SOD NATIVE SEA SHORE PASPALUM LAWN - OVER 2" TOPSOIL BED, SEE PLANTING SPECS

DGA 3/8" DECOMPOSED GRANITE AGGREGATE OR STONE TO BE SELECTED, INSTALLED OVER FILTER FABRIC AND WEED BARRIER MATERIAL / OLIMAR, 2" MIN. DEPTH

N.T.S.

	DRB FIRST SUBMITTAL 03-16-2020	
-	DRB FINAL SUBMITTAL 04-06-2020	
_		
-		
-		
_		
	ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN	

Date Rev.

KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT KOBI KARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c) 2019

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL - OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY CC LANDSCAPE ARCHITECTURE LLC LA

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

Owner:

PRIVATE

Landscape Architect: Name Address Address

Consultant: Name Address

Address

Email

Tel:

Consultant: Name Address Address

Architect of Record:
Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200
Miami, Florida 33137 USA
Tel: +1(305) 573 1818

Fax: +1(305) 573 3766



KOBI KARP Lic. # AR0012578


Date 04-06-2020	Sheet No.
Scale	
Project 2001	L3.00

PLANT LIST + LANDSCAPE DETAILS













_	Rev.	Date	Rev. [Date
	DRB FIRST SUBMITTAL	03-16-2020		
_	DRB FINAL SUBMITTAL	04-06-2020		
_				
_				
	_			

DRB FINAL SUBMITTAL

DRB20-0522

MIXED USE - COMMERCIAL -OFFICE - RESIDENCE

1910 ALTON ROAD MIAMI BEACH, FLORIDA 33139

CHRISTOPHER CAWLEY CC LANDSCAPE ARCHITECTURE LLC

Florida Landscape Architecture Business LC 26000460 780 NE 69th Street | Suite 1106 | Miami, FL 33138 O 786.536.2961 | T 305.979.1585 | www.christophercawley.com

PRIVATE

Landscape Architect: Address Address Tel:

Consultant: Name Address

Address Tel: Email

Consultant: Name Address Address Tel: Email

Architect of Record:
Kobi Karp Architecture and Interior Design, Inc. 2915 Biscayne Boulevard, Suite #200
Miami, Florida 33137 USA
Tel: +1(305) 573 1818
Fax: +1(305) 573 3766



KOBI KARP Lic. # AR0012578

Sheet No. Date 04-06-2020 **L4.00** Project 2001