

Proposed text amendments to height regulations in CD-2, I-1, and CPS-2 for commercial and office buildings (REVISED July 9, 2020):

In the CD-2 District:

Sec. 142-306. - Development regulations.

(a) The development regulations in the CD-2 commercial, medium intensity district are as follows:

Maximum Floor Area Ratio	Minimum Lot Area (Square Feet)	Minimum Lot Width (Feet)	Minimum Apartment Unit Size (Square Feet)	Average Apartment Unit Size (Square Feet)	Maximum Building Height (Feet)
1.5	None	None	<p>New construction—550</p> <p>Rehabilitated buildings—400</p> <p>Non-elderly and elderly low and moderate income housing—400</p> <p>Workforce housing—400</p> <p>Hotel unit: 15%: 300—335; 85%: 335+</p> <p>For contributing hotel structures located within the Collins Park District, generally bounded by the erosion control line on the east, the east side of Washington Avenue on the west, 23rd Street on the north, and 17th Street on the south, hotel units shall be a minimum of 200 square feet.</p> <p>For contributing hotel structures, located</p>	<p>New construction—800</p> <p>Rehabilitated buildings—550</p> <p>Non-elderly and elderly low and moderate income housing—400</p> <p>Workforce housing—400</p> <p>Hotel units—N/A.</p> <p>The number of units may not exceed the maximum density set forth in the comprehensive plan.</p>	<p>50 (except as provided in section 142-1161). Notwithstanding the above, the design review board or historic preservation board, in accordance with the applicable review criteria, may allow up to an additional five feet of height, as measured from the base flood elevation plus maximum freeboard, to the top of the second floor slab. Self-storage warehouse - 40 feet, except that the building height shall be limited to 25 feet within 50 feet from the rear property line for lots abutting an alley; and within 60 feet from a residential district for blocks with no alley. Mixed-use and commercial buildings <u>with a minimum of .30 FAR of office use within</u></p>

			<p>within an individual historic site, a local historic district or a national register district, which are being renovated in accordance with the Secretary of the Interior Standards and Guidelines for the Rehabilitation of Historic Structures as amended, retaining the existing room configuration shall be permitted, provided all rooms are a minimum of 200 square feet. Additionally, existing room configurations for the above described hotel structures may be modified to address applicable life-safety and accessibility regulations, provided the 200 square foot minimum unit size is maintained, and provided the maximum occupancy per hotel room does not exceed 4 persons. In addition, the minimum hotel unit size for a property formerly zoned HD is 250 square feet, provided that the property does not exceed 25,000 square</p>	<p><u>the structure located in the Sunset Harbour neighborhood and on that include structured parking for properties on the west side of Alton Road from 6th Street to Collins Canal - 7560 feet.</u></p>
--	--	--	---	--

			feet as of March 23, 2019. Hotel units within rooftop additions to contributing structures in a historic district and individually designated historic buildings— 200.		
--	--	--	---	--	--

* * *

In the I-1 District:

Sec. 142-486. - Development regulations.

There are no lot area, lot width or unit area or unit size requirements in the I-1 light industrial district. The maximum floor area ratio, building height and story requirements are as follows:

- (1) Maximum floor area ratio is 1.0.
- (2) Maximum building height is 40 feet; **except maximum building height for commercial and office buildings with a minimum of .30 FAR within the structure of office use is 75 feet.**

In the CPS-2 District:

Sec. 142-698. - Commercial performance standard area requirements.

(a) Definitions. For purposes of this district, the following parcels are defined as set forth below:

- (1) The "Block 51 Properties" shall mean Lots 5-9, 11, 12, 18-30 (and adjacent 10-foot strip of land), Block 51, Ocean Beach Addition No. 3, PB2, Pg81, Public Records of Miami-Dade County.
- (2) The "Block 51 Swap Property" shall mean Lot 4, Block 51, Ocean Beach Addition No. 3, PB2, Pg81, Public Records of Miami-Dade County.
- (3) The "Block 52 Properties" shall mean Lots 4-11, Block 52, Ocean Beach Addition No. 3, PB2, Pg81, Public Records of Miami-Dade County.
- (4) The "Block 1 Properties" shall mean Lots 1-3, 5-13 (and alley adjacent thereto), 17, Block 1, Ocean Beach Florida, PB2, Pg38, Public Records of Miami-Dade County.
- (5) The "Goodman Terrace and Hinson Parcels" shall mean those properties commonly known as the Goodman Terrace and Hinson Parcels, located south of South Pointe Drive and West of Washington Avenue, whose legal description is on file in the City Clerk's Office.
- (6) The "Retail Parcel" shall mean the commercial building located south of South Pointe Drive, between Washington Avenue and the theoretical extension of Collins Avenue.

(b) The commercial performance standard area requirements are as follows:

	Commercial Subdistricts			
Performance Standard	C-PS1	C-PS2	C-PS3	C-PS4
Minimum lot area	6,000 square feet	6,000 square feet	6,000 square feet	6,000 square feet
Minimum lot width	50 feet	50 feet	50 feet	50 feet
Maximum building height	40 feet; 75 feet for the Block 51 Properties, the Block 51 Swap Property, Block 52 Properties, and Block 1 Properties	50 feet—East of Lenox Avenue 75 feet—West of Lenox Avenue <u>75 feet—West of Washington Avenue for mixed-use and commercial buildings with a minimum of .30 FAR of office use within the structure.</u>	Non-oceanfront—80 feet Oceanfront—100 feet	150 Notwithstanding the above, the design review board or historic preservation board, in accordance with the applicable review criteria, may allow up to an additional five feet of height, as measured from the base flood elevation plus maximum freeboard, to the top of the second floor slab. This provision shall not apply to existing historic districts or existing overlay districts (existing as of 7/26/2017), or commercial buildings immediately adjacent to residential district not separated by a street. However, an applicant may seek approval from the historic preservation board or design review board, as may be applicable, to increase height in accordance

				with the foregoing within any historic district or overlay district created after 7/26/2017
Maximum floor area ratio	1.0; 1.5 for the Block 51 Properties and Block 52 Properties, and 2.0 for the Block 1 Properties	2.0	2.5	2.5
Residential and/or hotel development	Pursuant to all R-PS2 district regulations, except maximum building height for residential and mixed use buildings shall be 75 feet	Pursuant to all R-PS3 district regulations, except maximum building height for residential and mixed use buildings shall be 75 feet	Pursuant to all R-PS4 district regulations except maximum floor area ratio shall be 2.5; on the Goodman Terrace and Hinson Parcels, the FAR shall be that necessary to achieve 305,500 sq. ft. (estimated at 3.2 FAR), and 300 ft. height maximum for the Goodman Terrace and Hinson Parcels, and open space ratio 0.60 measured at or above grade	Pursuant to all R-PS4 district regulations, except maximum floor area ratio shall be 2.5, and open space ratio 0.60 measured at or above grade
Minimum apartment unit size (square feet)	New construction—650 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400	New construction—600 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400	New construction—550 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400	New construction—550 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400

	Workforce housing—400	Workforce housing—400	Workforce housing—400	
Average apartment unit size (square feet)	New construction—900 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	New construction—850 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	New construction—800 Rehabilitated buildings—550 Non-elderly and elderly low and moderate housing—400 Workforce housing—400	New construction—800 Rehabilitated buildings—550 Non-elderly and elderly low and moderate housing—400 Workforce housing—400
Minimum floor area per hotel unit (square feet)	15% = 300—335 square feet; 85% = 335 + square feet in all districts.			
Minimum parking requirements	Pursuant to chapter 130 and section 142-702 requirement.			
Minimum off-street loading	Pursuant to chapter 130.			
Signs	Pursuant to chapter 138.			