Commercial Height Limits for Office Uses – Portion of 5th Street

ORDINANCE NO.	

AN ORDINANCE OF THE MAYOR AND CITY COMMISSION OF THE CITY OF MIAMI BEACH, FLORIDA, AMENDING THE CODE OF THE CITY OF MIAMI BEACH, SUBPART B, ENTITLED "LAND DEVELOPMENT REGULATIONS," BY AMENDING CHAPTER 142, ENTITLED "ZONING DISTRICTS AND REGULATIONS," ARTICLE II, ENTITLED "DISTRICT REGULATIONS," DIVISION 18, ENTITLED "PS PERFORMANCE STANDARD DISTRICT," BY AMENDING SECTION 142-698, ENTITLED "COMMERCIAL PERFORMANCE STANDARD AREA REQUIREMENTS," TO INCREASE THE MAXIMUM BUILDING HEIGHT ON CERTAIN PROPERTIES; AND PROVIDING FOR CODIFICATION, REPEALER, SEVERABILITY, AND AN EFFECTIVE DATE

WHEREAS, economic trends indicate that demand has increased for Class A office space within the City, as businesses relocate from other states to Miami Beach; and

WHEREAS, Class A office space tends to require higher floor-to-ceiling heights than other classes of office space; and

WHEREAS, the development of Class A office space will promote the growth, diversification, and resiliency of the City's economy; and

WHEREAS, the 5th Street corridor, south of 5th Street at Lenox and Michigan Avenues is an appropriate location for Class A office space due to its accessibility to the regional transportation network; and

WHEREAS, the proposed changes are necessary in order to promote the development of Class A office space within the City; and

WHEREAS, the amendments set forth below are necessary to accomplish all of the above objectives.

NOW, THEREFORE, BE IT ORDAINED BY THE MAYOR AND CITY COMMISSION OF THE CITY OF MIAMI BEACH, FLORIDA:

SECTION 1. Chapter 142, "Zoning Districts and Regulations," at Article II, entitled "District Regulations," at Division 18, entitled "PS Performance Standard District" of the Land Development Regulations of the Code of the City of Miami Beach, Florida is hereby amended as follows:

Sec. 142-698. Commercial performance standard area requirements.

(b) The commercial performance standard area requirements are as follows:

* * *

		Commercial	Subdistricts	
Performance Standard	C-PS1	C-PS2	C-PS3	C-PS4
Minimum lot	6,000 square	6,000 square	6,000 square	6,000 square
area	feet	feet	feet	feet
Minimum lot width	50 feet	50 feet	50 feet	50 feet
Maximum building height	40 feet; 75 feet for the Block 51 Properties, the Block 51 Swap Property, Block 52 Properties, and Block 1 Properties	50 feet—East of Lenox Avenue 75 feet—West of Lenox Avenue	Non- oceanfront—80 feet Oceanfront— 100 feet	Notwithstanding the above, the design review board or historic preservation board, in accordance with the applicable review criteria, may allow up to an additional five feet of height, as measured from the base flood elevation plus maximum freeboard, to the top of the second floor slab. This provision shall not apply to existing historic districts or existing overlay districts (existing as of 7/26/2017), or commercial buildings immediately adjacent to residential district not separated by a street. However, an applicant may seek approval from the historic preservation board or design review board, as

				may be applicable, to increase height in accordance with the foregoing within any historic district or overlay district created after 7/26/2017
Maximum floor area ratio	1.0; 1.5 for the Block 51 Properties and Block 52 Properties, and 2.0 for the Block 1 Properties	2.0	2.5	2.5
Residential and/or hotel development	Pursuant to all R-PS2 district regulations, except maximum building height for residential and mixed use buildings shall be 75 feet	Pursuant to all R-PS3 district regulations, except maximum building height for residential and mixed use buildings shall be 75 feet	Pursuant to all R-PS4 district regulations except maximum floor area ratio shall be 2.5; on the Goodman Terrace and Hinson Parcels, the FAR shall be that necessary to achieve 305,500 sq. ft. (estimated at 3.2 FAR), and 300 ft. height maximum for the Goodman Terrace and Hinson Parcels, and open space ratio 0.60 measured at or above grade	Pursuant to all R-PS4 district regulations, except maximum floor area ratio shall be 2.5, and open space ratio 0.60 measured at or above grade
Minimum apartment unit size (square feet)	New construction— 650 Rehabilitated buildings—400 Non-elderly and elderly low and	New construction— 600 Rehabilitated buildings—400 Non-elderly and elderly low and	New construction— 550 Rehabilitated buildings—400 Non-elderly and elderly low and	New construction— 550 Rehabilitated buildings—400 Non-elderly and elderly low and

Average apartment unit size (square feet)	moderate income housing—400 Workforce housing—400 New construction— 900 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	moderate income housing—400 Workforce housing—400 New construction— 850 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	moderate income housing—400 Workforce housing—400 New construction— 800 Rehabilitated buildings—550 Non-elderly and elderly low and moderate housing—400 Workforce housing—400	moderate income housing—400 Workforce housing—400 New construction— 800 Rehabilitated buildings—550 Non-elderly and elderly low and moderate housing—400 Workforce housing—400	
Minimum floor area per hotel unit (square feet)		15% = 300—335 square feet; 85% = 335 + square feet in all districts.			
Minimum parking	requirements	Pursuant to chapter 130 and section 142-702 requirement.			
Minimum off-stree	t loading	Pursuant to chapter 130.			
Signs		Pursuant to chapter 138.			

- (c) Notwithstanding the above height restrictions, existing structures within a local historic district are subject to section 142-1161.
- (d) Notwithstanding the above floor area ratio limits, 75 spaces of required parking located on Block 51 for the Retail Parcel pursuant to a covenant under section 130-36, shall not be counted as permitted floor area. Further, the floor area on the Block 51 Properties and the Block 51 Swap Property may be distributed among such properties by covenant in lieu of unity of title; and the floor area on the Block 1 Properties may be distributed among such properties within the block by covenant in lieu of unity of title.
- (e) Notwithstanding the above height restrictions, unified development sites in the CPS-2 district with a lot line on the south side of 5th Street, and located west of Jefferson Avenue, the maximum building height for office buildings is 75 feet.

SECTION 2. REPEALER.

All ordinances or parts of ordinances and all section and parts of sections in conflict herewith be and the same are hereby repealed.

SECTION 3. CODIFICATION.

It is the intention of the City Commission, and it is hereby ordained that the provisions of this ordinance shall become and be made part of the Code of the City of Miami Beach as amended; that the sections of this ordinance may be renumbered or relettered to accomplish such intention; and that the word "ordinance" may be changed to "section" or other appropriate word.

SECTION 4. SEVERABILITY.

If any section, subsection, clause or provision of this Ordinance is held invalid, the remainder shall not be affected by such invalidity.

SECTION 5. EFFECTIVE DATE,

This Ordinance shall take effect ten days following adoption	This (Ordinance	shall take	effect ten	days	following	adoption
--	--------	-----------	------------	------------	------	-----------	----------

PASSED AND ADOPTED this	day of 2021	
ATTEST:	Dan Gelber, Mayor	
Rafael E. Granado, City Clerk.	APPROVED AS TO FOR LANGUAGE AND FOR E	
First Reading: , 2021 Second Reading: , 2021	City Attorney	Date
Verified by: Thomas R. Mooney, AICP Planning Director		

M:\\$CMB\CCUPDATES\Land Use and Sustainability Committee\2021\September\CPS-2 Incentives for Class A Office - DRAFT ORD Sep 14 2021 LUSC.docx