

**Commercial Height Limits for Office Uses – CPS-2 District**

**ORDINANCE NO. \_\_\_\_\_**

**AN ORDINANCE OF THE MAYOR AND CITY COMMISSION OF THE CITY OF MIAMI BEACH, FLORIDA, AMENDING THE CODE OF THE CITY OF MIAMI BEACH, SUBPART B, ENTITLED "LAND DEVELOPMENT REGULATIONS," BY AMENDING CHAPTER 142, ENTITLED "ZONING DISTRICTS AND REGULATIONS," ARTICLE II, ENTITLED "DISTRICT REGULATIONS," DIVISION 18, ENTITLED "PS PERFORMANCE STANDARD DISTRICT," BY AMENDING SECTION 142-698, ENTITLED "COMMERCIAL PERFORMANCE STANDARD AREA REQUIREMENTS," TO MODIFY THE MAXIMUM BUILDING HEIGHT FOR OFFICE USES ON CERTAIN PROPERTIES; AND PROVIDING FOR CODIFICATION, REPEALER, SEVERABILITY, AND AN EFFECTIVE DATE.**

**WHEREAS**, economic trends indicate that demand has increased for Class A office space within the City, as businesses relocate from other states to Miami Beach; and

**WHEREAS**, Class A office space tends to require higher floor-to-ceiling heights than other classes of office space; and

**WHEREAS**, the development of Class A office space will promote the growth, diversification, and resiliency of the City's economy; and

**WHEREAS**, the 5<sup>th</sup> Street corridor is an ideal area for the development of new Class A office space due to its accessibility to the regional transportation network; and

**WHEREAS**, the proposed changes below are necessary to promote the development of Class A office space within the City.

**NOW, THEREFORE, BE IT ORDAINED BY THE MAYOR AND CITY COMMISSION OF THE CITY OF MIAMI BEACH, FLORIDA:**

**SECTION 1.** Chapter 142, "Zoning Districts and Regulations," at Article II, entitled "District Regulations," at Division 18, entitled "PS Performance Standard District" of the Land Development Regulations of the Code of the City of Miami Beach, Florida is hereby amended as follows:

**CHAPTER 142  
ZONING DISTRICTS AND REGULATIONS**

\* \* \*

**ARTICLE II. DISTRICT REGULATIONS**

\* \* \*

**DIVISION 18. PS PERFORMANCE STANDARD DISTRICT**

\* \* \*

**Sec. 142-698. Commercial performance standard area requirements.**

\* \* \*

(b) The commercial performance standard area requirements are as follows:

Performance Standard	Commercial Subdistricts			
	C-PS1	C-PS2	C-PS3	C-PS4
Minimum lot area	6,000 square feet	6,000 square feet	6,000 square feet	6,000 square feet
Minimum lot width	50 feet	50 feet	50 feet	50 feet
Maximum building height	40 feet; 75 feet for the Block 51 Properties, the Block 51 Swap Property, Block 52 Properties, and Block 1 Properties	50 feet—East of Lenox Avenue 75 feet—West of Lenox Avenue	Non-oceanfront—80 feet Oceanfront—100 feet	150 Notwithstanding the above, the design review board or historic preservation board, in accordance with the applicable review criteria, may allow up to an additional five feet of height, as measured from the base flood elevation plus maximum freeboard, to the top of the second floor slab. This provision shall not apply to existing historic districts or existing overlay districts (existing as of 7/26/2017), or commercial buildings immediately adjacent to residential district not separated by a street. However, an applicant may seek

				approval from the historic preservation board or design review board, as may be applicable, to increase height in accordance with the foregoing within any historic district or overlay district created after 7/26/2017
Maximum floor area ratio	1.0; 1.5 for the Block 51 Properties and Block 52 Properties, and 2.0 for the Block 1 Properties	2.0	2.5	2.5
Residential and/or hotel development	Pursuant to all R-PS2 district regulations, except maximum building height for residential and mixed use buildings shall be 75 feet	Pursuant to all R-PS3 district regulations, except maximum building height for residential and mixed use buildings shall be 75 feet	Pursuant to all R-PS4 district regulations except maximum floor area ratio shall be 2.5; on the Goodman Terrace and Hinson Parcels, the FAR shall be that necessary to achieve 305,500 sq. ft. (estimated at 3.2 FAR), and 300 ft. height maximum for the Goodman Terrace and Hinson Parcels, and open space ratio 0.60 measured at or above grade	Pursuant to all R-PS4 district regulations, except maximum floor area ratio shall be 2.5, and open space ratio 0.60 measured at or above grade
Minimum apartment unit	New construction—	New construction—	New construction—	New construction—

size (square feet)	650 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	600 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	550 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	550 Rehabilitated buildings—400 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400
Average apartment unit size (square feet)	New construction—900 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	New construction—850 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	New construction—800 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400	New construction—800 Rehabilitated buildings—550 Non-elderly and elderly low and moderate income housing—400 Workforce housing—400
Minimum floor area per hotel unit (square feet)	15% = 300—335 square feet; 85% = 335 + square feet in all districts.			
Minimum parking requirements	Pursuant to chapter 130 and section 142-702 requirement.			
Minimum off-street loading	Pursuant to chapter 130.			
Signs	Pursuant to chapter 138.			

- (c) Notwithstanding the above height restrictions, existing structures within a local historic district are subject to section 142-1161.
- (d) Notwithstanding the above floor area ratio limits, 75 spaces of required parking located on Block 51 for the Retail Parcel pursuant to a covenant under section 130-36, shall not be counted as permitted floor area. Further, the floor area on the Block 51 Properties and the Block 51 Swap Property may be distributed among such properties by covenant in lieu of unity of title; and the floor area on the Block 1 Properties may be distributed among such properties within the block by covenant in lieu of unity of title.
- (e) Notwithstanding the building height regulations set forth above, for unified development sites in the CPS-2 district with a lot line on the south side of 5<sup>th</sup> Street, which are located west of Jefferson Avenue, the maximum building height for office buildings is 75 feet.

## **SECTION 2. REPEALER.**

All ordinances or parts of ordinances and all section and parts of sections in conflict herewith be and the same are hereby repealed.

## **SECTION 3. CODIFICATION.**

It is the intention of the City Commission, and it is hereby ordained that the provisions of this ordinance shall become and be made part of the Code of the City of Miami Beach as

amended; that the sections of this ordinance may be renumbered or relettered to accomplish such intention; and that the word "ordinance" may be changed to "section" or other appropriate word.

**SECTION 4. SEVERABILITY.**

If any section, subsection, clause or provision of this Ordinance is held invalid, the remainder shall not be affected by such invalidity.

**SECTION 5. EFFECTIVE DATE.**

This Ordinance shall take effect ten days following adoption.

**PASSED AND ADOPTED** this \_\_\_\_ day of 2022.

\_\_\_\_\_  
Dan Gelber, Mayor

ATTEST:

\_\_\_\_\_  
Rafael E. Granado, City Clerk

APPROVED AS TO FORM AND  
LANGUAGE AND FOR EXECUTION

  
\_\_\_\_\_  
City Attorney

NK

10-26-21  
\_\_\_\_\_  
Date

First Reading: December 8, 2021

Second Reading: January \_\_\_\_, 2022

Verified by: \_\_\_\_\_  
Thomas R. Mooney, AICP  
Planning Director