


TREE DISPOSITION SUMMARY REMAIN RELOCATE REMOVE TOTAL	TOTAL
TREES 0 0 13 13 PALMS 1 14 33 4 4	PALMS
NOTES: -1 INVASIVE TREE BELOW REGULATORY SIZE THRESHOLD TO BE REMOVED (NO M REQUIRED). - 1 PALM BELOW REGULATORY SIZE THRESHOLD TO BE REMOVED (NO MITIGATIO REQUIRED);& PALM #40 IS DEAD.	

NUMBER Bismarok Palm Bismarok Jan Bismarok Jan No 16 20 18 Single Ref 2 Bismarok Palm Bismarok Jan No 15 20 18 Single Ref 3 Alexander Palm Pirychosperma eleganos No 4 30 Single Ref 4 Alexander Palm Pirychosperma eleganos No 4 30 Single Ref 6 Pongams Tree Miletta primata No 9 28 15 Single Ref 8 Christmas Palm Adorda mentili No 6 23 10 Single Ref 9 Christmas Palm Adorda mentili No 6 23 10 Single Ref 11 Christmas Palm Adorda mentili No 8 40 10 Single Ref 12 Christmas Palm Vetchia accina No 8 40 10 Single Ref	EXISTING TREE DISPOSITION SCHEDULE (PROPERTY)									
1 Bismarck noble No 16 25 18 Single Pp 2 Bismarck noble No 4 30 10 Single Rp 3 Ascander Palm Ptychosparma eligurs No 4 30 10 Single Rp 4 Ascander Palm Ptychosparma eligurs No 4 30 10 Single Rp 6 Pongam Tree Milititi pinnda No 9 28 55 Single Rp 7. Spongem Tree Milititi pinnda No 6 23 10 Single Rp 9 Christmas Palm Adorda mariali No 6 23 10 Single Rp 11 Cusia Cusia Cusia Cusia Cusia Cusia Cusia Cusia Single Rp 25 81 Mulii Rp 12 Cusia Cusia Cusia Cusia Cusia Single	and the second	COMMON NAME	SCIENTIFIC NAME	NATIVE	The Article State Street Streets Streets	and the state of the second	and the second second	TRUNKS	CONDITION	DISPOSITIO
3 Alexander Palm Prychosperme etiguese No 4 30 10 Single Pite 5 Pongams Tree Milittis prinata No -1 30 20 Single Pite 6 Pongams Tree Milittis prinata No 9 28 15 Single Pite 7. Pongams Tree Milittis prinata No 9 28 15 Single Pite 8 Chistmis Palm Adorda mentili No 6 23 10 Single Pite 9 Onscrime Palm Adorda mentili No 6 23 10 Single Pite 10 Clusia Clusia field Clusia Clusia Clusia Clusia Clusia Clusia Clusia Clusia No 8 40 10 Single Pite 10 Clusia Clusia Clusia Clusia No 8 40 10 Single Pite <		Bismarck Palm	Bismarckia nobilis	No				Single		Relocate
4 Assander Palm Progens Tree Millettin primata No 4,28, 10 Single Rs 6 Progens Tree Millettin primata No 9 28 65 Single Rs 7. Progens Tree Millettin primata No. 7 23 65 Single Rs 8 Christmes Palm Adorda membil No. 6 23 10 Single Rs 9 Christmes Palm Adorda membil No. 6 23 10 Single Rs 10 Clusia Clusia rosea Yes 7 15 10 Mult Rs 12 Clusia Clusia rosea Yes 11.5 20 15 Mult Rs 14 Vetchia Palm Vetchia arocina No 8 40 10 Single Rs 15 Unbella Tree Soldeffera actorphylin No 6.20 10 Single Rs 16	2	Bismarck Palm	Bismarckia nobilis	No	15	20	18	Single		Relocate
5 Porgame Tree Militati printal No. 11 301 20 Single Pite 7. Porgame Tree Militati printal No. 7 23 16 Single Pite 9. Christmas Palm Adorda mentili No. 6 23 10 Single Pite 9. Christmas Palm Adorda mentili No. 6 23 10 Single Pite 10. Chaia Chaia incidea Vestoria Palm Adorda mentilii No. 6 23 10 Single Pite 11. Chaia Chaia incidea Vestoria Palm Vestoria mentilii No. 8 40 10 Single Pite 12. Chaia Chaia meae Yes 9 25 Mutil Pite Pite <td>3</td> <td>Alexander Palm</td> <td>Ptychosperma elegans</td> <td>No</td> <td>4</td> <td>30</td> <td>10</td> <td>Single</td> <td></td> <td>Remove</td>	3	Alexander Palm	Ptychosperma elegans	No	4	30	10	Single		Remove
6 Pongans Tree Milligita jundita No. 9 28. 15 Single Rs 7 Poggangs Type Milligita jundita No. 6 23. 10 Single Rs 9 Ontsitures Palm Adordal memili No. 6 23. 10 Single Rs 10 Clasis Clasis rosea Yes 10 25. 28. Multi Rt 11 Clusis Clusis rosea Yes 10 25. 8. Multi Rt 12 Clusis Clusis rosea Yes 11.5 20. 15. Multi Rt 13 Clusis rosea Yes 11.5 20. 15. Multi Rt 14 Vetcha Palm Vetcha accina No 8 40. 10 Single Rt 15 Custas Scheffera accinptylita No 30. 24. 15. Single Rt 16 Unitesta a	4	Alexander Palm	Ptychosperma elegans	No	4	28	10	Single		Remove
Jbrogens_Time Methyling goging (5	Pongams Tree	Millettia pinnata	No (11	30	20	Single		Remove
8 Christmas Paim Adorda memili No. 6 23 10 Single Pr. 10 Christmas Paim Adorda memilii No. 6 23 10 Single Pr. 11 Clusia Clusia rosea Yes 10 25 25 Mult Pr. 12 Clusia Clusia rosea Yes 11.5 20 15 Mult Pr. 13 Clusia Clusia mecina No. 8 40 10 Single Re 14 Vetchia Paim Vetchia ancina No. 8 40 10 Single Re 16 Unrevelia Tree Schriftma ancintraphytha No. 30 24 15 Single Re 16 Christmas Paim Adorda merrilii No 6 20 10 Single Re 17 Christmas Paim Adorda merrilii No 6 20 10 Single Re Re <	6	Pongams Tree	Millettia pinnata	No	9	28	15	Single		Remove
9 Cuistrosa Palm Adordal mentili No. 6 23 10 Bingle Pres 10 Clusia Clusia rosea Yes 10 255 25 Multi Pres 11 Clusia rosea Yes 9 25 18 Multi Pres 12 Clusia rosea Yes 9 25 18 Multi Pres 13 Clusia rosea Yes 9 25 18 Multi Pres 14 Vetchia averina No 8 40 10 Single Pres 15 Vetchia averina No 8 40 10 Single Pres 16 Urbrella Tree Schafflera actincyptia No 30 24 15 Single Pres 12 Cabada Palm Adorda mernili No 6 20 10 Single Pres 12 Cabada Palm Propsis cabadrie No 3 20	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Pongams Tree	Millettia pinnata	No	7	23	15	Single		Remove
10 Clusia Clusia <thclusia< th=""> <thclusia< th=""></thclusia<></thclusia<>	8	Christmas Palm	Adonidia merrillii	No	6	23	10	Single		Remove
11 Chais Clusis nose Yes 90 25 18 Multi PR 12 Clusis nose Ves 9 25 18 Multi PR 13 Clusis nose Ves 11.5 20 15 Multi PR 14 Vetcha Palm Vetcha accimpyIna No 8 40 10 Single PR 15 Vetcha Palm Vetcha accimpyIna No 8 40 10 Single PR 16 Umbrela Tree Scheffera actimpyIna No 6 20 10 Single PR 17 Christmas Palm Adorida merilli No 6 20 10 Single PR 18 Christmas Palm Adorida merilli No 6 20 10 Multi RR 21 Cabada Palm Dypsis cabadao No 3 20 10 Multi RR 22 Bismarck Palam Rospotone regi				No		23	10	Single		Remove
12 Clusia Clusia clusia roses Yes 9 25 18 Multi Pres 13 Clusia Clusia roses Yes 11.5 20 15 Multi Pres 14 Velchia Palm Velchia accina No 8 40 10 Single Pres 16 Velchia Palm Velchia accina No 8 40 10 Single Pres 16 Unichella Tee Schefflera actinophylic No 6 20 10 Single Pres 17 Christmas Palm Adonida merilii No 6 20 10 Single Pres 18 Christmas Palm Adonida merilii No 6 20 10 Multi Pres 21 Cabada Palm Oppisis cabadae No 3 20 10 Multi Pres 22 Royal Palm Royal come negia Yes 12 40 16 Single Rea	10	Clusia	Clusia rosea	Yes		2.14	<u> </u>	Multi		Remove
13 Clusia Clusia mecina Yes 11.5 20 16 Multi PR 14 Vetichia Palim Vetichia arecina No 8 40 10 Single PR 15 Vetichia Palim Vetichia arecina No 8 40 10 Single PR 16 Umbrella Tree Schefflera actinaphtia No 6 20 10 Single RR 17 Christmas Palm Adorida meritii No 6 20 10 Single RR 19 Christmas Palm Adorida meritii No 6 20 10 Multi RR 20 Cabada Palim Dypsis cabadae No 3 20 10 Multi RR 21 Cabada Palim Dypsis cabadae No 3 20 12 Multi RR 22 Royal Palim Bismarckia nobilis No 14 23 18 Single RR			A WARRAN & DISPLAY				<u> </u>			Remove
14 Veltchia Palm Veltchia anecina No 8 40 10 Single Rr 15 Veltchia Palm Veltchia anecina No 8 40 10 Single Rr 16 Umbrela Tree Sondelfara actinophylia No 30 24 15 Single Invasive Rr 18 Christmas Palm Adonida merilli No 6 20 10 Single Rr 19 Chustmas Palm Adonida merilli No 6 20 10 Multi Rr 20 Cabada Palm Dypsis cabadae No 3 20 10 Multi Rr 21 Cabada Palm Rystorea regia Yes 14 20 16 Single Rr 22 Royal Palm Bismarckia nobilis No 14 27 18 Single Rr 24 Bismarckia nobilis No 14 18 18 Single Rr <							<u> </u>			Remove
15 Veltchia Palm Veltchia actinophylla No 8 40 10 Single Ins. 16 Umbrella Tree Schefffera actinophylla No 30 24 15 Single Ins. Re 17 Christmas Palm Adonda merilli No 6 20 10 Single Re 18 Christmas Palm Adonda merilli No 6 20 10 Single Re 10 Christmas Palm Adonda merilli No 6 20 10 Multi Re 21 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 22 Royal Palm Roystorea regia Yes 12 40 16 Single Re 23 Boyal Palm Bismarckia noblis No 14 23 18 Single Re 24 Bismarck Palm Bismarckia noblis No 14 18 18 Single			stand out when the				1	- 15° 10 10 -		Remove
16 Unitorella Tree Schefffers actinophylla No 30 24 15 Single Inssite Protect 17 Christmas Palm Adorida memilii No 6 20 10 Single Re 18 Christmas Palm Adorida memilii No 6 20 10 Single Re 19 Chtistmas Palm Adorida memilii No 6 20 10 Multi Re 20 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 21 Cabada Palm Dypsis cabadae No 3 40 12 Multi Re 22 Royal Palm Royal Catim Roya			A ALCOUPTIA QUILO				1)	-		Remove
17 Christmas Palm Adonidia meritii No 6 20 10 Single Re 18 Christmas Palm Adonida meritii No 6 20 10 Single Re 19 Christmas Palm Dypsis cabadae No 3 20 10 Multi Re 20 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 21 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 22 Royal Palm Roystonea regia Yes 8 12 40 16 Single Re 24 Florida Thatch Palm Bismarck anobilis No 14 23 18 Single Re 25 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 26 Bismarck Palm Bismarckia nobilis No 14 18 18 16 Sin						-	1)	-		Remove
18 Christmas Palm Adoridia merrilli No 6 20 10 Single Re 19 Christmas Palm Adoridia merrilli No 6 20 10 Single Re 20 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 21 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 22 Royal Palm Royal Palm Royalonae regia Yes 8 115 8 Single Re 24 Florida Thatch Palm Thrinax radiata Yes 3, 4 20 12 Multi Re 26 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 27 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 28 Bismarckia nobilis No 14 18 18 Single Re </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>-</td> <td>Invasive</td> <td>Remove</td>							1	-	Invasive	Remove
19 Christmas Palm Adoricla merrilli No 6 20 10 Single Re 20 Catada Palm Dypsis cabadae No 3 20 10 Multi Re 21 Catada Palm Dypsis cabadae No 3 20 10 Multi Re 22 Royal Palm Roystonea regia Yes 12 40 .16 8 Single Re 24 Florida Thatch Palm Thrinax radiata Yes 3, 4 20 12 Multi Re 25 Bismarck Palm Bismarckia noblis No 14 12 3 8ingle Re 26 Bismarck Palm Bismarckia noblis No 14 18 8ingle Re 27 Bismarck Palm Bismarckia noblis No 14 18 8ingle Re 28 Bismarck Palm Apostonea regia Yes 12 38 16 Single Rt			The reaction of the construction							Remove
20 Cabada Palm Dypsis cabadae No 3 20 10 Multi Ref 21 Cabada Palm Dypsis cabadae No 3 20 10 Multi Re 22 Royal Palm					-	/ · · · · · · · · · · · · · · · · · · ·		-		Remove
21 Cabada Palm Dpsis cabadae No 3 20 10 Multi Pref 22 Royal Palm Roystonea regia Yes 8 15 8 Single Re 23 Royal Palm Royal Palm Royal Palm Royal Palm Royal Palm 8 15 8 Single Re 24 Florida Thatch Palm Thimax radiata Yes 3,4 20 12 Multi Re 25 Bismarck Palm Bismarckia noblis No 14 18 18 Single Re 26 Bismarck Palm Bismarckia noblis No 14 18 18 Single Re 27 Bismarck Palm Bismarckia noblis No 14 18 18 Single Re 28 Bismarck Palm Bismarckia noblis No 7 40 12 Multi Re 30 Vetichia Palm Vetichia arecina No 3 14 16 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td>Remove</td>							-	-		Remove
22 Royal Palm Roystonea regia Yes 8 15 8 Single Re 23 Royal Palm Roystonea regia Yes 12 40 16 Single Re 24 Florida Thatch Palm Timixa radiata Yes 3,4 20 12 Multi Re 25 Bismarck Palm Bismarckia nobilis No 14 23 18 Single Re 26 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 27 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 28 Palm Polichia arecina No 7 40 12 Multi Re 30 Vetichia arecina No 5 30 6 Single Re 31 Vetichia arecina No 3 14 16 Multi Re 32 Sengo Palm <										Remove Remove
23 Royal Palm Roystonea regia Yes 12 1 40 16 Single Re 24 Florida Trach Palm Bismarck Palm Bismarck Palm Bismarck Palm Resigned Res										Remove
24 Florida Thatch Palm Thrinax radiata Yes 3,4 20 12 Multi Re 25 Bismarck Palm Bismarckia nobilis No 14 27 18 Single Re 28 Bismarck Palm Bismarckia nobilis No 14 18 Single Re 28 Bismarck Palm Bismarckia nobilis No 14 18 Single Re 28 Bismarck Palm Bismarckia nobilis No 14 18 Single Re 20 Veitchia Palm Royal Palm Royal Palm Royal Palm Royal Palm Royal Palm Royal Palm No 7 40 12 Multi Re 30 Veitchia Palm Veitchia arecina No 5 30 6 Single Re 31 Veitchia Palm Veitchia arecina No 5 30 6 Single Re 32 Sengo Palm Veitchia arecina No 6								-		Relocate
25 Bismarck Palm Bismarck ia nobilis No 14 27 Bismarck Palm Bismarck ia nobilis No 14 23 18 Single Re 27 Bismarck Palm Bismarck ia nobilis No 14 18 18 Single Re 28 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 29 Royal Palm Roystonea regia Yes 12 38 16 Single Re 30 Veitchia Palm Voitchia arocina No 7 40 12 Multi Re 31 Veitchia Palm Voitchia arocina No 3 14 16 Multi Re 33 Silver Thatch Palm Veitchia arocina No 7 30 6 Single Re 34 Sägö Palm Veitchia arocina No 7 30 12 Single Re 35 Veitchia Thatch Palm Thrinax radiat					-	$r \sim \sim$	\sim			Relocate
26 Bismarck Palm Bismarck ia nobilis No 14 23 18 Single Re 27 Bismarck Palm Bismarck ia nobilis No 14 18 18 Single Re 28 Bismarck Palm Bismarck ia nobilis No 14 18 18 Single Re 29 Royal Palm Roystonea regia Yes 12 38 16 Single Re 30 Veitcha Palm Veitchia arecina No 7 40 12 Multi Re 31 Veitchia Palm Veitchia arecina No 5 30 6 Single Re 33 Silver Thatch Palm Coccotrinax No 7 30 12 Single Re 34 Sago Palm Veitchia arecina No 7 30 12 Single Re 35 Veitchia Talm Thrinax radiata Yes 4 25 16 Multi Re			I A STALATE CONTRACTOR					1		Relocate
27 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 28 Bismarck Palm Bismarckia nobilis No 14 18 18 Single Re 29 Royal Palm Royal Palm Royal Palm Veltchia arecina No 7 40 12 Multi Re 30 Veltchia Palm Veltchia arecina No 7 40 12 Multi Re 31 Veltchia Palm Phoenix reclinata No 3 14 16 Multi Re 32 Sterge Thatch Palm Coccothrinax No 5 30 6 Single Re 33 Veltchia Palm Veltchia arecina No 7 30 12 Single Re 34 Sago Palm Veltchia arecina No 7 30 12 Single Re 35 Truck Florida Thatch Palm Thrinax radiata Yes 4 20 <t< td=""><td></td><td></td><td>In the second seco</td><td></td><td></td><td></td><td></td><td>-</td><td></td><td>Relocate</td></t<>			In the second seco					-		Relocate
28 Bismarck Palm Bismarck ia nobilis No 14 18 18 Single Re 29 Royal Palm Roystonea regia Yes 12 38 16 Single Re 30 Veitchia Palm Veitchia accina No 7 40 12 Muiti Re 31 Veitchia Palm Veitchia accina No 3 14 16 Muiti Re 32 Siere Thatch Palm Coccothrinax No 5 30 6 Single Re 33 Silver Thatch Palm Coccothrinax No 8 13 10 Single Re 34 Sägö Palm Veitchia accina No 7 30 12 Single Re 35 Veitchia Tatch Palm Thrinax radiata Yes 4 25 16 Muiti Re 36 Bismarck anobilis No 13 13 13 14 15 Muiti Re			Bismarckia nobilis	No	14		18	-		Relocate
30 Veitchia Palm Veitchia arecina No 7 40 12 Multi Ref 31 Veitchia Palm Phoenix reclinata No 3 14 16 Multi Re 32 Senegal Date Palm Phoenix reclinata No 3 14 16 Multi Re 33 Silver Thatch Palm Coccothrinax No 5 30 6 Single Re 34 Sago Palm Opeas revoluta No 7 30 12 Single Re 35 Veitchia arecina No 7 30 12 Single Re 36 8 Trunk Florida Thatch Palm Thrinax radiata Yes 4 20 16 Multi Re 38 Bismarck Palm Bismarckia nobilis No 18 15 Multi Re 40 Coconut Palm Cocos nucifera No 10 20 16 Single Re 41	28	Bismarck Palm	Bismarckia nobilis	No	14	18	18	-		Relocate
31 Veitchia Palm Veitchia arecina No 7 40 12 Mutti Re 32 Senegal Date Palm Phoenix reclinata No 3 14 16 Mutti Re 33 Silver Thatch Palm Coccothrinax No 5 30 6 Single Re 34 Sago Palm Cycas revoluta No 7 30 12 Single Re 35 Veitchia Palm Veitchia arecina No 7 30 12 Single Re 36 8 Truck Florida Thatch Palm Thrinax radiata Yes 4 20 16 Mutti Re 38 Bismarck Palm Bismarckia nobilis No 18 15 Mutti Re 39 Areca Palm Dypsis lutescens No 10 20 16 Single Re 40 Coconut Palm Cocos nucifera No 10 20 16 Single Re	29	Royal Palm	Roystonea regia	Yes	12	38	16	Single		Remove
32 Senegal Date Palm Phoenix reclinata No 3 14 16 Multi Ref 33 Silver Thatch Palm Coccothrinax No 5 30 6 Single Ref 34 Sago Palm Cycas revoluta No 7 30 12 Single Ref 35 Veitchia Palm Veitchia arecina No 7 30 12 Single Ref 36 8 Trunk Florida Thatch Palm Thrinax radiata Yes 4 25 16 Multi Ref 37 5 Trunk Florida Thatch Palm Thrinax radiata Yes 4 20 16 Multi Ref 38 Areca Palm Bismarck ra onbilis No 18 15 Multi Ref 40 Coconut Palm Cocos nucifera No 10 20 16 Single Ref 41 Coconut Palm Cocos nucifera No 10 20 16 Single Ref	30	Veitchia Palm	Veitchia arecina	No	7	40	12	Multi		Remove
33 Silver Thatch Palm Coccothrinax No 5 30 6 Single Ref 34 Sago Palm Cycas revoluta No 8 13 10 Single Ref 35 Vettchia Palm Vettchia arecina No 7 30 12 Single Ref 36 8 Trunk Florida Thatch Palm Thrinax radiata Yes 4 25 16 Multi Ref 38 Bismarck Palm Bismarckia nobilis No 18 15 Multi Ref 39 Areca Palm Dypsis lutescens No 13 30 0 Single Ref 40 Coconut Palm Cocos nucifera No 10 20 16 Single Ref 41 Coconut Palm Cocos nucifera No 10 20 16 Single Ref 43 Coconut Palm Cocos nucifera No 10 20 16 Single Ref	31	Veitchia Palm	Veitchia arecina	No	7	40	12	Multi		Remove
34 Sago Palim Cycas revoluta No 8 13 10 Single Ref 35 Veitchia Palm Veitchia arecina No 7 30 12 Single Ref 36 8 Trunk Florida Thatch Palm Thrinax radiata Yes 4 25 16 Multi Ref 37 5 Trunk Florida Thatch Palm Thrinax radiata Yes 4 20 16 Multi Ref 38 Bismarck Palm Bismarck Palm Bismarck Palm No 18 15 Nulti Ref 39 Areca Palm Dypsis lutescens No 13 30 0 Single Dead Ref 40 Coconut Palm Cocos nucifera No 10 20 16 Single Ref 41 Coconut Palm Cocos nucifera No 10 20 16 Single Ref 42 Coconut Palm Cocos nucifera No 10 20 16	32	Senegal Date Palm	Phoenix reclinata	No	3	14	16	Multi		Remove
35Veitchia PalmVeitchia arecinaNo73012SingleRe368 Trunk Florida Thatch PalmThrinax radiataYes42516MultiRe375 Trunk Florida Thatch PalmThrinax radiataYes42016MultiRe38Bismarck PalmBismarckia nobilisNo181518SingleRe39Areca PalmDypsis lutescensNo31815MultiRe40Coconut PalmCocos nuciferaNo13300SingleDead41Coconut PalmCocos nuciferaNo102016SingleRe42Coconut PalmCocos nuciferaNo102016SingleRe43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCoconut PalmCocos nuciferaNo102016SingleRe47Alexander PalmPhylosperima elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo33312MultiRe50Weeping FigFicus benjaminaNo33332 <t< td=""><td></td><td></td><td></td><td>No</td><td></td><td>30</td><td>6</td><td>Single</td><td></td><td>Remove</td></t<>				No		30	6	Single		Remove
368 Trunk Florida Thatch PalmThrinax radiataYes42516MultiRe375 Trunk Florida Thatch PalmThrinax radiataYes42016MultiRe38Bismarck PalmBismarck ia nobilisNo181518SingleRe39Areca PalmDypsis lutescensNo13300SingleDead41Cocconut PalmCoccos nuciferaNo102016SingleRe42Coconut PalmCoccos nuciferaNo102016SingleRe43Coconut PalmCoccos nuciferaNo102016SingleRe44Coconut PalmCoccos nuciferaNo102016SingleRe44Coconut PalmCoccos nuciferaNo102016SingleRe44Coconut PalmCoccos nuciferaNo102016SingleRe45Coconut PalmCoccos nuciferaNo102016SingleRe46SeagrapeCoccoloba unferaNo102016SingleRe47Alexander PalmPhychosperma elegansNo42510SingleRe48Coconut PalmCoccos nuciferaNo124016SingleRe50Weeping FigFicus benjaminaNo133020Mult	34	Sago Palm	Cycas revoluta	No	8	13	10	Single		Remove
375 Trunk Florida Thatch PalmThrinax radiataYes42016MultiRe38Bismarck PalmBismarckia nobilisNo181518SingleRe39Areca PalmDypsis lutescensNo31815MultiRe40Coconut PalmCocos nuciferaNo13300SingleDead41Coconut PalmCocos nuciferaNo102016SingleRe42Coconut PalmCocos nuciferaNo102016SingleRe43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCocoloba uviferaNo102016SingleRe47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo124016SingleRe49Areca PalmPtypsis lutescensNo132312MultiRe50Weeping FigFicus benjaminaNo132312MultiRe<		Veitchia Palm		No	7			Single		Remove
38Bismarck PalmBismarckia nobilisNo1811518SingleRe39Areca PalmDypsis lutescensNo31815MultiRe40Coconut PalmCocos nuciferaNo13300SingleDeadRe41Coconut PalmCocos nuciferaNo102016SingleRe42Coconut PalmCocos nuciferaNo102016SingleRe43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCococloba uviferaNo102016SingleRe47Alexander PalmPhychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo1214016SingleRe49Areca PalmDypsis lutescensNo132312MultiRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDraceana reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes51810Si	1									Relocate
39Areca PalmDypsis lutescensNo31815MultiRe40Coconut PalmCocos nuciferaNo13300SingleDeadRe41Coconut PalmCocos nuciferaNo102016SingleRe42Coconut PalmCocos nuciferaNo102016SingleRe43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCoccoloba uviferaNo102016SingleRe48Coconut PalmCocos nuciferaNo102016SingleRe48Coconut PalmCocos nuciferaNo102016SingleRe49Areca PalmPhychosperma elegansNo124016SingleRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes51810SingleRe55Christmas PalmAdonida merrilliiNo62512DoubleRe <td></td> <td></td> <td>ACA0-1513-0300// 40</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Relocate</td>			ACA0-1513-0300// 40							Relocate
40Coconut PalmCocos nuciferaNo13300SingleDeadRe41Coconut PalmCocos nuciferaNo102016SingleRe42Coconut PalmCocos nuciferaNo102016SingleRe43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCococloba uniferaNo91010SingleRe47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo1214016SingleRe48Coconut PalmCocos nuciferaNo1214016SingleRe49Areca PalmDypsis lutescensNo1214016SingleRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDraceana reflexaNo81810SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merilliiNo525 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>Relocate</td>								-		Relocate
41Coconut PalmCocos nuciferaNo102016SingleRef42Coconut PalmCocos nuciferaNo102016SingleRef43Coconut PalmCocos nuciferaNo102016SingleRef44Coconut PalmCocos nuciferaNo102016SingleRef45Coconut PalmCocos nuciferaNo102016SingleRef46SeagrapeCoccoloba uviferaNo102016SingleRef47Alexander PalmPtychosperma elegansNo42510SingleRef48Coconut PalmCocos nuciferaNo1214016SingleRef49Areca PalmDypsis lutescensNo1214016SingleRef50Weeping FigFicus benjaminaNo193020MultiRef51PleomeleDracaena reflexaNo81810SingleRef52Florida Thatch PalmThrinax radiataYes51810SingleRef54Double Christmas PalmAdonidia merrilliiNo52512DoubleRef56Veitchia PalmVeitchia arecinaNo83512SingleRef57Veitchia PalmVeitchia arecinaNo83512 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>/</td> <td></td> <td></td> <td>Remove</td>							/			Remove
42Coconut PalmCocos nuciferaNo102016SingleRe43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCoccoloba uviferaNo102016SingleRe47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo1214016SingleRe49Areca PalmDypsis lutescensNo123020MultiRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe			The second se						Dead	Remove
43Coconut PalmCocos nuciferaNo102016SingleRe44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCoccoloba uniferaNo91010SingleRe47Alexander PalmPhychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo1214016SingleRe49Areca PalmDypsis lutescensNo1214016SingleRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe								-		Remove
44Coconut PalmCocos nuciferaNo102016SingleRe45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCoccoloba uviferaNo91010SingleRe47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo124016SingleRe49Areca PalmDypsis lutescensNo32312MultiRe50Weeping FigFicus benjaminaNo93020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes51810SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe			a series with the series of the					-		Remove
45Coconut PalmCocos nuciferaNo102016SingleRe46SeagrapeCoccoloba uviteraNo91010SingleRe47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo124016SingleRe49Areca PalmDypsis lutescensNo32312MultiRe50Weeping FigFicus benjaminaNo93020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe										Remove Remove
46SeagrapeCoccoloba uviferaNo91010SingleRe47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo124016SingleRe49Areca PalmDypsis lutescensNo32312MultiRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe						-	1	-		
47Alexander PalmPtychosperma elegansNo42510SingleRe48Coconut PalmCocos nuciferaNo124016SingleRe49Areca PalmDypsis lutescensNo32312MultiRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe55Christmas PalmAdonidia merrilliiNo62512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe	\sim								· · · · · · · · · · · · · · · · · · ·	Remove Remove
48Coconut PalmCocos nuciferaNo124016SingleRe49Areca PalmDypsis lutescensNo32312MultiRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleBe55Christmas PalmAdonidia arecinaNo83512SingleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe									h	Remove
49Areca PalmDypsis lutescensNo32312MultiRe50Weeping FigFicus benjaminaNo193020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe55Christmas PalmAdonidia merrilliiNo62512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe										
50Weeping FigFicus benjaminaNo93020MultiRe51PleomeleDracaena reflexaNo81810SingleRe52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe55Christmas PalmAdonidia merrilliiNo62512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe					-					Relocate Remove
51PleomeleDracaena reflexaNo81810SingleRef52Florida Thatch PalmThrinax radiataYes43510SingleRef53Florida Thatch PalmThrinax radiataYes51810SingleRef54Double Christmas PalmAdonidia merrilliiNo52512DoubleRef55Christmas PalmAdonidia merrilliiNo62512DoubleRef56Veitchia PalmVeitchia arecinaNo83512SingleRef57Veitchia PalmVeitchia arecinaNo83512SingleRef							1	-		Remove
52Florida Thatch PalmThrinax radiataYes43510SingleRe53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleBe55Christmas PalmAdonidia merrilliiNo62512DoubleBe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe								10000		Remove
53Florida Thatch PalmThrinax radiataYes51810SingleRe54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe55Christmas PalmAdonidia merrilliiNo62512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe		a destruction of the second			<u>k</u>			-		Relocate
54Double Christmas PalmAdonidia merrilliiNo52512DoubleRe55Christmas PalmAdonidia merrilliiNo62512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe			A PUPPENDERD OF	- A.Z.				-		Relocate
55Christmas PalmAdonidia merrilliiNo62512DoubleRe56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe		A CREATE AND A CRE	The Control of the second seco			-		-		Remove
56Veitchia PalmVeitchia arecinaNo83512SingleRe57Veitchia PalmVeitchia arecinaNo83512SingleRe							-			Remove
57 Veitchia Palm Veitchia arecina No 8 35 12 Single Re			Veitchia arecina	No	8		12	Single		Remove
58 Areca Palm Dypsis lutescens No Cluster 25 18 Multi Pa	57	Veitchia Palm	Veitchia arecina	No	8	35	12	Single		Remove
	58	Areca Palm	Dypsis lutescens	No	Cluster	25	18	Multi		Remain
59 Mango Mangifera indica No 6 18 15 Poor Re	59	Mango	Mangifera indica	No	6	18	15		Poor	Remove



- MIST HEADS - 4 PER TREE - WOOD BLOCKING BANDED AROUND TRUNK - 4"X 4"X 12' BRACES NAILED TO **BLOCKING 6 TO 8 PER TREE** — BUBBLER IRRIGATION HEADS 4-6 PER TREE

- 3" HIGH WATERING SAUCER — 2"X4"X24" STAKE NAILED TO BRACE

- PLANTING MIX SEE RELOCATION SPECIFICATIONS FOR PRUNING AND DIGGING INFORMATION


— TIE UP FRONDS W/ JUNE TWINE (HURRICANE CUT OPTIONAL)

— WOOD BLOCKING BANDED AROUND TRUNK — (3) 2 X 4 X 8 BRACES NAILED TO BLOCKING (3) 2 X 4 X 8 BRACES NAILED TO BRACE

> - CLEAN SAND SEE RELOCATION SPECIFICATIONS FOR PRUNING AND DIGGING INFORMATION

TREE / PALM PROTECTION FENCES SHALL BE CONSTRUCTED PRIOR TO ANY CONSTRUCTION ACTIVITY INCLUDING GRUBBING FOR ALL TREES / PALMS THAT ARE 'TO REMAIN, BE PROTECTED, OR BE RELOCATED'

NO ACTIVITY OR DISTURBANCE SHOULD OCCUR WITHIN THE FENCED AREAS, INCLUDING 'VEHICLE USE, STORAGE OF MATERIALS, DUMPING OF LIQUIDS OR MATERIALS, GRADE CHANGES, GRUBBING, AND MECHANICAL TRENCHING FOR IRRIGATION, ELECTRICAL, LIGHTING, ETC.



PROTECTION DETAIL NOTE CONTRACTOR TO INSTALL 'TREE / PALM PROTECTION FENCE BARRIERS' AROUND ALL EXISTING TREES OR PALMS AT THE START OF THE PROJECT. BARRIERS TO REMAIN IN PLACE THROUGHOUT THE DURATION OF PROJECT AND SHOULD NOT BE REMOVED OR DROPPED FOR ANY REASON WITHOUT AUTHORIZATION FROM THE CITY OF MIAMI BEACH URBAN FORESTED + PLANNING + ZONING DEPARTMENT.

CITY OF MIAMI BEACH TREE / PALM PROTECTION DETAIL

TREE / PALM RELOCATION NOTES: 1- SEE SPECIFICATIONS FOR ADDITIONAL TREE PROTECTION REQUIREMENTS. 2- IF THERE IS NO EXISTING IRRIGATION, SEE SPECIFICATIONS FOR WATERING REQUIREMENTS. 3- NO PRUNING SHALL BE PERFORMED EXCEPT BY APPROVED ARBORIST. 4- NO EQUIPMENT SHALL OPERATE INSIDE THE PROTECTIVE FENCING INCLUDING DURING FENCE INSTALLATION AND REMOVAL. 5- SEE SITE PREPARATION PLAN FOR ANY MODIFICATIONS WITH THE TREE PROTECTION AREA.

2 PALM RELOCATION DETAIL

6"

IN NO CASE SHALL THE FENCE BE INSTALLED LESS THAN TEN FEET FROM THE TRUNK

- TREE + PALM PROTECTION BARRIERS TO EXTEND BEYOND THE 'DRIPLINE' OR TO THE 'CRITICAL ROOT ZONE AREA' OF ALL TREES / PALMS TO BE PROTECTED. EXTEND WHERE NECESSARY TO PROTECT TREE CANOPY ROOTS. — BARRIERS SHALL BE A MINIMUM OF FOUR FEET HIGH, AND SHALL BE CONSTRUCTION OF CONTINUOUS CHAIN LINK FENCE WITH METAL — POSTS AT EIGHT-FOOT SPACING, OR OF TWO-BY-FOUR-INCH POSTS WITH THREE EQUALLY SPACED TWO-BY-FOUR-INCH RAILS. POSTS MAY BE SHIFTED TO AVOID ROOTS.



BR2105528 08/01/2022 2:01:04 PM

Rev.	Date	Rev.	Date
	TS GES 08/02/2021	<u>_9</u>	
	BLE (N/A) 10/19/2021	10	
	BLE (N/A) 02/09/2022	11	
	TS 03/14/2022	12	
	BLE (N/A) 04/07/2022	14	
6		15	
\land		16	
8		$\overline{12}$	
ALL DRAWINGS AND WRITTEN KOBI KARP AIA, AND MAY NOT KOBI KARP ARCHITECTURE &	BE DUPLICATED, USED, OR DI	SCLOSED WITHOUT THE EX	AL AND UNPUBLISHED WORK OF PRESS WRITTEN CONSENT OF

PERMIT / CONSTRUCTION DOCUMENTS

PRIVATE RESIDENCE 6455 PINETREE DRIVE CIRCLE MIAMI BEACH, FL 33141

Owner:

PRIVATE RESIDENCE

- Consultant: Name Address
- Address Tel: Email


Consultant:

Name Address

- Address Tel:
- Email

Landscape Architect of Record: David O. Design

- p.o. box 331615 Coconut Grove, FL 33233-1615, USA Tel: +1(305) 854.9299 - Fax: +1(305) 854.9882
- Email: davidodesign@hotmail.com www.davidodishoo.com
- Architect of Record:
- Kobi Karp Architecture and Interior Design, Inc. 571 NW 28th Street, Miami, Florida 33127 USA Tel: +1(305) 573 1818
- Fax: +1(305) 573 3766



TREE DISPOSITION SCHEDULE & TREE PROTECTION DETAILS

Date: 04/07/2022

Scale :

Sheet No.

LR-200

Project # : 21011

	RACTOR QUALIFICATIONS	3.2.5.	AS A GENERAL RULE, MINIMUM ROOT
	CONTRACTOR MUST BE A LICENSED LANDSCAPE CONTRACTOR.		WEEKS. THE FIRST ROOT PRUNE MUS SECOND ROOT PRUNE ON ONE OF TH
1.2.	CONTRACTOR MUST HAVE A MINIMUM OF 10 YEARS OF PROVEN EXPERIENCE RELOCATING LARGE SPECIMEN TREES AND PALMS IN SOUTH FLORIDA.		A THIRD ROOT PRUNE ON THE LAST S AND THIRD ROOT PRUNES MAY ONLY
1.3.	CONTRACTOR MUST HAVE PROVEN EXPERIENCE RELOCATING TREES AND PALMS OF THE SAME SPECIES AND SIZE AS THOSE TO BE RELOCATED FOR THE CURRENT PROJECT.		ROOT PRUNES IS EVIDENT (SEE SECT DOCUMENTING NEW ROOT GROWTH D
1.4.	CONTRACTOR MUST HAVE A CERTIFIED ARBORIST ON STAFF.	3.2.6.	NEEDED DURING THE COOLER MONTH AS A GENERAL RULE, MINIMUM ROOT
CONT	RACTOR REQUIREMENTS		WEEKS. THE FIRST ROOT PRUNE MUS SECOND ROOT PRUNE ON ONE OF TH
2.1.	CONTRACTOR MUST VISIT THE JOBSITE AND INSPECT ALL TREES AND PALMS TO BE RELOCATED AS WELL AS EXISTING SITE CONDITIONS AND RESTRICTIONS PRIOR TO PREPARING BID.		A THIRD ROOT PRUNE ON THE LAST S AND THIRD ROOT PRUNES MAY ONLY
2.2.	CONTRACTOR MUST VERIFY AND ENSURE THAT ALL TREES AND PALMS IDENTIFIED ON THE PLANS AND THOSE TAGGED ON THE JOBSITE CORRESPOND AS TO NUMBER AND DESCRIPTION. ANY		ROOT PRUNES IS EVIDENT (SEE SECT DOCUMENTING NEW ROOT GROWTH D
	DISCREPANCIES MUST BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT IMMEDIATELY, PRIOR TO PREPARING BID.	3.2.7.	NEEDED DURING THE COOLER MONTH CERTAIN HARDWOOD TREES AND GYM
2.3.	CONTRACTOR MUST CONDUCT ALL WORK ASSOCIATED WITH RELOCATION AND MAINTENANCE OF TREES AND PALMS TO BE RELOCATED. NO WORK IS TO BE SUBCONTRACTED WITHOUT PRIOR		INCLUDE, BUT ARE NOT LIMITED TO, T • AVOCADO (PERSEA AMERICANA)
2.4.	WRITTEN CONSENT OF THE OWNER AND/OR LANDSCAPE ARCHITECT. CONTRACTOR MUST DESIGNATE A COMPETENT, SUPERVISOR OR FOREMAN TO OVERSEE AND DIRECT		 BLACK OLIVE (BUCIDA BUCERAS) BRIDALVEIL (CAESALPINIA GRANAL
2.5.	ALL RELOCATION AND MAINTENANCE ACTIVITIES AS OUTLINED IN THESE SPECIFICATIONS. CONTRACTOR MUST SCHEDULE ROOT PRUNING TO PROVIDE THE MAXIMUM POSSIBLE TIME FOR NEW		 CASSIAS (ALL SPECIES OF CASSIA) LIGNUM VITAE (GUAIACUM SANCTURE)
	ROOT GROWTH. EVEN TREES AND PALMS THAT TYPICALLY DO NOT REQUIRE LONG (OR ANY) ROOT PRUNING WILL BENEFIT FROM MORE ROOT PRUNING TIME; THEREFORE, ALL TREES AND PALMS TO BE		 PODOCARPUS (PODOCARPUS SP.) LIVE OAK (QUERCUS VIRGINIANA)
	RELOCATED MUST BE ROOT PRUNED. CONTRACTOR MUST PROVIDE A ROOT PRUNE SCHEDULE FOR EACH TREE OR PALM TO BE RELOCATED AS AN ATTACHMENT TO THE BID.		 MAHOGANY (SWIETENIA MAHAGON MANGO (MANGIFERA INDICA)
2.6.	CONTRACTOR MUST CALL SUNSHINE 811 TO HAVE ALL UNDERGROUND UTILITIES LOCATED UNDER OR IN THE VICINITY OF THE CURRENT OR FUTURE LOCATIONS OF ALL TREES AND PALMS TO BE		 PIGEON PLUM (COCCOLOBA DIVER SWEET ACACIA (ACACIA FARNESIA
2.7.	RELOCATED PRIOR TO WORK COMMENCING. CONTRACTOR MUST VERIFY WITH THE GENERAL CONTRACTOR THE ABSENCE OF ANY UNDERGROUND		 VERAWOOD (BULNESIA ARBOREA) WILD TAMARIND (LYSILOMA LATISIA
	CONSTRUCTION OR OBSTRUCTIONS (E.G., BULKHEADS, SEPTIC SYSTEMS, ETC.) IN THE CURRENT AND FUTURE LOCATIONS OF ALL TREES AND PALMS TO BE RELOCATED.		FOR THESE TREES, THE MINIMUM ROO
2.8.	CONTRACTOR MUST ALERT THE LANDSCAPE ARCHITECT OF ANY TREES OR PALMS THAT WILL NOT SUCCESSFULLY RELOCATE DUE TO POOR HEALTH PRIOR TO BEGINNING ROOT PRUNING.		MAY BE INSUFFICIENT. ONLY WHEN SU AN EARLIER ROOT PRUNE CAN THE NE
2.9.	CONTRACTOR MUST FLAG ALL PROPOSED TRANSPLANT LOCATIONS FOR THE LANDSCAPE ARCHITECT'S APPROVAL A MINIMUM OF 15 DAYS PRIOR TO RELOCATION.		ROOT GROWTH HAS TAKEN PLACE FO RELOCATED (SEE SECTION 2.14 ABOV
	CONTRACTOR MUST ENSURE THAT ALL TREES AND PALMS TO BE RELOCATED ARE INSTALLED AT THE CORRECT GRADE OR ELEVATION, ACCORDING TO THE GRADING PLAN.		NEW ROOT GROWTH DURING THE ROO
	CONTRACTOR MUST ENSURE THAT ALL ROOT FLARES ARE EXPOSED AFTER RELOCATION. CONTRACTOR MUST REMOVE ALL RESIDUAL ROOTS, STUMPS, AND PORTIONS THEREOF AND	3.1. 3.1.1.	THE FOLLOWING TABLE LISTS MINIMU
	BACKFILL PITS FROM WHICH RELOCATED TREES AND PALMS WERE REMOVED WITH CLEAN FILL FLUSH WITH THE SURROUNDING GRADE.		BASED ON REAL-WORLD EXPERIENCE
2.13.	CONTRACTOR MUST REPAIR ANY DAMAGE TO OTHER PLANTS, LAWN, HARDSCAPES, OR NEW CONSTRUCTION WITHIN THE RELOCATION AREA AT CONTRACTOR'S EXPENSE. HARDSCAPES INCLUDE		PALM SPECIES SABAL / CABBAGE PALM
2.14.	BUT ARE NOT LIMITED TO CURBS, WALKS, ROADS, FENCES, SITE FURNISHINGS, ETC. CONTRACTOR MUST PHOTOGRAPHICALLY DOCUMENT NEW ROOT GROWTH FOLLOWING EACH ROOT		QUEEN & FOXTAIL PALMS ROYAL & COCONUT PALMS
	PRUNE AND SUBMIT THIS DOCUMENTATION TO THE LANDSCAPE ARCHITECT. THE PURPOSE OF THIS REQUIREMENT IS TO ENSURE THAT SUFFICIENT ROOT GROWTH HAS OCCURRED PRIOR TO THE		CANARY DATE PALM SLOW-GROWING PALMS
o :	SECOND AND SUBSEQUENT ROOT PRUNES AND FOLLOWING THE FINAL ROOT PRUNE PRIOR TO RELOCATION.	-	(see sec. 3.3.4)
2.15.	CONTRACTOR MUST INSTALL AND MAINTAIN PROTECTION FENCING AROUND EACH TREE AND PALM TO BE RELOCATED BOTH DURING ROOT PRUNING AND AFTER RELOCATION. PROTECTION FENCING MUST	3.1.2.	PALM ROOTBALLS MUST BE A MINIMUI CIRCULAR IN SHAPE WITH AN EQUAL I
	CONSIST OF GALVANIZED WELDED WIRE FABRIC OR PLASTIC MESH ATTACHED TO 4" X 4" POSTS INSERTED AROUND THE PERIMETER OF THE DRIPLINE OF THE TREE OR PALM. PROTECTION FENCING	3.1.3.	ALL AROUND. AS A GENERAL RULE, MINIMUM ROOT
o · · ·	MUST BE PLUMB, TAUT, AND STURDY AT ALL TIMES AND MUST REMAIN IN PLACE THROUGHOUT THE ROOT PRUNING AND WARRANTY PERIODS, OR AS DIRECTED BY THE LANDSCAPE ARCHITECT.		MUST BE ON TWO OPPOSING SIDES O THE OTHER TWO SIDES DONE A MINIM
	CONTRACTOR MUST OBTAIN ALL NECESSARY OR REQUIRED PERMITS FOR THE RELOCATION AND TRANSPORTATION OF THE TREES AND PALMS TO BE RELOCATED.		LAST SIDE DONE A MINIMUM OF 4.5-6 V MAY ONLY BE DONE WHEN HEALTHY N
2.17.	CONTRACTOR MUST REPLACE ANY TREES OR PALMS SCARRED OR DAMAGED DURING RELOCATION, AT THE CONTRACTOR'S EXPENSE, WITH THE SAME OR SIMILAR SPECIES, SIZE, AND QUALITY.		(SEE SECTION 2.14 ABOVE FOR SPECI GROWTH DURING THE ROOT PRUNE P
	REPLACEMENT TREES OR PALMS MUST BE APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO PROCUREMENT, PREPARATION, AND/OR INSTALLATION. REPLACEMENT TREES AND PALMS MUST BE	3.1.4.	MONTHS OF THE YEAR. CERTAIN PALMS, IN PARTICULAR THOS
2.18.	INSTALLED WITHIN 60 DAYS OF NOTICE. CONTRACTOR MUST GUARANTEE ALL RELOCATED TREES AND PALMS FOR ONE YEAR FROM THE DATE OF RELOCATION TO THE FINAL LOCATION. CHARANTY MUST INCLUDE TREE HEALTH AND SETTING		 PRUNING TIME. THESE INCLUDE, BUT A ALL SPECIES OF ARCHONTOPHOEI ALL SPECIES OF COPYRHA
2.19.	OF RELOCATION TO THE FINAL LOCATION. GUARANTY MUST INCLUDE TREE HEALTH AND SETTLING. CONTRACTOR MUST PROVIDE ALL MATERIAL NECESSARY TO PERFORM THE WORK COVERED HEREIN, INCLUDING BUT NOT LIMITED TO BACKFILL MATERIAL, PROTECTION FENCING, FLAGGING, ADDITIVES		 ALL SPECIES OF CORYPHA AMERICAN OIL PALMS (ALL SPECIE BISMARCK PALM (<i>BISMARCKIA NOL</i>)
	AND SUPPLEMENTS, TEMPORARY IRRIGATION, BURLAP, WIRE, SHRINK WRAP, AND ALL NECESSARY TOOLS AND EQUIPMENT.		 BISMARCK PALM (BISMARCKIA NOE CUBAN & CARIBBEAN COPERNICIA CUBAN BELLY PALM (GASTROCOCI
ROOT	PRUNING SPECIFICATIONS		 GINGERBREAD/DOUM PALMS (ALL PALMYRA PALMS (ALL SPECIES OF
3.1.	GENERAL		 SATAKE PALM (SATAKENTIA LIUKIL SAW PALMETTO (SERENOA REPEN
	ALL TREES AND PALMS TO BE RELOCATED MUST BE WATERED DAILY FOR AT LEAST 2-3 DAYS PRIOR		 SILVER PALM (COCCOTHRINAX AR ZOMBIE PALM (ZOMBIA ANTILLARU)
~	TO ANY ROOTS BEING CUT TO ENSURE THAT THEY ARE FULLY HYDRATED. EACH WATERING MUST THOROUGHLY SATURATE THE ROOTBALL TO ITS FULL DEPTH.		FOR THESE PALMS, THE MINIMUM ROO
3.1.2.	EACH TREE AND PALM MUST THEN BE WATERED EVERY OTHER DAY, NOT RELYING ON RAIN, DURING THE ENTIRE ROOT PRUNING PROCESS EITHER BY A TEMPORARY IRRIGATION SYSTEM OR BY HAND.		SUFFICIENT NEW ROOT GROWTH HAS NEXT ROOT PRUNE BE DONE, AND ON
313	EACH WATERING MUST THOROUGHLY SATURATE THE ROOTBALL TO ITS FULL DEPTH. TREE AND PALM RELOCATION ACTIVITIES MUST BE SCHEDULED SO THAT REMOVAL AND REPLANTING		FOLLOWING THE FINAL ROOT PRUNE I SPECIFICATIONS ON PHOTOGRAPHICA
0.1	TAKE PLACE IN THE SAME 24-HOUR PERIOD. NO TREES OR PALMS MAY BE "STOCKPILED" ONSITE OR OFFSITE FOR ANY PERIOD OF TIME WITHOUT PRIOR WRITTEN APPROVAL OF THE LANDSCAPE		PRUNE PROCESS).
0.1.0.	ARCHITECT. WHEN ALLOWED, APPROVAL FOR THE METHOD OF "STOCKPILING" MUST BE OBTAINED FROM THE LANDSCAPE ARCHITECT.		
0.1.0.		4 0	ANOPY PRUNING SPECIFICATIONS
	ALL DIGGING IN THE ROOT ZONE DURING THE ROOT PRUNE PROCESS MUST BE DONE BY HAND; NO MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP		
3.1.4.			
3.1.4. 3.1.5.	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH	4.1.	TREES
3.1.4. 3.1.5.	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE		PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA
3.1.4. 3.1.5. 3.1.6.	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION.		PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT
3.1.4. 3.1.5. 3.1.6.	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY	4.1.1.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT
3.1.4.3.1.5.3.1.6.3.1.7.	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH.	4.1.1.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATIO FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA
3.1.4.3.1.5.3.1.6.3.1.7.3.2.	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. <u>TREES</u>	4.1.1. 4.1.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSI
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. <u>TREES</u> PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS.	4.1.1. 4.1.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFST LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A	4.1.1. 4.1.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSI LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12" OF ROOTBALL FOR EVERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALL SOF VARIOUS TREE CALIPERS OR	4.1.1. 4.1.2. 4.1.3.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFST LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6° MUST BE CONSTRUCTED 6-12° OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12" OF ROOTBALL FOR EVERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALL FOR EVERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALLS OF VARIOUS TREE CALIPERS OR HEIGHTS. IN MANY CASES, SUCH APPROACHES RESULT IN ROOTBALLS THAT ARE EITHER TOO LARGE OR TOO SMALL FOR A GIVEN TREE. THE FOLLOWING TABLE LISTS MINIMUM ROOTBALL DIAMETERS	4.1.1. 4.1.2. 4.1.3. 4.1.4.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFST LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE I ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES.
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12" OF ROOTBALL FOR EVERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALLS OF VARIOUS TREE CALIPERS OR HEIGHTS. IN MANY CASES, SUCH APPROACHES RESULT IN ROOTBALLS THAT ARE EITHER TOO LARGE OR TOO SMALL FOR A GIVEN TREE. THE FOLLOWING TABLE LISTS MINIMUM ROOTBALL DIAMETERS BASED ON REAL-WORLD EXPERIENCE OF TREE RELOCATION SPECIALISTS IN SOUTH FLORIDA:	4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFST LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE I ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES.
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT.MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS.AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH.TREESPRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12" OF ROOTBALL FOR VERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALL S OF VARIOUS TREE CALIPERS OR HEIGHTS. IN MANY CASES, SUCH APPROACHES RESULT IN ROOTBALLS THAT ARE EITHER TOO LARGE OR TOO SMALL FOR A GIVEN TREE. THE FOLLOWING TABLE LISTS MINIMUM ROOTBALL DIAMETERS BASED ON REAL-WORLD EXPERIENCE OF TREE RELOCATION SPECIALISTS IN SOUTH FLORIDA:CALIPER MIN. ROOTBALLCALIPER MIN. ROOTBALLMIN. ROOTBALL MIN. ROOTBALLCALIPER MIN. ROOTBALLCALIPER MIN. ROOTBALLDIA.(feet) <td>4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4. 4.1.5. 4.2.</td> <td>PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSI LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN</td>	4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4. 4.1.5. 4.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEA INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSI LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DATION OF ALLOWING A MINIMUM OF 9-12' OF ROOTBALL FOR EVERY 1" OF TREE CALIPER OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALLS OF VARIOUS TREE CALIPERS OR MUST BE COLSPERIENCE OF TREE RELOCATION SPECIALISTS IN SOUTH FLORIDA: CALIP	4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4. 4.1.5. 4.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFST LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN PALMS IT IS WELL KNOWN THAT SOME PALMS
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6' MUST BE CONSTRUCTED 6-12' OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TERES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12" OF ROOTBALL FOR EVERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALLS OF VARIOUS TREE CALIPERS. OR TOO SMALL FOR A GIVEN TREE. THE FOLLOWING TABLE LISTS MINIMUM ROOTBALL DIAMETERS BASED ON REAL-WORLD EXPERIENCE OF TREE RELOCATION SPECIALISTS IN SOUTH FLORIDA: CALIPER MIN. ROOTBALL CALIPER MIN. ROOTBALL CALIPERS BIA. (feet) 1 - 4 3 12 - 14 <td< td=""><td>4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4. 4.1.5. 4.2.</td><td>PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSIT LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN PALMS IT IS WELL KNOWN THAT SOME PALMS ARE REMOVED (<i>E.G.</i>, CABBAGE PALM, HAVING THEIR LEAVES CUT IN HALF D</td></td<>	4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4. 4.1.5. 4.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSIT LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN PALMS IT IS WELL KNOWN THAT SOME PALMS ARE REMOVED (<i>E.G.</i> , CABBAGE PALM, HAVING THEIR LEAVES CUT IN HALF D
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 3.2.2. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6' MUST BE CONSTRUCTED 6-12' OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12' OF ROOTBALL FOR EVERY '0' TO FREE CALIPER. OTHERS LIN MANY CASES, SUCH APPROACHES RESULT IN ROOTBALLS	4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.4. 4.1.5. 4.2.	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAI INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSI LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN PALMS IT IS WELL KNOWN THAT SOME PALMS ARE REMOVED (<i>E.G.</i> , CABBAGE PALM, HAVING THEIR LEAVES CUT IN HALF D BOTH OF THESE HORTICULTURAL PRA ARE NOT ROOT PRUNED. LEAVES DO I
 3.1.4. 3.1.5. 3.1.6. 3.1.7. 3.2. 3.2.1. 3.2.2. 3.2.2. 3.2.3. 	MACHINERY WILL BE ALLOWED. PRUNING OF ROOTS MUST BE DONE BY HAND WITH CLEAN, SHARP TOOLS. DO NOT PAINT CUT ROOTS WITH TREE PAINT OR ANY KIND OF SEALANT. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING AS PER MANUFACTURES RECOMMENDATIONS. AFTER EACH ROOT PRUNE, EACH SECTION OF ROOTBALL THAT IS PRUNED MUST BE WRAPPED WITH BLACK PLASTIC AND THE TRENCH BACKFILLED WITH ORIGINAL EXCAVATED SOIL. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY ADDED SUPPLEMENTS DOWN INTO THE ROOTBALL DURING ROOT REGENERATION. ONCE THE TREE RING IS CONSTRUCTED AFTER EACH ROOT PRUNE, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN TO ENCOURAGE NEW ROOT GROWTH. TREES PRIOR TO ANY ROOTS BEING CUT, ALL MAJOR ROOTS MUST BE IDENTIFIED TO DETERMINE THE ROOTBALL DIAMETER BASED ON THE RELATIVE LOCATION AND SIZE OF THE ROOTS. MANY TREE RELOCATION SPECIFICATIONS USE "GENERAL RULES" TO CALCULATE MINIMUM ROOTBALL DIAMETER, SUCH AS MULTIPLYING THE DIAMETER AT BREAST HEIGHT (DBH) OF THE TREE BY A FACTOR OF 10 OR ALLOWING A MINIMUM OF 9-12" OF ROOTBALL FOR EVERY 1" OF TREE CALIPER. OTHERS LIST UNREALISTIC MINIMUM SIZES FOR THE ROOTBALLS FOR VARIOUS TREE CALIPERS OR HEIGHTS. IN MANY CASES, SUCH APPROACHES RESULT IN ROOTBALLS FOR THE ROOTBALL FOR EVERY 1" OF TREE CALIPERS OR TOO SMALL FOR A GIVEN TREE. THE FOLLOWING TABLE LISTS MINIMUM ROOTBALL DIAMETERS BASED ON REAL-WORLD EXPERIENCE OF TREE RELOCATION SPECIALISTS IN SOUTH FLORIDA: CALIPER MIN. ROOTBALL CALIPER MIN. ROOTBALL (4.1.1. 4.1.2. 4.1.3. 4.1.4. 4.1.5. 4.2. 4.2.1. 	PRIOR TO RELOCATION, THE CANOPY PRUNED TO REMOVE CROSSING, DEAL INTERFERE WITH CONSTRUCTION ACT LIFTING THE TREE DURING RELOCATION FOR TREES BEING RELOCATED ONSIT BY NO MORE THAN 1/3 OF THE OVERA ARCHITECT; HOWEVER, THE BASIC SH PRESERVED. FOR TREES BEING RELOCATED OFFSIT LANDSCAPE ARCHITECT, TO FIT ON TH RETAIN AS MANY LARGE BRANCHES A AND CHARACTER OF THE TREE AS PO FLORIDA DEPARTMENT OF TRANSPOR AND ESCORTS TO TRANSPORT WIDE L ALL CANOPY PRUNING MUST BE CONE BEST MANAGEMENT PRACTICES. ALL DEBRIS GENERATED DURING CAN PALMS IT IS WELL KNOWN THAT SOME PALMS ARE REMOVED (<i>E.G.</i> , CABBAGE PALM, HAVING THEIR LEAVES CUT IN HALF D BOTH OF THESE HORTICULTURAL PRA ARE NOT ROOT PRUNED. LEAVES DO T THAT ARE ADEQUATELY ROOT PRUNE NOT AVAILABLE, PALMS TO BE RELOC

JNE TIME FOR TREES WITH A DBH OF LESS THAN 10" IS 12 E ON TWO OPPOSING SIDES OF THE ROOTBALL, WITH THE THER TWO SIDES DONE A MINIMUM OF 6 WEEKS LATER, AND E DONE A MINIMUM OF 3 WEEKS AFTER THAT. THE SECOND DONE WHEN HEALTHY NEW ROOT GROWTH FROM EARLIER N 2.14 ABOVE FOR SPECIFICATIONS ON PHOTOGRAPHICALLY RING THE ROOT PRUNE PROCESS). MORE TIME MAY BE OF THE YEAR.

JNE TIME FOR TREES WITH A DBH OF 10" OR GREATER IS 24 E ON TWO OPPOSING SIDES OF THE ROOTBALL, WITH THE THER TWO SIDES DONE A MINIMUM OF 12 WEEKS LATER, AND DONE A MINIMUM OF 6 WEEKS AFTER THAT. THE SECOND DONE WHEN HEALTHY NEW ROOT GROWTH FROM EARLIER V 2.14 ABOVE FOR SPECIFICATIONS ON PHOTOGRAPHICALLY RING THE ROOT PRUNE PROCESS). MORE TIME MAY BE OF THE YEAR.

SPERMS REQUIRE LONGER ROOT PRUNING TIMES. THESE FOLLOWING:

G. OFFICINALE)

UUM & L. SABICU)

PRUNE TIMES DISCUSSED IN SECTIONS 3.2.5 AND 3.2.6 ABOVE ICIENT NEW ROOT GROWTH HAS TAKEN PLACE FOLLOWING T ROOT PRUNE BE DONE, AND ONLY WHEN SUFFICIENT NEW OWING THE FINAL ROOT PRUNE MAY THE TREE BE OR SPECIFICATIONS ON PHOTOGRAPHICALLY DOCUMENTING PRUNE PROCESS).

ROOTBALL DIAMETERS FOR VARIOUS SPECIES OF PALMS F RELOCATION SPECIALISTS IN SOUTH FLORIDA:

> ROOTBALL SPECIFICATIONS 36" diameter 12" from trunk in all directions 18 - 24" from trunk in all directions 24" from trunk in all directions 24" from trunk in all directions

F 24" DEEP. WHENEVER POSSIBLE, ROOTBALLS MUST BE TANCE FROM THE TRUNK TO THE EDGE OF THE ROOTBALL

JNE TIME FOR PALMS IS 6-8 WEEKS. THE FIRST ROOT PRUNE HE ROOTBALL, WITH THE SECOND ROOT PRUNE ON ONE OF I OF 3-4 WEEKS LATER, AND A THIRD ROOT PRUNE ON THE EKS AFTER THAT. THE SECOND AND THIRD ROOT PRUNES V ROOT GROWTH FROM EARLIER ROOT PRUNES IS EVIDENT ATIONS ON PHOTOGRAPHICALLY DOCUMENTING NEW ROOT CESS). MORE TIME MAY BE NEEDED DURING THE COOLER

THAT ARE SLOW GROWING, REQUIRE LONGER ROOT E NOT LIMITED TO, THE FOLLOWING:

F ATTALEA

CRISPA)

ECIES OF HYPHAENE) RASSUS)

PRUNING TIME IS 4-6 MONTHS OR GREATER. ONLY WHEN KEN PLACE FOLLOWING AN EARLIER ROOT PRUNE CAN THE WHEN SUFFICIENT NEW ROOT GROWTH HAS TAKEN PLACE Y THE TREE BE RELOCATED (SEE SECTION 2.14 ABOVE FOR / DOCUMENTING NEW ROOT GROWTH DURING THE ROOT

EACH TREE TO BE RELOCATED MUST BE SELECTIVELY ISEASED, BROKEN, AND LOW-HANGING BRANCHES THAT MAY TIES, OR THAT MAY INTERFERE OR RESTRICT STRAPPING OR

THE CANOPY MAY BE SELECTIVELY THINNED AND REDUCED CANOPY MASS, AT THE DIRECTION OF THE LANDSCAPE E, FORM, AND CHARACTER OF THE TREE MUST BE

THE CANOPY MUST BE PRUNED, AT THE DIRECTION OF THE FRAILER FOR TRANSPORT. EVERY EFFORT MUST BE MADE TO OSSIBLE AND TO PRESERVE AS MUCH OF THE SHAPE, FORM, IBLE TO THE WIDEST LOAD WIDTH ALLOWABLE BY THE TION. CONTRACTOR MUST OBTAIN ALL NECESSARY PERMITS DS. PER FLORIDA LAW.

CTED FOLLOWING ANSI A-300 TREE PRUNING STANDARDS AND

PRUNING MUST BE REMOVED OFFSITE AND DISPOSED.

JRVIVE RELOCATION BETTER WHEN ALL OF THE LEAVES BAL PALMETTO), AND THAT OTHER PALMS BENEFIT FROM ING RELOCATION (E.G., COCONUT PALM, COCOS NUCIFERA). FICES, WHILE TRUE, ARE ONLY APPLICABLE WHEN PALMS T NEED TO BE CUT IN HALF OR REMOVED FROM PALMS ON OCCASION WHEN SUFFICIENT ROOT PRUNING TIME IS ED MAY HAVE THEIR LEAVES CUT IN HALF OR REMOVED DSCAPE ARCHITECT.

PLY BIODEGRADABLE TWINE PRIOR TO RELOCATION TO THE RELOCATION PROCESS. O UP" ACCORDING TO THE LANDSCAPE ARCHITECT'S

5.RELOCATION SPECIFICATIONS

5.1. GENERAL

- 5.1.1. LANDSCAPE CONTRACTOR TO FLAG ALL PROPOSED PLANT LOCATIONS FOR LANDSCAPE ARCHITECT'S APPROVAL PRIOR TO INSTALLATION. NOTIFY LANDSCAPE ARCHITECT A MINIMUM OF 15 DAYS PRIOR TO REVIEW.
- 5.1.2. ALL TREES AND PALMS TO BE RELOCATED MUST BE WATERED DAILY FOR AT LEAST 5 DAYS PRIOR TO ANY RELOCATION TO ENSURE THAT THEY ARE FULLY HYDRATED. EACH WATERING MUST THOROUGHLY SATURATE THE ROOTBALL TO ITS FULL DEPTH.
- 5.1.3. ALL ROOTBALLS MUST BE WRAPPED IN BURLAP AND THEN TIGHTLY WIRE-WRAPPED (USING REDLINE HORSE WIRE OR EQUIVALENT) TO KEEP THE ENTIRE ROOTBALL INTACT DURING RELOCATION. TREES AND PALMS GROWING IN LIMESTONE MUST BE DUG AND RELOCATED WITH THE ROOTS ATTACHED TO A SECTION OF ROCK AS PART OF THE ROOTBALL, SUCH THAT THE ROOTS REMAIN INTACT. ROOTBALLS COMING FROM SAND OR SANDY SOIL MAY ALSO NEED TO BE BOXED PRIOR TO RELOCATION, AT THE DISCRETION OF THE LANDSCAPE ARCHITECT.
- 5.1.4. TREES AND PALMS BEING RELOCATED OFFSITE MUST HAVE THEIR ENTIRE ROOTBALLS THOROUGHLY AND TIGHTLY WRAPPED WITH PLASTIC SHRINK WRAP ON THE OUTSIDE OF THE WIRE WRAP, AND THE ENTIRE TREE OR PALM (INCLUDING CANOPY, TRUNK, AND ROOTBALL) MUST BE COVERED WITH A BREATHABLE TARP (E.G., SHADE CLOTH) DURING TRANSPORT.
- 5.1.5. NEW PLANTING PITS FOR RELOCATED TREES AND PALMS MUST BE PREPARED PRIOR TO LIFTING THE PALM OR TREE FROM ITS CURRENT LOCATION AND MUST BE AT LEAST 3-4 FEET WIDER THAN THE ROOTBALL AND THE SAME DEPTH AS THE ROOTBALL, SUCH THAT THE FINAL ELEVATION OF THE TOP OF THE ROOTBALL IS AT OR SLIGHTLY ABOVE (NO MORE THAN 2" HIGHER) FINAL GRADE.
- TREES AND PALMS TO BE RELOCATED MUST BE LIFTED BY THE ROOTBALL ONLY, 516 USING APPROPRIATELY SIZED (LENGTH AND STRENGTH) LIFTING STRAPS OR CHAINS. DURING LIFTING, THE TREE OR PALM MUST BE BALANCED IN A MORE-OR-LESS UPRIGHT POSITION, WITH THE STRAP ON THE TRUNK USED ONLY FOR BALANCING AND MANEUVERING THE TREE OR PALM INTO POSITION. NO CHAINS MAY BE USED AROUND OR AGAINST THE TRUNK AT ANY TIME. AT NO TIME SHALL 100% OF THE WEIGHT OF THE TREE OR PALM BE ON THE STRAP ATTACHED TO THE TRUNK. TRUNKS MUST BE HEAVILY PADDED WITH 30-60 LAYERS (DEPENDING ON SIZE AND WEIGHT) OF BURLAP BENEATH THE BALANCING STRAP.
- 5.1.7. TREES AND PALMS MUST BE LIFTED WITH A CRANE OR BACKHOE APPROPRIATELY SIZED FOR THE SIZE AND WEIGHT OF THE TREE OR PALM AND LIFTED OR CARRIED DIRECTLY TO THE FINAL INSTALL LOCATION OR TRANSPORT TRAILER.
- 5.1.8. ONCE LIFTING BEGINS, ANY UNCUT ROOTS UNDER OR AROUND THE ROOTBALL THAT MAY YET REMAIN MUST BE IMMEDIATELY SEVERED WITH HAND PRUNING TOOLS TO MINIMIZE TEARING AND ROOT DAMAGE.
- 5.1.9. AGRIFORM PLANTING TABLETS (OR APPROVED EQUIVALENT) MUST BE EVENLY DISTRIBUTED AROUND THE PERIMETER OF THE PLANTING PIT AT THE RATE OF 2 TABLETS PER 1" TRUNK CALIPER PRIOR TO BACKFILLING.
- 5.1.10. MYCORRHIZA (ROOTS® TRANSPLANT OR EQUIVALENT) MUST BE INCORPORATED INTO THE BACKFILL SOIL PRIOR TO BACKFILLING.
- 5.1.11. RELOCATED TREES AND PALMS MUST BE CENTERED IN THE PLANTING PIT, AND THE PIT BACKFILLED USING A 1:1 MIXTURE OF EXISTING SOIL AND 80:20 (DOT SAND:MUCK) SOIL MIX THOROUGHLY BLENDED TOGETHER. DO NOT USE MUDDY SOIL AS BACKFILL. (SEE 5.2.2 BELOW FOR SPECIAL CONDITIONS REGARDING DATE PALM BACKFILL SPECIFICATIONS.)
- 5.1.12. SMALL TREES AND PALMS MUST BE FIRMLY BRACED USING A MINIMUM OF FOUR 4" X 4" WOODEN BRACES ATTACHED TO 2" X 4" WOODEN BATTENS HELD IN PLACE WITH TWO STEEL BANDS. LARGER TREES MAY REQUIRE 6" X 6" WOODEN POSTS OR EVEN TELEPHONE POLES TO PROVIDE SUFFICIENT BRACING STRENGTH TO PREVENT TOPPLING DURING WIND EVENTS. A SUFFICIENT NUMBER OF BATTENS MUST BE STRATEGICALLY PLACED AROUND THE TRUNK SUCH THAT THE STEEL BANDS NEVER CONTACT THE TRUNK. NO BURLAP IS TO REMAIN UNDER THE WOODEN BATTENS ON TREES DURING BRACING, BUT SEVERAL LAYERS OF BURLAP SHOULD BE LEFT UNDER THE WOODEN BATTENS WHEN BRACING PALMS. NAILS SHALL NEVER BE DRIVEN DIRECTLY INTO THE TRUNK DURING BRACING. BRACING MUST REMAIN IN PLACE FOR A MINIMUM OF ONE YEAR.
- 5.1.13. A TREE RING WITH A MINIMUM HEIGHT OF 6" MUST BE CONSTRUCTED 6-12" OUTSIDE THE OUTERMOST EDGE OF THE ROOTBALL AND AROUND THE ENTIRE PERIMETER OF THE ROOTBALL TO DIRECT IRRIGATION WATER AND ANY SUPPLEMENTS THAT ARE ADDED DOWN INTO THE ROOTBALL DURING ROOT REGENERATION.
- 5.1.14. ONCE THE TREE RING IS CONSTRUCTED, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE LIBERALLY APPLIED TO THE SURFACE OF THE ROOTBALL AND THOROUGHLY WATERED IN.
- 5.1.15. ROOTBALLS MUST BE THOROUGHLY WATERED IN USING A HOSE AND A JOHNSON BAR INSERTED TO THE VERY BOTTOM OF THE ROOTBALL AND SWUNG BACK AND FORTH TO PREVENT FORMATION OF AIR POCKETS. THE JOHNSON BAR TECHNIQUE MUST BE REPEATED AT LEAST ONCE MORE WITHIN ONE WEEK AFTER RELOCATION, AND AGAIN IF ANY SIGNS OF STRESS BECOME APPARENT.
- 5.1.16. ORGANIC MULCH (MELALEUCA IS PREFERRED) MUST BE APPLIED WITHIN 48 HOURS OF RELOCATION AT A DEPTH OF 3-4" OVER THE ENTIRE TOP OF THE ROOTBALL FROM THE TREE RING TO WITHIN 6" OF THE TRUNK. MULCH MUST NOT BE APPLIED OR ALLOWED TO ACCUMULATE DIRECTLY AGAINST THE TRUNK.
- 5.1.17. PITS FROM WHICH THE RELOCATED TREES AND PALMS WERE REMOVED MUST BE CLEANED OF ALL RESIDUAL ROOTS, STUMPS, AND PORTIONS THEREOF AND BACKFILLED WITH CLEAN FILL FLUSH WITH THE SURROUNDING GRADE.
- 5.1.18. RESTORE THE SURFACE WITH MATERIAL TO MATCH ADJACENT AREAS. MATERIAL TO BE APPROVED BY LANDSCAPE ARCHITECT. CONTRACTOR TO PROVIDE A MINIMUM OF ONE YEAR WARRANTY ON SETTLING AND PLANT MATERIAL FROM TIME OF SUBSTANTIAL COMPLETION.
- 5.2. SPECIAL CONDITIONS
- 5.2.1. MULTI-TRUNK TREES AND PALMS MUST BE RELOCATED AS ONE UNIT WITH A SINGLE ROOTBALL.

6.1.2.	CONTI FROM
6.1.3.	WHEN AUTOM THORG GALLC WHILE DIAME WATEM WEEK
6.1.4.	WHEN RESPO MAINT AND/C
6.1.5.	IMMED STIMU LABEL AND A PREVE
6.1.6.	EVERY APPLII WATEI BROAL
6.1.7.	
6.2. <u>S</u>	HADE -
6.2.1.	IMMED THERE APPLIE THE R
6.2.2.	FOLIA
6.2.3.	FLOW
6.2.4.	IMMED THERE APPLII THE R
6.2.5.	FOLIA
6.3. <u>F</u>	ALMS
6.3.1.	STRIN TO TH RELOO WITHO
6.3.2.	IMMED
	MINOF

WARRANTY				
7.1.	ALL RELOC			
7.2.	IF A TREE (REPLACED			
7.3.	IF A TREE O REMOVED BASED ON			
7.4.	IF A TREE (PERIOD, AS GRADE AT			

6. MAINTENANCE SPECIFICATIONS

6.1. <u>GENERAL</u>

6.1.1. ALL RELOCATED TREES AND PALMS MUST BE MAINTAINED FOR ONE YEAR FROM THE DATE OF RELOCATION TO THEIR FINAL LOCATIONS.

6.1.2. CONTRACTOR MUST MAINTAIN ALL RELOCATED TREES AND PALMS FOR ONE FULL YEAR THE DATE OF RELOCATION TO THE FINAL LOCATION.

EVER POSSIBLE, EACH TREE AND PALM MUST BE WATERED BY A PERMANENT MATIC IRRIGATION SYSTEM FOLLOWING RELOCATION. EACH WATERING MUST ROUGHLY SATURATE THE ROOTBALL TO ITS FULL DEPTH; THIS WILL REQUIRE 25-50 ONS OF WATER FOR SMALL TREES AND PALMS, DEPENDING ON ROOTBALL SIZE, E LARGE TREES WILL REQUIRE A MINIMUM OF 10 GALLONS PER FOOT OF ROOTBALL ETER (I.E., A 10' DIAMETER ROOTBALL WILL REQUIRE A MINIMUM OF 100 GALLONS PER RING EVENT). WATERING FREQUENCY MUST BE EVERY DAY FOR THE FIRST TWO KS, EVERY OTHER DAY FOR THE NEXT THREE WEEKS, AND EVERY THIRD DAY FOR THE 6-8 WEEKS

AN AUTOMATIC IRRIGATION SYSTEM IS NOT POSSIBLE, CONTRACTOR IS ONSIBLE FOR HAND WATERING RELOCATED TREES AND PALMS THROUGHOUT THE FENANCE PERIOD AND UNTIL FINAL ACCEPTANCE BY THE LANDSCAPE ARCHITECT OR CLIENT.

DIATELY AFTER RELOCATION TO THE FINAL LOCATION, A HIGH-PHOSPHORUS ROOT JLANT MUST BE APPLIED TO THE SURFACE OF THE ROOTBALL AT THE RECOMMENDED RATE AND WATERED IN WITH A DRENCH CONSISTING OF A SYSTEMIC INSECTICIDE A CONTACT ROOT ROT FUNGICIDE, FOLLOWING LABEL INSTRUCTIONS, AS INITIAL ENTATIVE MAINTENANCE.

/ THREE MONTHS THEREAFTER, A HIGH-PHOSPHORUS ROOT STIMULANT MUST BE ED TO THE SURFACE OF THE ROOTBALL AT THE RECOMMENDED LABEL RATE AND RED IN WITH A DRENCH CONSISTING OF A SYSTEMIC INSECTICIDE AND A D-SPECTRUM SYSTEMIC FUNGICIDE, FOLLOWING LABEL INSTRUCTIONS, AS INUING PREVENTATIVE MAINTENANCE.

ATION AND BRACING MUST BE CHECKED AND EACH TREE OR PALM THOROUGHLY ECTED FOR SIGNS OF STRESS. DISEASE. OR PEST PROBLEMS ON A MONTHLY BASIS.

TREES

DIATELY AFTER RELOCATION TO THE FINAL LOCATION AND EVERY THREE MONTHS EAFTER, A HIGH-QUALITY, SLOW-RELEASE 15-2-15 GRANULAR FERTILIZER MUST BE ED, AT THE RECOMMENDED LABEL RATE, SPREAD EVENLY ACROSS THE SURFACE OF ROOTBALL.

R FEED FOUR TIMES PER YEAR.

ERING TREES

DIATELY AFTER RELOCATION TO THE FINAL LOCATION AND EVERY THREE MONTHS EAFTER, A HIGH-QUALITY, SLOW-RELEASE 5-10-15 GRANULAR FERTILIZER MUST BE ED, AT THE RECOMMENDED LABEL RATE, SPREAD EVENLY ACROSS THE SURFACE OF ROOTBALL.

R FEED FOUR TIMES PER YEAR.

IG MUST BE REMOVED FROM THE TIED UP LEAVES IMMEDIATELY AFTER RELOCATION HE FINAL LOCATION IF THE PALM WAS ROOT PRUNED OR WITHIN 30-45 DAYS AFTER CATION ON THE OCCASION THE LANDSCAPE ARCHITECT APPROVED RELOCATION OUT ROOT PRUNING DUE TO TIME CONSTRAINTS.

DIATELY AFTER RELOCATION TO THE FINAL LOCATION AND EVERY THREE MONTHS EAFTER, A HIGH-QUALITY, SLOW-RELEASE 8-4-12 GRANULAR PALM FERTILIZER WITH RS MUST BE APPLIED, AT THE RECOMMENDED LABEL RATE, SPREAD EVENLY ACROSS SURFACE OF THE ROOTBALL.

AR FEED SIX TIMES PER YEAR.

ELOCATED TREES AND PALMS MUST BE GUARANTEED FOR ONE YEAR FROM THE DATE LOCATION TO THEIR FINAL LOCATIONS.

REE OR PALM DIES WITHIN THE 1-YEAR WARRANTY PERIOD, IT MUST BE REMOVED AND ACED AT CONTRACTOR'S EXPENSE.

REE OR PALM PERFORMS POORLY WITHIN THE 1-YEAR WARRANTY PERIOD, IT MUST BE IVED AND REPLACED AT THE CONTRACTOR'S EXPENSE. THE DECISION TO REPLACE O ON POOR HEALTH IS AT THE DISCRETION OF THE LANDSCAPE ARCHITECT.

REE OR PALM SETTLES TO AN UNHEALTHY DEPTH WITHIN THE 1-YEAR WARRANTY D, AS DEEMED BY THE LANDSCAPE ARCHITECT, IT MUST BE RAISED TO THE CORRECT E AT CONTRACTOR'S EXPENSE.

ACH BUILDING DEPARTMENT **Reviewed For Compliance**

BR2105528 08/01/2022 2:01:04 PM

-	Rev. Date	Rev. Date
_	NOT APPLICABLE (N/A) 08/02/202	1 9
_	NOT APPLICABLE (N/A) 10/19/202	
-	3 NOT APPLICABLE (N/A) 02/09/202	
	A NOT APPLICABLE (N/A) 03/14/202	2 12
-	5 NOT APPLICABLE (N/A) 04/07/202	2 14
-	6	15
	\wedge	16
-	8	<u>A</u>

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBI KARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c) 2020

PERMIT / CONSTRUCTION DOCUMENTS

PRIVATE RESIDENCE 6455 PINETREE DRIVE CIRCLE

MIAMI BEACH, FL 33141

Owner:

PRIVATE RESIDENCE

Consultant Name Address Address

Tel Email

Consultant Name

Address

Address Tel

Email

Landscape Architect of Record: David O. Design


p.o. box 331615

Coconut Grove, FL 33233-1615, USA Tel: +1(305) 854.9299 - Fax: +1(305) 854.9882 Email: davidodesign@hotmail.com

www.davidodishoo.com

Architect of Record: Kobi Karp Architecture and Interior Design, Inc. 571 NW 28th Street, Miami, Florida 33127 USA

Tel: +1(305) 573 1818 Fax: +1(305) 573 3766



TREE DISPOSITION GENERAL NOTES


04/07/2022 Date:


Sheet No.

LR-300

Project #: 21011

Scale







D-1 DRAIN AT POOL DECK: LINEAR SLOT DRAIN

D-2 DRAIN AT DRIVEWAY: LINEAR TRENCH DRAIN

GRAVEL (G)





STONE (ST)







D-3 DRAIN AT POOL DECK: CONCEALED AREA DRAIN

/1METALS (M) **뚢븮렮**닅랦븮렮븮숺쉲빝븮슻뮾닅+++ METAL AT PROPERTY FENCES & POOL GATES: BLACK ALUMINUM M-1



BR2105528 08/01/2022 2:01:05 PM

Rev.	Date	Rev.	Date
CITY COMMENTS OWNER CHANGES	08/02/2021	<u>_9</u>	
NOT APPLICABLE (N/A)	10/19/2021	10	
NOT APPLICABLE (N/A)	02/09/2022	<u>/1</u>	
NOT APPLICABLE (N/A)	03/14/2022	12	
5 NOT APPLICABLE (N/A)	04/07/2022	14	
		15	
\land		16	
<u>/8</u>		<u>A</u> A	

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBI KARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBI KARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c) 2020

PERMIT / CONSTRUCTION DOCUMENTS

PRIVATE RESIDENCE 6455 PINETREE DRIVE CIRCLE MIAMI BEACH, FL 33141

Owner:

____ __

PRIVATE RESIDENCE

Consultant: Name Address

Address

Tel: Email

Consultant: Name

Address Address

Tel: Email

Landscape Architect of Record:

David O. Design p.o. box 331615

Coconut Grove, FL. 33233-1615, USA Tel: +1(305) 854.9299 - Fax: +1(305) 854.9882

Email: davidodesign@hotmail.com www.davidodishoo.com

Architect of Record:

Kobi Karp Architecture and Interior Design, Inc. 571 NW 28th Street, Miami, Florida 33127 USA


04/07/2022

Scale : 1/8"=1'-0"

Project # : 21011

Date:

Tel: +1(305) 573 1818 Fax: +1(305) 573 3766



HARDSCAPE MATERIAL IMAGES

HARDSCAPE MATERIAL IMAGES

Sheet No. LH-200

