700-710 82 STREET, MIAMI BEACH, FLORIDA 33141







2 GENERAL SITE INFORMATION			
	STREET ADDRESS	FOLIO#	SITE AREA
PARCEL 1	700 82nd STREET, MIAMI BEACH, FL 33141	FOLIO # 02-3202-008-0930	5,625 SF - 0.129 AC
PARCEL 2	710 82nd STREET, MIAMI BEACH, FL 33141	FOLIO # 02-3202-008-0920	5,625 SF - 0.129 AC
		TOTAL	11,250 SF - 0.258 AC

ISSUED: SITE PLAN APPROVAL FINAL SUBMITTAL DRB22-0900

STREET, MIAMI BEACH, FLORIDA 33141

A-301

# **DRAWING INDEX**

A-000.5	DRAWING INDEX
A-001	PROPERTY OVERVIEW
A-002	PROPERTY PHOTOGRAPHS
A-003	PROPERTY PHOTOGRAPHS
A-004	PROPERTY PHOTOGRAPHS
A-005	PROPERTY PHOTOGRAPHS
A-006	PROPERTY PHOTOGRAPHS
A-007	PROPERTY PHOTOGRAPHS
A-008	ZONING CODE ANALYSIS
A-009	GFA TABLE & UNITS MATRIX
A-010	PROPOSED FAR SHADED DIAGRAMS
A-011	GREEN ROOF DIAGRAM
A-012	CONTEXTUAL ELEVATIONS
A-013	CONTEXTUAL ELEVATIONS
A-014	3D RENDERING VIEW
A-015	3D RENDERING VIEW
A-016	3D RENDERING VIEW
A-017	3D RENDERING VIEW
A-018	3D RENDERING VIEW
A-019	3D RENDERING VIEW
A-020	3D RENDERING VIEW
A-021	3D RENDERING VIEW
A-022	3D RENDERING VIEW
A-023	3D RENDERING VIEW
A-024	SURVEY
A-100	DEMOLITION PLAN
A-201	SITE PLAN / GROUND FLOOR PLAN
A-202	2ND FLOOR PLAN
A-203	3RD FLOOR PLAN
A-204	4TH FLOOR PLAN
A-205	5TH FLOOR PLAN
A-206	ROOF PLAN





**PLAN APPROVAL** SITE FOR: ISSNE

**BISCAYNE POINT** 

700-710 82 STREET, MIAMI BEACH, FLORIDA 33141

12/20/2022

EXPLODED AXONOMETRIC PLANS

A-302

A-303

A-501

A-502

A-503

A-504 A-601

A-602

A-603

A-901

A-902

C-01

L-1.0

L-1.1

L-1.2

L-1.3

L-1.4

L-1.5

**ENLARGED AXONOMETRIC PLANS** 

**GROUND FLOOR CROSS SECTION** 

**GROUND FLOOR CROSS SECTION** 

PRELIMINARY ENGINEERING PLAN

PRELIMINARY LANDSCAPE SITE PLAN

LANDSCAPE SITE PLAN SCHEDULE & CODE

PRELIMINARY 2ND & 3RD FLOOR PLANS

PRELIMINARY 4TH & 5TH FLOOR PLANS

PRELIMINARY ROOF TOP LANDSCAPE PLAN

FRONT ELEVATION (NORTH)

REAR ELEVATION (SOUTH)

SIDE ELEVATION (WEST) SIDE ELEVATION (EAST)

**BUILDING SECTION** 

**BUILDING SECTION** 

SUN STUDY (OPTION 2)

SUN STUDY


**REQUIREMENTS** 

& PLANTING DETAILS

LANDSCAPE GENERAL NOTES



LOCATION MAP - 1 (710 82ND STREET, MIAMI BEACH, FLORIDA 33141)



LOCATION MAP - 2 (710 82ND STREET, MIAMI BEACH, FLORIDA 33141)



3D AERIAL VIEW - 1 ( LOOKING NORTH - EAST )



3D AERIAL VIEW - 2 ( LOOKING SOUTH - EAST )



SITE PLAN APPROVAL

ISSUE FOR:

**BISCAYNE POINT** 


700-710 82 STREET, MIAMI BEACH, FLORIDA 33141

1/8" = 1'-0"

12/20/2022



VIEW 1: IN FRONT OF THE PROPERTY



SITE KEY MAP



VIEW 2: IN FRONT OF THE PROPERTY



VIEW 3: IN FRONT OF THE PROPERTY



absolute-idea.com
NG. CA No. 28787
ARCH LICENSE NBR AA280

21-866

TO DO SEET OF MY AND SEED OF MY AND

ISSUE FOR: SITE PLAN APPROVAL

**BISCAYNE POINT** 

700-710 82 STREET MIAMI BEACH, FLORIDA 33141

PROPERTY PHOTOGRAPI


12" = 1'-0"

DRAWN BY

JWU DATE 12/20/2022




**VIEW 1: SURROUNDING PROPERTY** 



SITE KEY MAP



VIEW 2: SURROUNDING PROPERTY



VIEW 3: SURROUNDING PROPERTY



absolute-idea.com
ENG. CA No. 28787 ARCH LICENSE NBR AA26

CANAL PARK

3323 NE 163rd Street, Suite 200 North Miami Beach, FL 3

21-866

DIS BEST OF W.

OTHER BEST OF

ISSUE FOR: SITE PLAN APPROVAL

**BISCAYNE POINT** 

700-710 82 STREET MIAMI BEACH, FLORIDA 33141

PROPERTY PHOTOGRAP

12" = 1'-0"


Author

DATE
12/19/22

4 000



**VIEW 1: SURROUNDING PROPERTY** 



SITE KEY MAP



**VIEW 2: SURROUNDING PROPERTY** 



**VIEW 3: SURROUNDING PROPERTY** 



SITE PLAN APPROVAL ISSUE FOR:

**BISCAYNE POINT** 

12" = 1'-0"

12/19/22



**VIEW 1: SURROUNDING PROPERTY** 



SITE KEY MAP



VIEW 2: SURROUNDING PROPERTY



VIEW 3: SURROUNDING PROPERTY



CANAL PARK

3323 NE 163rd Street, Suite 200 North Miami Beach, FL 3

21-866

THE REST OF MY
OWNERGOE HE PLANS
ON FEGURATION
ON FEGURATI

ISSUE FOR: SITE PLAN APPROVAL

**BISCAYNE POINT** 

700-710 82 STREET MIAMI BEACH, ELORIDA 33141

PROPERTY PHOTOGRAP


12" = 1'-

DATE 12/19/22

4 005



**VIEW 1: SURROUNDING PROPERTY** 



SITE KEY MAP



VIEW 2: SURROUNDING PROPERTY



VIEW 3: SURROUNDING PROPERTY



absolute-idea.com

PNG. CA NO. 28787

ARCH LICENSE NBR AA2800

21-866

ISSUE FOR: SITE PLAN APPROVAL

**BISCAYNE POINT** 

700-710 82 STREET MIAMI BEACH, ELORIDA 33141

PROPERTY PHOTOGRAP

12" = 1'-0"


Author
DATE
12/19/22

---

A-006



**VIEW 1: SURROUNDING PROPERTY** 



SITE KEY MAP





























SITE PLAN APPROVAL ISSUE FOR:

**BISCAYNE POINT** 

12" = 1'-0"

01/06/23

# BIM 360://21-866 - Biscayne Pont/21-866\_Biscayne Pont\_R21.rvt

# DEVELOPMENT REGULATIONS AND AREA REQUIREMENTS

DESCRIPTION	VALUE	CODE SECTION	ALLOWED / REQUIRED	PROVIDED
ZONING	EXISTING ZONING DESIGNATION = RM-1 HISTORIC DISTRICT = NOT APPLICABLE	CITY OF MIAMI BEACH MUNICODE SEC. 142-151	DESIGNED FOR LOW INTENSITY	FAMILY, LOW DENSITY DISTRICT IS 17, LOW RISE, SINGLE-FAMILY AND 11LY RESIDENCES.
PERMITTED USES	The main permitted uses in the RM-1 Residential multifamilu, low density district are single-family detached dwelling; townhomes; apartments; apartments hotels, hotels, and suite hotels for properties fronting harding Avenue or Collins Avenue, from the city line on the north, to 74rd street on the south; and bed and breakfast inn.	CITY OF MIAMI BEACH MUNICODE SEC. 142-152	MULTI-FAMILY	MULTI-FAMILY
FLOOR AREA RATIO (F.A.R.)	Floor area ratio means the floor area of the building on any lot divided by the area of the lot. Floor Area means the sum of the gross horizontal areas of the floors of a building, measured from the exterior faces of exterior walls or from the exterior face of an architectural projection. Floor area includes; stairwells, stairways, covered steps, elevator shafts at every floor, and mechanical chutes and chases at every floor. Floor area DOES NOT INCLUDE; Floor space used for required accessory offstreet parking spaces. However, up to a maximum of 2 spaces per residential unit may be provided without being included in the calculation of F.A.R.; Mechanical equipment rooms located above main roof deck; exterior UNENCLOSED private balconies; Enclosed garbage rooms.	CITY OF MIAMI BEACH MUNICODE SEC. 142-155 Article (A) (1)	MAX. F.A.R. = 1.25 = (1.25) X (11,250 SF) = 14,062.50 SF	14,052.46 SF
MINIMUM YARD ELEVATION	The minimum elevation of a required yard shall be no less than 5 feet NAVD (6.56 feet NGVD), with the exception of driveways, walkways, transition areas, green infrastructure, and areas where existing landscaping is to be preserved.	CITY OF MIAMI BEACH MUNICODE SEC. 142-155 Article (A) (3)	MINIMUM 5.00 NAVD 6.56 NGVD	8.0 NGVD
LOT COVERAGE	The maximum Lot Coverage for a lot or lots greater than 65' in width shall not exceed 45 percent. In addition to the building areas included in lot coverage (sec. 114-1) impervious parking areas and impervious driveways shall also be included in the lot coverage calculation. THE DESIGN REVIEW BOARD, as applicable, may WAIVE the lot coverage requirements in accordance with the design review or certificate of appropriateness criteria, as applicable. DEFINITION; Lot coverage means the % of the total area of a lot that, when viewed directly from above, would be covered by all principal and accessory building and structure, or portions thereof; provided, however, that exterior unenclosed private balconies, shall not be included in determining the building area.	CITY OF MIAMI BEACH MUNICODE SEC. 142-155 Article (E)	MAXIMUM 45%	<b>BUILDING AREA</b> 3,364.94 ft <sup>2</sup> (30%)
GROUND FLOOR REQUIREMENTS	A minimum height of 12 feet shall be provided, as measured from base flood elevation plus minimum freeboard to the underside of the first floor slab. The design review board, may WAIVE this height requirement by up to 2 feet, in accordance with the design review of certificate of appropriateness criteria, as applicable.	CITY OF MIAMI BEACH MUNICODE SEC. 142-155 Article (F) (1)	MINIMUM GROUND FLOOR HEIGHT 12'-0"	13'-8" ( T.O.S. @ T.O.S. ) 12'-8" ( CLEARANCE )
GROUND FLOOR USES	In RM-1, residential district, all floors of a building containing parking spaces shall incorporate the following: Residential Uses at the first level along every façade facing a street, sidewalk or waterway. For properties not having access to an alley, the required residential space shall accommodate entrance and exit drives.	CITY OF MIAMI BEACH MUNICODE SEC. 142-156 Article (B)	RESIDENTIAL USE FACING A STREET ON THE GROUND FLOOR	APPLICABLE
MAXIMUM BUILDING HEIGHT	(A) When the min. finished floor elevation is located between grade and base flood elevation plus "City of Miami Beach Freeboard", Height shall be measured from the minimum finished floor elevation to the highest point of the roof; measure to the HIGHEST point of a flat roof.	CITY OF MIAMI BEACH MUNICODE SEC. 142-155 Article (B)	55'-0"  - For properties outside a local historic district with a ground level consisting of non-habitable parking and/or amenity uses.	55'-0"
UNIT SIZE	Minimum UNIT SIZE = New Construction - 550 Sq. Ft. Average UNIT SIZE - New Construction - Minimum 800 Sq. Ft.	CITY OF MIAMI BEACH MUNICODE SEC. 142-155 Article (B)	Min. 550 SF Avg. 800 SF	MIN = 627 SQ.FT. AVG = 784 SQ.FT.

# BUILDING SETBACKS

DESCRIPTION	VALUE	CODE SECTION	ALLOWED / REQUIRED	PROVIDED
FRONT SETBACK	For Subterranean and pedestal; 20 feet, excepts lots A and 1- 30 of the amended plat indian beach, corporation subdivision and lots 231-237 of the amended plat of first; ocean front subdivision - 50 feet.	CITY OF MIAMI BEACH MUNICODE SEC. 142-156 Article (A)	20'-0"	20'-0"
SIDE, INTERIOR SETBACK	Lots equal to or greater than 65 feet in width; Minimum 10 feet or 8% of lot width, whichever is greater, and sum of the side yards shall equal 16% of lot width.	CITY OF MIAMI BEACH MUNICODE SEC. 142-156 Article (A)	10'-0"	10'-0"
SIDE, FACING A STREET SETBACK	Lots equal to or greater than 65 feet in width ; Minimum 10 feet or 8% of lot width, whichever is greater, and sum of the side yards shall equal 16% of lot width.	CITY OF MIAMI BEACH MUNICODE SEC. 142-156 Article (A)	N/A	N/A
REAR SETBACK	10% of lot depth. Notwithstanding the foregoing, rooftop additions to non-ocean front contrinbuting structures in a historic district and individually designated historic buildings may follow existing nonconforming rear pedestal setbacks.	CITY OF MIAMI BEACH MUNICODE SEC. 142-156 Article (A)	11'-3"	11'-3"

# 7 PARKING AND LOADING REQUIREMENTS

DESCRIPTION	VALUE	CODE SECTION	ALLOWED / REQUIRED	PROVIDED
PARKING SPACE DIMENSION	$ \begin{aligned} & STANDARD = 8'-6" \times 18'-0"  /  ADA = 12'-0" \times 18'-0" \\ & - All \; ADA \; parking \; spaces \; are \; required \; and \; linked \; with \; a \; (60) \; inches \; \\ & access \; aisles. \qquad & - Parallel \; \\ & parking \; minimum \; are \; 8'-6" \times 21'-0" \\ & Tandem \; parking \; minimum \; are \; 8'-6" \times 16'-0" \end{aligned} $	CITY OF MIAMI BEACH MUNICODE SEC. 130-61 Article (1)	STANDARD : 8'-6" x 18'-0" ADA : 12'-0" x 18'-0"	STANDARD : 8'-6" x 18'-0" ADA : 12'-0" x 18'-0" COMPACT : 8'-6" x 16'-0"
AISLES WIDTH	90 DEGREES STALL (1 WAY = 22'-0" / 2 WAY = 22'-0")	CITY OF MIAMI BEACH MUNICODE SEC. 130-63 Article (1)	90 DEGREES STALL 22'-0" AISLES	90 DEGREES STALL 22'-0" AISLES
DRIVEWAYS WIDTH	Drives shall have a minimum width of 22 feet for two-way traffic and 11 feet for one-way traffic. Notwithstanding the foregoing, for residential buildings with fewer than 25 units, drives shall have a minimum width of 18 feet for two-way	CITY OF MIAMI BEACH MUNICODE SEC. 130-64 Article (1)	ONE-WAY DRIVES 11'-0" TWO-WAY DRIVES 18'-0"	ONE-WAY DRIVES 11'-0"
PARKING REQUIREMENT & PARKING COUNT	IN PARKING DISTRICT #1, LOT WIDER THAN 65'-0" RESIDENTIAL = 1 PS FOR EVERY UNITS BETWEEN 550 - 1600 SF RESIDENTIAL = 2 PS FOR EVERY UNITS OVER 1600 SF GUEST = NOT REQUIRED, IF LESS THAN 20 UNITS	CITY OF MIAMI BEACH MUNICODE SEC. 130-32 Article (6) (B)	14 UNITS BETWEEN 550 SF - 1600 SF	14 PARKING SPACES
ADA PARKING REQUIREMENT	All spaces provided for this setion shall be located at the closest point to the entrance of the building for which the parking is required, or to the elevators lobbies of the use.	CITY OF MIAMI BEACH MUNICODE SEC. 130-61 Article (1)	TOTAL 14 PS REQUIRED 1 ADA PS	1 ADA PARKING SPACE
TANDEM PARKING	Tandem parking spaces may be utilized for self-parking only in multifamily residential buildings and shall have a restrictive covenant, approved as to form by the city attorney's office and recorded in the public records of the county as a covenant running with the land, limiting the use of each par of tandem parking spaces to the SAME UNIT OWNER.	CITY OF MIAMI BEACH MUNICODE SEC. 130-251 Article (C)	ALLOWED	NOT PROVIDED
LOADING REQUIREMENTS	FOR ANY RESIDENTIAL BUILDING OR HOTEL BUILDING UNDER 36 UNITS, A LOADING BAY IS NOT REQUIRED	CITY OF MIAMI BEACH MUNICODE SEC. 130-101 Article (3)	N/A	N/A



absolute-idea.com CANAL PARK

3323 NE 163rd Street, Suite 200 North Miami Beach, FL 33160

305.792.0015 305.931.0279 info@absolute-idea.com


SITE PLAN APPROVAL **ISSUE FOR:** 

**BISCAYNE POINT** 

700-710 82 STREET, MIAMI BEACH, FLORIDA 33141


ZONING CODE ANALYSIS

JWU 12/20/2022



FLOOR AREA = 3364.94 SQ.FT.





FLOOR AREA = 7885.07 SQ.FT.





UNITS MATRIX

## **UNIT 2A**

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	379.60
INTERIOR	627.29
TOTAL	1,006.89

UNIT 2B

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	421.84
INTERIOR	660.28
TOTAL	1,082.12

**UNIT 2C** 

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	590.30
INTERIOR	657.90
TOTAL	1,248.20

UNIT 2D

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	590.30
INTERIOR	657.90
TOTAL	1,248.20

UNIT 3A

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	136.58
INTERIOR	721.40
TOTAL	857.98

UNIT 3B

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	150.56
INTERIOR	752.24
TOTAL	902.80

UNIT 3C

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	267.73
INTERIOR	657.90
TOTAL	925.63

### UNIT3D

LEVEL	FLOOR AREA (SQ.FT.)			
EXTERIOR	238.36 657.90			
INTERIOR				
TOTAL	896.26			

**UNIT 4A** 

LEVEL	FLOOR AREA (SQ.FT.)			
EXTERIOR	254.09			
INTERIOR	721.40			
TOTAL	975.49			

UNIT 4B

LEVEL	FLOOR AREA (SQ.FT.)				
EXTERIOR	165.20				
INTERIOR	752.24				
TOTAL	917.44				

UNIT 40

LEVEL	FLOOR AREA (SQ.FT.)			
EXTERIOR	241.37			
INTERIOR	657.90			
TOTAL	899.27			

UNIT 4D

LEVEL	FLOOR AREA (SQ.FT.)				
EXTERIOR	279.57				
INTERIOR	657.90				
TOTAL	937.47				

UNIT 5A

LEVEL	FLOOR AREA (SQ.FT.)				
EXTERIOR	381.38				
INTERIOR	1,382.69				
TOTAL	1,764.07				

UNIT 5B

LEVEL	FLOOR AREA (SQ.FT.)
EXTERIOR	473.93
INTERIOR	1,409.46
TOTAL	1,883.39

TOTAL	10,974.40
# UNITS	14.00
AVERAGE SE / LINIT	783 89

# 21-866 - BISCAYNE POINT - MIAMI BEACH - 2022-12-20

	RENTABLE RESIDENTIAL	RESIDENTIAL BALCONIES	COMMON AREAS	VERTICAL CIRCULATION	SERVICES	POOL DECK	PARKING	PLANTERS & ARCHITECTURAL FEATURES	TOTAL
Roof Deck	**	=	-	421.53	909.19	1,799.12	-	1,752.18	4,882.02
5th Level	2,792.15	855.30	165.83	375.37	13.83	-	#	708.10	4,910.58
4th Level	2,789.38	940.22	165.83	375.37	13.83	-	-	669.12	4,953.75
3rd Level	2,789.38	793.22	165.83	375.37	13.83	·	-	661.31	4,798.94
2nd Level	2,603.36	1,982.04	165.83	579.33	13.83	-		1,376.25	6,720.64
Ground Level	40	-	337.73	308.66	482.52	-	5,780.99	1,190.09	8,099.99
TOTAL	10,974.27	4,570.78	1,001.05	2,435.63	1,447.03	1,799.12	5,780.99	6,357.05	34,365.92



Absolute-idea.com

ENG. CA No. 20107

ARCH LOES SE SER ALASKO 1556

CANAL PARK

323 NE 15361 Sheet, Suile 200 North Marri Beach, FL 33160

305.792.0015 305.931.0279 info@absolute-idea.com

04.000



SITE PLAN APPROVAL

ISSUE FOR:

BISCAYNE POINT


700-710 82 STREET, MIAMI BEACH, FLORIDA 33141

GFA TABLE & UNITS MATRIX

SCALE 1" = 30'-0" DRAWN BY JWU

DATE 12/20/2022

A-009







SITE PLAN APPROVAL

ISSUE FOR:

**BISCAYNE POINT** 

700-710 82 STREET, MIAMI BEACH, FLORIDA 33141

12/20/2022



CANAL PARK
3323 NE 163rd Street, Suite 200 North Miami Beach, FL

THE BEST OF WY
OWNERGE HE PLANS
OPECIFICATION
OPECIFICATIO

ISSUE FOR: SITE PLAN APPROVAL

**BISCAYNE POINT** 

700-710 82 STREET, MIAMI BEACH, FLORIDA 33141

CONTEXTUAL ELEVATIONS

SCALE

**CONTEXTUAL ELEVATION** 

2 LINE DRAWING

A-012 SCALE: 1"=30'-0"

Author
DATE
01/09/23

A-012



CONTEXTUAL ELEVATION
1 LINE DRAWING-2

A-013 SCALE: 1"=30'-0



CONTEXTUAL ELEVATION

LINE DRAWING-2

A-013 SCALE: 1"=30'-0"

idea Architect

absolute-idea.com
NG. CA No. 28787 ARCH LICENSE NBR AA28001

DO THE BEST OF MY
MONETONE SHE PLANS
MONETONE SHE P

SITE PLAN APPROVAL

ISSUE FOR:

BISCAYNE POINT

700-710 82 STREET, MIAMI BEACH, FLORIDA 33141

CONTEXTUAL ELEVATIONS

DALE

Author
DATE
01/09/23

A 01