

# MIAMI BEACH

## PLANNING DEPARTMENT

### Staff Report & Recommendation

### Design Review Board

TO: DRB Chairperson and Members

DATE: April 2, 2024

FROM: Thomas R. Mooney, AICP  for TRM  
Planning Director

SUBJECT: DRB23-0990  
**1649 W 22<sup>nd</sup> Street**

An application has been filed requesting Design Review Approval for the construction of a new 2-story home, including one or more waivers, and an understory, to replace an existing home.

### **RECOMMENDATION:**

Review and continue the application to the May 7, 2024 DRB meeting.

### **LEGAL DESCRIPTION:**

Lot 23, Block 4A, of "3<sup>rd</sup> Revised Plat of Sunset Islands", according to the plat thereof, as recorded in Plat Book 40, Page 8, of the public records of Miami-Dade County, Florida.

### **BACKGROUND:**

On February 1, 2022, the Board reviewed and approved a new 2-story home at the subject property, including design waivers (DRB21-0722). The prior approval did not include an understory and the applicant is now requesting approval for a new home with an understory.

### **SITE DATA:**

Zoning: RS-3  
Future Land Use: RS  
Lot Size: 21,497 SF  
Lot Coverage:  
    Proposed: 5,161 SF / 24%  
    Maximum: 6,449 SF / 30%  
Unit size:  
    Proposed: 10,493 SF / 48.8%  
    Maximum: 10,748 SF / 50%  
Height:  
    Proposed: 29'-0" flat roof \*  
    Maximum: 31'-0" flat roof \*\*  
    From 1<sup>st</sup>  
    habitable level: 25'-4"  
    \*as measured from BFE+5'  
    \*\* subject to DRB review

Grade: +5' NGVD  
Base Flood Elevation: +8.00' NGVD  
Adjusted Grade: +6.5' NGVD  
First Floor Elevation: +16'-8" NGVD (BFE+ 8'-8" fb)

### **EXISTING PROPERTY:**

Year: 1988  
Architect: Miguel Gonzalez  
Vacant: No  
Demolition: Total

### **SURROUNDING PROPERTIES:**

East: One-story 1953 residence  
North: Biscayne Bay, Canal  
South: One-story 1938 residence  
West: New 2-story home

**THE PROJECT:**

The applicant has submitted plans entitled "1649 W 22<sup>nd</sup> Street Residence", as designed by **SOW Design Studio**, dated 2-2-2024.

The applicant is requesting the following design waiver(s):

1. A two-story side (east) elevation in excess of 60'-0" in length in accordance with Section 7.2.2.3(b)(ii).
2. A two-story side (west) elevation in excess of 60'-0" in length in accordance with Section 7.2.2.3(b)(ii).

Note: The applicant has requested a height waiver, however for understory homes, the new Resiliency Code was amended to increase the maximum height for understory homes to 31 feet for a flat roof, subject to the review of the Design Review Board.

**COMPLIANCE WITH ZONING CODE:**

A preliminary review of the project indicates that the application, as proposed, appears to be inconsistent with the following sections of the City Code:

- Two-story side elevations located parallel to a side property line shall not exceed 50 percent of the lot depth, or 60 feet, whichever is less, without incorporating additional open space, in excess of the minimum required side yard, directly adjacent to the required side yard:
  - a. The additional open space shall be regular in shape, open to the sky from grade, and at least eight feet in depth, measured perpendicular from the minimum required side setback line.
  - b. The square footage of the additional open space shall not be less than one percent of the lot area.
  - c. The elevation (height) of the open space provided shall not exceed the maximum permitted elevation height of the required side yard, and
  - d. At least 50 percent of the required interior open space area shall be sodded or landscaped with pervious open space.

The above noted comments shall not be considered final zoning review or approval. These and all zoning matters shall require final review and verification by the Zoning Administrator prior to the issuance of a Building Permit.

**COMPLIANCE WITH DESIGN REVIEW CRITERIA, SECTION 2.5.3.1:**

Design review encompasses the examination of architectural drawings for consistency with the criteria stated below, with regard to the aesthetics, appearance, safety, and function of any new or existing structure and physical attributes of the project in relation to the site, adjacent structures and surrounding community. The design review board and the planning department shall review plans based upon the below stated criteria, criteria listed in neighborhood plans, if applicable, and applicable design guidelines. Recommendations of the planning department may include, but not be limited to, comments from the building department and the public works department.

- a. The existing and proposed conditions of the lot, including but not necessarily limited to topography, vegetation, trees, drainage, and waterways.  
**Satisfied**
- b. The location of all existing and proposed buildings, drives, parking spaces, walkways, means of ingress and egress, drainage facilities, utility services, landscaping structures, signs, and lighting and screening devices.  
**Satisfied**
- c. The dimensions of all buildings, structures, setbacks, parking spaces, floor area ratio, height, lot coverage and any other information that may be reasonably necessary to determine compliance with the requirements of the underlying zoning district, and any applicable overlays, for a particular application or project.  
**Satisfied; However, two design waivers are requested.**
- d. The color, design, selection of landscape materials and architectural elements of Exterior Building surfaces and primary public interior areas for Developments requiring a Building Permit in areas of the City identified in section 2.5.3.2.  
**Satisfied**
- e. The proposed site plan, and the location, appearance and design of new and existing Buildings and Structures are in conformity with the standards of this Ordinance and other applicable ordinances, architectural and design guidelines as adopted and amended periodically by the Design Review Board and Historic Preservation Boards, and all pertinent master plans.  
**Partially Satisfied; However, the proposed project is requesting two design waivers and one variance from the Board.**
- f. The proposed Structure, and/or additions or modifications to an existing structure, indicates a sensitivity to and is compatible with the environment and adjacent Structures, and enhances the appearance of the surrounding properties.  
**Not Satisfied; In order to address the immediate context, staff is recommending a reduction in overall building height. See Staff Analysis**
- g. The design and layout of the proposed site plan, as well as all new and existing buildings shall be reviewed so as to provide an efficient arrangement of land uses. Particular attention shall be given to safety, crime prevention and fire protection, relationship to the surrounding neighborhood, impact on contiguous and adjacent Buildings and lands, pedestrian sight lines and view corridors.  
**Satisfied**
- h. Pedestrian and vehicular traffic movement within and adjacent to the site shall be reviewed to ensure that clearly defined, segregated pedestrian access to the site and all buildings is provided for and that all parking spaces are usable and are safely and conveniently arranged; pedestrian furniture and bike racks shall be considered. Access to the Site from adjacent roads shall be designed so as to interfere as little as possible with traffic flow on these roads and to permit vehicles a rapid and safe ingress and egress to the Site.  
**Satisfied**

- i. Lighting shall be reviewed to ensure safe movement of persons and vehicles and reflection on public property for security purposes and to minimize glare and reflection on adjacent properties. Lighting shall be reviewed to assure that it enhances the appearance of structures at night.  
**Not Satisfied; a lighting plan has not been submitted.**
- j. Landscape and paving materials shall be reviewed to ensure an adequate relationship with and enhancement of the overall Site Plan design.  
**Satisfied**
- k. Buffering materials shall be reviewed to ensure that headlights of vehicles, noise, and light from structures are adequately shielded from public view, adjacent properties and pedestrian areas.  
**Satisfied**
- l. The proposed structure has an orientation and massing which is sensitive to and compatible with the building site and surrounding area and which creates or maintains important view corridor(s).  
**Not Satisfied; See F. above and Staff Analysis.**
- m. The building has, where feasible, space in that part of the ground floor fronting a street or streets which is to be occupied for residential or commercial uses; likewise, the upper floors of the pedestal portion of the proposed building fronting a street, or streets shall have residential or commercial spaces, shall have the appearance of being a residential or commercial space or shall have an architectural treatment which shall buffer the appearance of the parking structure from the surrounding area and is integrated with the overall appearance of the project.  
**Satisfied**
- n. The building shall have an appropriate and fully integrated rooftop architectural treatment which substantially screens all mechanical equipment, stairs and elevator towers.  
**Satisfied**
- o. An addition on a building site shall be designed, sited and massed in a manner which is sensitive to and compatible with the existing improvement(s).  
**Not Applicable**
- p. All portions of a project fronting a street or sidewalk shall incorporate an architecturally appropriate amount of transparency at the first level in order to achieve pedestrian compatibility and adequate visual interest.  
**Satisfied**
- q. The location, design, screening and buffering of all required service bays, delivery bays, trash and refuse receptacles, as well as trash rooms shall be arranged so as to have a minimal impact on adjacent properties.  
**Satisfied**
- r. In addition to the foregoing criteria, subsection [118-]104(6)(t) of the City Code shall apply to the design review board's review of any proposal to place, construct, modify

or maintain a wireless communications facility or other over the air radio transmission or radio reception facility in the public rights-of-way.

**Not Applicable**

- s. The structure and site complies with the sea level rise and resiliency review criteria in Chapter 7, Article I, as applicable.

**Not Satisfied; see below**

**COMPLIANCE WITH SEA LEVEL RISE AND RESILIENCY REVIEW CRITERIA**

Section 7.1.2.4(a)(i) of the Land Development establishes review criteria for sea level rise and resiliency that must be considered as part of the review process for board orders. The following is an analysis of the request based upon these criteria:

1. A recycling or salvage plan for partial or total demolition shall be provided.  
**Not Satisfied: A recycling plan shall be provided as part of the submittal for a demolition/building permit to the building department.**
2. Windows that are proposed to be replaced shall be hurricane proof impact windows.  
**Satisfied**
3. Where feasible and appropriate, passive cooling systems, such as operable windows, shall be provided.  
**Satisfied**
4. Resilient landscaping (salt tolerant, highly water-absorbent, native or Florida friendly plants) shall be provided, in accordance with Chapter 4 of the Land Development Regulations.  
**Satisfied**
5. The project applicant shall consider the adopted sea level rise projections in the Southeast Florida Regional Climate Action Plan, as may be revised from time-to-time by the Southeast Florida Regional Climate Change Compact. The applicant shall also specifically study the land elevation of the subject property and the elevation of surrounding properties.  
**Satisfied**
6. The ground floor, driveways, and garage ramping for new construction shall be adaptable to the raising of public rights-of-ways and adjacent land and shall provide sufficient height and space to ensure that the entry ways and exits can be modified to accommodate a higher street height of up to three (3) additional feet in height.  
**Satisfied**
7. In all new projects, all critical mechanical and electrical systems shall be located above base flood elevation. Due to flooding concerns, all redevelopment projects shall, whenever practicable, and economically reasonable, move all critical mechanical and electrical systems to a location above base flood elevation.  
**Satisfied**
8. Existing buildings shall be, where reasonably feasible and economically appropriate, elevated up to base flood elevation, plus City of Miami Beach Freeboard.

**Not Applicable**

9. When habitable space is located below the base flood elevation plus City of Miami Beach Freeboard, wet or dry flood proofing systems will be provided in accordance with Chapter of 54 of the City Code.

**Not Applicable**

10. In all new projects, water retention systems shall be provided.  
**Satisfied additional information will be required at the time of building permit in order to demonstrate compliance.**
11. Cool pavement materials or porous pavement materials shall be utilized.  
**Satisfied additional information will be required at the time of building permit in order to demonstrate compliance.**
12. The project design shall minimize the potential for a project causing a heat island effect on site.  
**Satisfied additional information will be required at the time of building permit in order to demonstrate compliance.**

**ANALYSIS:**

The applicant is requesting Design Review Approval for the construction of a new two-story residence with an understory on a waterfront parcel on Sunset Island 4 that will replace an existing three-story residence. The design flood elevation of the new residence is proposed at base flood elevation (8' NGVD) plus a free board 8'-8" , or 16'-8" NGVD. For comparison purposes, the prior approval was for a non-understory house with the first floor located at a an elevation +11.00' NGVD (BFE + 3'). Understory homes typically must be elevated to at least BFE +5', or higher, depending on the required base flood elevation for a site.

The new Resiliency Code was amended to increase the maximum height for understory homes to 31 feet for a flat roof, subject to the review of the Design Review Board. It is important to note that this maximum height is not 'as-of-right'. In reviewing height, the DRB considers the zoning district, size of the lot, as well as the neighboring context. While the maximum height of 31 feet may be appropriate for an RS-1 or RS-2 property, it is not always appropriate for a lot in the RS-4 district. The Board also considers the required base flood elevation as well as understory height in determining what is a contextually appropriate height for a specific property.

The subject site has a lot size of 21,497 SF, which exceeds the minimum lot area required for RS-2 and RS-3 zoned lots. RS-2 zoned lots have a maximum height of 28' for flat roofs for a traditional home, or 31 feet for a home with an understory. While the lot size of this property does help to alleviate height impacts on neighboring properties, the immediate area is very diverse in terms of overall building height. In this regard, the following is noted:

- There is a recently constructed 2-story home with an approved four (4') foot height waiver to the southwest; (28' from BFE + 2' freeboard).
- There is a single-story structure constructed in 1953 to the east.
- There is a pre-1942 architecturally significant home directly across the narrow canal

to the north.

Due to the varied context of existing heights, as noted above, it is important to review the proposed massing within this context. In this regard, a lower overall building height is appropriate for the eastern and northernmost massing, as these areas abut the single-story home to the east and are closest to the pre-1942 home across one of the narrowest waterways in the City. Staff is not opposed to higher mass for the wing of the new home abutting the neighboring property where the Board previously approved a four (4') foot height waiver. It is important to note that this abutting property (to the west) is on the wide opening from the canal to Biscayne Bay, with a much larger distance to the nearest property across the waterway, as compared to the subject site.

The applicant is requesting two design waivers which relate to the open space requirements for two-story elevations that exceed 60'-0" in length for both interior side elevations. The first design waiver request pertains to the east elevation that is a total of 94'-11" (including the 7'-6" terrace at the front of the home with the enclosed side). This elevation is broken by a small courtyard after a continuous length of 7'-6" (solid terrace wall) plus 67'-11", however the courtyard also does not comply with the minimum area and setback requirements. Mitigating the requested waiver is the applicant's retention of a specimen Manila Tamarind Tree, also known as a Madras Thorn, near the front of the property, with a diameter of 60", as well as an overall height of 60' and a canopy spread of 35.

The retention of this specimen tree does impact the location where construction may occur on the property and staff commends the applicant for its retention. However, as the subject property does abut a one-story home to the east staff recommends the following modifications:

1. Reduce the height of the understory by one foot (1') from 10'-2" (understory elevation to top of first floor slab) to 9'-2". The Board in the past has typically approved an understory height (slab to slab) of between 9' and 10'.
2. Maintain a height of 24 feet from the first-floor slab to the top of the roof for the massing of the home that is southward of the curving arc in the floor plan which separates the higher height proposed along the waterfront.
3. Lower the northeastern section of the home (the area of the home at the second floor labeled 'Her Bathroom' and 'Her Closet'), by 1'-6".

Collectively, these modifications will result in an overall reduction in the height of the home closest to the eastern neighbor, as well as to the pre-1942 home located across the canal by 2'-6". This lowering of height will have no tangible impact on the interior heights of the habitable levels, except for a bathroom and closet. Staff is confident that the architect can successfully integrate lowering this area into the overall waterfront elevation.

The second design waiver is for the length of the west elevation, which is 69 feet (including the 7'-6" projecting covered terrace at the front of the home, due to the enclosed side elevation). Again, due to the retention of the specimen tree at the front of the home, staff has no objection to this requested waiver, and due to the height of the abutting home to the west, staff has no concerns with the height of the home along this entire western elevation.

Lastly, due to a technical issue with the size of the architectural plans initially submitted, there was a delay in uploading these plans to the city's website for public viewing. The application instructions inform the applicant to check the city's website 30 days before the public hearing, to ensure that all application files were successfully uploaded. However this did not occur and an affected resident notified city staff that the plans were not available online, which caused a delay in making the plans available to the public. For this reason, staff recommends that the Board review and discuss the application, along with taking public comment, and continue it to the May 7, 2024 DRB meeting.

**RECOMMENDATION:**

In view of the foregoing analysis, staff recommends the application be **continued to the May 7, 2024 DRB meeting**. Should the Board approve the application, staff recommends any approval be subject to the conditions enumerated in the attached draft Final Order, which address the inconsistencies with the aforementioned Design Review criteria.



**DESIGN REVIEW BOARD**  
**City of Miami Beach, Florida**

MEETING DATE: April 2, 2024

PROPERTY/FOLIO: **1649 W 22<sup>nd</sup> Street 02-3228-001-1920**

FILE NO: DRB23-0990

IN RE: An application Design Review Approval for the construction of a new 2-story home, including one or more waivers, and an understory, to replace an existing home.

LEGAL: Lot 23, Block 4A, of "3<sup>rd</sup> Revised Plat of Sunset Islands", according to the Plat Thereof as Recorded in Plat Book 40, Page 8, of the Public Records of Miami-Dade County, Florida.

APPLICANT: 1649 Partners, LLC

**ORDER**

The City of Miami Beach Design Review Board makes the following FINDINGS OF FACT, based upon the evidence, information, testimony and materials presented at the public hearing and which are part of the record for this matter:

**I. Design Review**

- A. The Board has jurisdiction pursuant to Section 2.1.3.1 of the Land Development Regulations. The property is not located within a designated local historic district and is not an individually designated historic site.
- B. Based on the plans and documents submitted with the application, testimony and information provided by the applicant, and the reasons set forth in the Planning Department Staff Report, the project as submitted is inconsistent with Design Review Criteria f, i, l, and s in Section 2.5.3.1 of the Land Development Regulations.
- C. Based on the plans and documents submitted with the application, testimony and information provided by the applicant, and the reasons set forth in the Planning Department Staff Report, the project as submitted is inconsistent with Sea Level Rise Criteria 1 in Section 7.1.2.4(a)(i) of the Land Development Regulations.
- D. The project would be consistent with the criteria and requirements 2.5.3.1 and/ or Section 7.1.2.4(a)(i) if the following conditions are met:
  - 1. Revised elevation, site plan, and floor plan drawings for the proposed new home shall be submitted, at a minimum, such drawings shall incorporate the following:
    - a. The understory **shall be** approved, with the following additional requirement:

- i. the height of the understory shall be reduced by one foot (1' ) from 10'-2" (understory elevation to top of first floor slab) to 9'-2", subject to the review and approval of staff
  - b. The side (east) open space requirement **shall be** waived with the following additional requirements:
    - i. A maximum height of 24 feet shall be maintained from the first floor slab to the top of the roof for the massing of the home that is southward of the curving arc in the floor plan which separates the higher height proposed along the waterfront, subject to the review and approval of staff.
    - ii. The northeastern section of the home (the area of the home at the second floor labeled 'Her Bathroom' and 'Her Closet'), shall be reduced by 1'-6".(overall height of 24 feet from the first habitable floor to the roof), subject to the review and approval of staff.
  - c. The side (west) open space requirement **shall be** waived as proposed.
  - d. The roof deck shall be centrally located on the roof, as proposed, with the minimum required setbacks from the front and side elevations, subject to the review and approval of staff.
  - e. The final design details of the exterior materials and finishes shall be submitted, in a manner to be reviewed and approved by staff consistent with the Design Review Criteria and/or the directions from the Board.
  - f. Prior to the issuance of a Certificate of Occupancy, the project Architect shall verify, in writing, that the subject project has been constructed in accordance with the plans approved by the Planning Department for Building Permit.
2. A revised landscape plan, prepared by a Professional Landscape Architect, registered in the State of Florida, and corresponding plans shall be submitted to and approved by staff. The species, type, quantity, dimensions, spacing, location and overall height of all plant material shall be clearly delineated and subject to the review and approval of staff. At a minimum, such plans shall comply with Chapter 4-Landscape Requirements of the Miami Beach Code and shall incorporate the following:
- a. As proposed, the specimen Manila Tamarind Tree shall be retained in its current location.
  - b. The plans shall comply with the line-of-sight visibility triangle requirements, subject to the review and approval of the Public Works Department.
  - c. Prior to the issuance of a building permit, the applicant shall submit a tree protection plan for all trees to be retained on site. Such plan shall be subject to the review and approval of staff, and shall include, but not be limited to a sturdy tree protection fence installed at the dripline of the trees prior to any construction.

- d. In order to identify, protect and preserve mature trees on site, which are suitable for retention and relocation, a Tree Report prepared by a Certified Tree Arborist shall be submitted for the mature trees on site.
- e. Any tree identified to be in good overall condition shall be retained and protected in their current location if they are not in conflict with the proposed home, or they shall be relocated on site, if determined feasible, subject to the review and approval of staff. A tree care and watering plan also prepared by a Certified Arborist shall be submitted prior to the issuance of a Building Permit or Tree Removal/Relocation Permit. Subsequent to any approved relocation, a monthly report prepared by a Certified Arborist shall be provided to staff describing the overall tree performance and adjustments to the maintenance plan in order to ensure survivability, such report shall continue for a period of 18 months unless determined otherwise by staff.
- f. Existing trees to be retained on site shall be protected from all types of construction disturbance. Root cutting, storage of soil or construction materials, movement of heavy vehicles, change in drainage patterns, and wash of concrete or other materials shall be prohibited.
- g. The proposed and existing trees located within the swale shall be subject to the review and approval of Green Space and CIP.
- h. Street trees shall be required within the swale at the front of the property if not in conflict with existing utilities, in a manner to be reviewed and approved by the Public Works Department. Any new street trees shall be of a consistent canopy tree species as similar to the neighboring trees along the street.
- i. Any existing plant material within the public right-of-way may be required to be removed, as the discretion of the Public Works Department.
- j. A fully automatic irrigation system with 100% coverage and an automatic rain sensor in order to render the system inoperative in the event of rain. Right-of-way areas shall also be incorporated as part of the irrigation system.
- k. The utilization of root barriers and/or Silva Cells, as applicable, shall be clearly delineated on the revised landscape plan.
- l. Prior to the issuance of a Certificate of Occupancy, the Landscape Architect or the project architect shall verify, in writing, that the project is consistent with the site and landscape plans approved by the Planning Department for Building Permit.

**In accordance with Section 2.2.4.8 of the Land Development Regulations, the applicant, the City Manager, Miami Design Preservation League, Dade Heritage Trust, or an affected person may appeal a decision of the design review board for design review approval only to the city commission, except that orders granting or denying a request for rehearing shall not be reviewed by the Commission.**

## **II. Variance(s)**

- A. No variance(s) were filed as part of this application.

**The decision of the Board regarding variances shall be final and there shall be no further review thereof except by resort to a court of competent jurisdiction by petition for writ of certiorari.**

## **III. General Terms and Conditions applying to both 'I. Design Review Approval and 'II. Variances' noted above.**

- A. All new construction over 7,000 square feet shall be required to be, at a minimum, certified as LEED Gold by USGBC. In lieu of achieving LEED Gold certification, properties can elect to pay a sustainability fee, pursuant Section 7.1.3.2 of the Land Development Regulations. This fee is set as a percentage of the cost of construction.
- B. Upon the issuance of a final Certificate of Occupancy or Certificate of Completion, as applicable, the project approved herein shall be maintained in accordance with the plans approved by the board and shall be subject to all conditions of approval herein, unless otherwise modified by the Board. Failure to maintain shall result in the issuance of a Code Compliance citation, and continued failure to comply may result in revocation of the Certificate of Occupancy, Completion and Business Tax Receipt.
- C. During construction work, the applicant shall maintain gravel at the front of the construction site within the first 15'-0" of the required front yard and including the swale (subject to the review and approval of Public Works), to mitigate disturbance of soil and mud by related personal vehicles exiting and entering the site. All construction materials, including dumpsters and portable toilets, shall be located behind the construction fence and not visible from the right-of-way.
- D. During the course of construction, all vehicles, including, but not limited to all personal vehicles, shall park within the confines of the private property, the swale directly abutting the construction site, or at alternate overflow parking sites that are not on-street metered spaces and not zoned RS. Additionally, parking of any vehicles shall be prohibited in the travel lanes of all streets.
- E. Prior to the issuance of a demolition permit for the existing home, a construction fence shall be installed along all property lines, in accordance with Section 7.5.1.6 of the Land Development Regulations, "Vacant and abandoned properties and construction sites." However, along the front property line, such fence shall consist of an opaque screening, a minimum of eight (8') feet tall, which may include plywood or aluminum panels, or the equivalent solid construction on a wood or metal frame, with a continuous color finish, and concrete foundations. Only rolling gates or rigid folding panels shall be permitted. Swinging gates shall not be permitted.
- F. All allowable construction signage shall be attached to or situated behind the construction fence and shall be limited to one (1) sign, not to exceed four (4) square feet, in accordance with Section 6.3.2 of the Land Development Regulations.

- G. The building and parking departments shall approve a construction parking plan prior to the issuance of any building permit, including applicable demolition permits for the project.
- H. The applicant shall ensure that the contractor(s) observe good construction practices and prevent construction materials and debris from impacting the right-of-way.
- I. The contractor(s) shall ensure that the street and the swale directly abutting the construction site remains free of debris and refuse at all times; at a minimum, the contractor(s) shall inspect and clear the street and swale areas before leaving at the end of each day.
- J. This order shall be enforced by the Building, Planning, Parking and Code Compliance Departments.
- K. A recycling/salvage plan shall be provided as part of the submittal for a demolition/building permit, in a manner to be reviewed and approved by staff.
- L. A copy of all pages of the recorded Final Order shall be scanned into the plans submitted for building permit and shall be located immediately after the front cover page of the permit plans.
- M. The Final Order shall be recorded in the Public Records of Miami-Dade County, prior to the issuance of a Building Permit.
- N. Satisfaction of all conditions is required for the Planning Department to give its approval on a Certificate of Occupancy; a Temporary Certificate of Occupancy or Partial Certificate of Occupancy may also be conditionally granted Planning Departmental approval.
- O. The Final Order is not severable, and if any provision or condition hereof is held void or unconstitutional in a final decision by a court of competent jurisdiction, the order shall be returned to the Board for reconsideration as to whether the order meets the criteria for approval absent the stricken provision or condition, and/or it is appropriate to modify the remaining conditions or impose new conditions.
- P. The conditions of approval herein are binding on the applicant, the property's owners, operators, and all successors in interest and assigns.
- Q. Nothing in this order authorizes a violation of the City Code or other applicable law, nor allows a relaxation of any requirement or standard set forth in the City Code.

IT IS HEREBY ORDERED, based upon the foregoing findings of fact, the evidence, information testimony and materials presented at the public hearing, which are part of the record for this matter, and the staff report and analysis, which are adopted herein, including the staff recommendations, which were amended and adopted by the Board, that the **application** is GRANTED for the above-referenced project subject to those certain conditions specified in Paragraph I, II, III of the Finding of Fact, to which the applicant has agreed.

PROVIDED, the applicant shall build substantially in accordance with the revised plans entitled

"1649 W 22<sup>nd</sup> Street Residence", as designed by **SOW Design Studio**, dated 2-2-2024, and as approved by the Design Review Board, as determined by staff.

When requesting a building permit, the plans submitted to the Building Department for permit shall be consistent with the plans approved by the Board, modified in accordance with the conditions of approval that must be satisfied prior to permit issuance, as set forth in this Order, have been met.

The issuance of the approval does not relieve the applicant from obtaining all other required Municipal, County and/or State reviews and permits, including final zoning approval. If adequate handicapped access is not provided on the Board approved plans, this approval does not mean that such handicapped access is not required. When requesting Building permit, the plans submitted to the Building Department for permit shall be consistent with the plans approved by the Board, modified in accordance with the conditions set forth in this Order.

If the Full Building Permit for the project is not issued within eighteen (18) months of the meeting date at which the original approval was granted, the application will expire and become null and void, unless the applicant makes an application to the Board for an extension of time, in accordance with the requirements and procedures of Section 2.2.4.6 of the Land Development Regulations; the granting of any such extension of time shall be at the discretion of the Board. If the Full Building Permit for the project shall expire for any reason (including but not limited to construction not commencing and continuing, with required inspections, in accordance with the applicable Building Code), the application will expire and become null and void.

In accordance with Chapter 2 of the Land Development Regulations, the violation of any conditions and safeguards that are a part of this Order shall be deemed a violation of the land development regulations of the City Code. Failure to comply with this **Order** shall subject the application to Chapter 2 of the Land Development Regulations, for revocation or modification of the application.

Dated \_\_\_\_\_.

DESIGN REVIEW BOARD  
THE CITY OF MIAMI BEACH, FLORIDA

BY: \_\_\_\_\_  
Michael Belush, AICP  
Planning & Design Officer  
For the Chair

STATE OF FLORIDA            )  
  )SS  
COUNTY OF MIAMI-DADE    )

The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ by Michael Belush, Planning & Design Officer of the City of Miami Beach, Florida, a Florida Municipal Corporation, on behalf of the Corporation. He is personally known to me.

{NOTARIAL SEAL]

Notary:  
Print Name  
Notary Public, State of Florida  
My Commission Expires:  
Commission Number:

Approved As To Form:  
City Attorney’s Office: \_\_\_\_\_ ( \_\_\_\_\_ )  
  
Filed with the Clerk of the  
Design Review Board on: \_\_\_\_\_ ( \_\_\_\_\_ )