Calculation of Minimum and Maximum Yards

PROPERTY CONDITIONS

Waterfront Lot (Yes/No)	YES
Corner property (Yes/No)	NO
Sidewalk (yes/no)	NO
Sidewalk elevation at the centerline of the front of the property	
Crown of road at center of property (If no sidwalk exists or is proposed)	3.460
Flood Elevation	8.000
Freeboard (provided)	1.000

INTERIOR SIDEYARD CONDITIONS

Inidcate yes only for the condition that applies

Max. Yard Elevation

Yes	Default Condion unless one of the below applies Maximum Yard Elevation	6.560
	Is the average grade of adjacent lot along the abutting side yard equal or greater than adjusted grade?	8.230
10 mg	Is the abutting property vacant?	8.230
	Is their a joint agreement between abutting properties, for a higher elevation, not to exceed flood elevation?	8.000

REAR YARD CONDITIONS

Inidcate yes only for the condition that applies

Max. Yard Elevation

		IVIUX. TUTU LIEVATION
Yes	Default Condion unless one of the below applies Maximum Yard Elevation	6,560
	Is the average grade of adjacent lot along the	0.300
	는 것 V Vert [1] [1] [1] [1] [1] [1] [1] [2] [1] [2] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2	
	abutting side yard equal or greater than adjusted grade?	8.230
	Is the abutting property vacant?	8.230
	Is their a joint agreement between abutting properties,	
	for a higher elevation, not to exceed flood elevation?	8.000

RESULTS

Grade	3.46	
Adjusted Grade	5.73	
30" above Grade	5.96	
Future Crown of Road	5.25	
Future Adjusted Grade	7.125	
Minimum Freeboard Elev.	9.000	
Maximum Freeboard Elev.	13.000	
Minimum Yard Elevation	6.56	
Min. Garage elevation (for a		
detached or attached garage,		
not under the house	5.73	
Minimum garage ceiling		
elevation	17.000	

Front Yard	
Min Yard Elevation	6.560
Max Yard Elevation	7.125
Interior Side	
Min Yard Elevation	6.560
Max Yard Elevation	6.560
Interior Side	Establish W
Min Yard Elevation	6.560
Max yard Elevation	6.560
Waterfront	
Min Yard Elevation	6.560
Max Yard Elevation	9.000

	Waterfront Minimum Yard Elevation: Maximum Yard Elevation:	6.560 9.000	
n: 6.560 on:6.560			n: 6.560 on:6.560
Interior Side Yard Minimum Yard Elevation: 6.560 Maximum Yard Elevation:6.560			Interior Side Minimum Yard Elevation: 6.560 Maximum Yard Elevation:6.560
1	Front Yard		
	Minimum Yard Elevation: Maximum Yard Elevation:	6.560 7.125	

,