


PLEASE SEE:  
**'EROSION AND SEDIMENT CONTROL GENERAL NOTES'**  
ON SHEET A-802, PER MIAMI BEACH PUBLIC WORKS  
MANUAL, PAGE SES 14.  
PLEASE NOTE, SEDIMENT AND EROSION CONTROLS  
MUST BE INSTALLED BEFORE IN-WATER WORK OR SOIL  
DISTURBING ACTIVITIES CAN COMMENCE.

4981 SW 74 CT  
Miami, FL 33155  
786.615.2943 O  
786.615.2945 F  
cbravo@urvanx.com  
AA26002656  
IB26001472



Carlos J. Bravo, R.A. AR17584  
Oscar Herrera, R.A. AR97980

THE DESIGNS AND DRAWINGS PRESENT HEREIN ARE THE  
SOLE PROPERTY OF URVANX, INC. AND MAY NOT BE COPIED  
OR DUPLICATED WITHOUT SPECIFIC WRITTEN PERMISSION OF  
URVANX, INC.



SEAL  
IN MY PROFESSIONAL JUDGEMENT AND TO THE BEST OF  
MY KNOWLEDGE AND BELIEF, THE PLANS AND  
SPECIFICATIONS CONTAINED HEREIN COMPLY WITH ALL  
APPLICABLE BUILDING CODES.

## Di Lido Residence

815 West Di Lido Drive  
Miami Beach, FL 33139

SIMON NICHOLLS  
815 West Di Lido Drive  
Miami Beach, FL 33139

### PERMIT SET

#### REVISIONS

No.	Description	Date
A	BLDG.DEPT.COMMENTS	03.05.2018
B	BLDG.DEPT.COMMENTS	04.19.2018
C	BLDG.DEPT.COMMENTS	07.03.2018

### ROOF PLAN

SHEET TITLE

DATE 10.04.2017  
DRAWN BY A.V.  
REVIEWED BY C.J.B.

PROJECT NUMBER  
1733

SHEET

A-203

ELECTRICAL SYSTEMS, EQUIPMENT AND  
COMPONENTS; HEATING, VENTILATION, AIR  
CONDITIONING; PLUMBING APPLIANCES AND  
PLUMBING FIXTURES; DUCT SYSTEMS; AND  
OTHER SERVICE EQUIPMENT (POOL EQUIPMENT,  
WATER HEATERS, GENERATORS, ETC.)  
SHALL BE LOCATED AT OR ABOVE:

DESIGN FLOOD ELEVATION, D.F.E. (+10.00' NGVD)