

City of Miami Beach Planning Board

FIRST SUBMITTAL

SCOPE

- a) CU Sec 118-192 (a) (1) (7)
- b) CU Entertainment Establishments Sec 142-1362 (a) (1) (9)

PPF 723 Lincoln Lane LLC, c/o Terranova Corp

801 Arthur Godfrey Rd Miami Beach, FL 33140

(M) GRAPHIC SCALE (IN FEET) LOT 5 FEDERATED DEPT STORES LESSEE TAX DEPT FOLIO No. 02-3234-007-0530 Adjacent Building C Ni 233.98'(C) 234.04'(P) Ο, North Line of the South 37 1/2 feet of Lot 4 Block 35 0 § 0 Manhole Drainage Rim Elev=4.44' Bottom Elev=-2.60' S Inv. Elev=1.57'(Cone NW Inv. Elev=1.77'(Me No. 723 LINCOLN LANE Q LOT 3 œ E Inv. Elev=0.86'(Conc 12") W Inv. Elev=0.86'(Conc 12") MARSHALLS SIGN 30.00'(C)(D) (ABOVE) Rim Elev=4.00 204.00'(M) 204.08'(Overhang Canopy 4.18 CITY OF MIAMI BEACH FOLIO No. 02-3234-007-0500 FOLIO SO' TOTAL R/W) FOLIO Manhole Drainage Rim Elev=5.06' Manhole Sanitary Rîm Elev=4.03' Bottom Elev=1.82' S Inv. Elev=1.81'(PVC 8") E Inv. Elev=1.78'(PVC 8") "25g "25, 4.66×1.76 Bottom Elev=5.06 N Inv. Elev=2.21'(Metal 16") E Inv. Elev=1.81'(Conc 12") W Inv. Elev=2.61'(Metal 8") SW Inv. Elev=2.48'(PVC 16") L×ÂNE ·@ (DB 2132 PG 239) <u></u> 4020° Manhole Sanitary Rim Elev=4.28' Bottom Elev=2.36' W Inv. Elev=2.35'(PVC 8") SW Inv. Elev=2.45'(PVC 6") NE Inv. Elev=2.61'(PVC 3") Catch Basin Rim Elev=4.13° Bottom Elev=2.63° Manhole Drainage-Rim Elev=4.14' Bottom Elev=1.33' Inv. Elev=1.89'(Conc 15") Inv. Elev=1.34'(Conc 15") Manhole Drainage Rim Elev=4.33' Manhole Drainage Rim Elev=4.29 Rim Lieve-1.82' Bottom Eleve-1.82' W Inv. Eleve-2.00'(Conc 15") NE Inv. Eleve-1.98'(PVC 12") E Inv. Eleve-1.98'(Conc 18") TWO Serve-1.88'(Conc 18") TWO Serve-1.88'(Conc 18") CBS COMMERCIAL BUILDING No. 741 749, 1655, 1661 SYMBOL LEGEND Center Line Front Found Iron Pipe Single Sign Suppor → Street Light Pole Planter Calculated Dimension Concrete Pole Messure Dimensio Clight Pole Signal Controller Box Deed Dimension Wire Pull Box Concrete Block Structur Wood Pole F.F. EL Finish Floor Elevation Water Meter Fire Hidrant

Arc Length

Delta Angle

Centerline

Deed Book

Official Records Boo

Water Valve

Manhole Drainag

Curb Inlet

Catch Basin


Manhole Grease

Manhole Sanitary

S Sewer Valve

(G) Gas Valve

SKETCH OF BOUNDARY SURVEY ALTA/ACSM LAND TITLE SURVEY



LOCATION MAP Scale 1"=100" A Portion of N.W. 1/4 of Section 34, Township 53 S, Range 42 E, Miami-Dade County, Florida

LEGAL DESCRIPTION:

The South 37 1/2 feet of Lot 4 and all of Lot 3, in Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the Plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Maimi-Dade County, Flonda;

A strip of land thirty (30) feet wide and marked "BRIDLE PATH", adjacent to and lying East of North thirty-one and one quarter (31-114) feet of Lot 3 and the South thirty-seven and one-half (37-1/2) feet of Lot 4. Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Miami-Dade County, Florida.

SURVEYOR'S NOTES:

All distances as shown are based on the US Survey foot.

Elevations are referred to the National Geodetic Vertical Datum, 1929 (NGVD). Elevations are based on a City of Miami Beach Benchmark No. 1902, located at the intersection of Drexel Avenue and 16th Street. Elevation 4.65 feet USCS (MLW) or 3.37 feet NGVD 1929, based on the conversion factor for USCE (MLW) to NGVD 1929 of -0.78 feet

The accuracy obtained for all horizontal control measurements and office calculations of closed geometric figures, meets or exceeds the Standards of Practice as set forth by the Florida Board of Professional Surveyors and Mappers as contained in Chapter 5J-17,051(3)(b)15.bi FAQ of 1 foot in 10,000 feet for Commercial Areas. The elevations as shown are based on a closed level loop to the benchmark noted above, and meets or exceeds the Standards of Practice as set forth by the Florida Board of Professional Surveyors and Mappers as contained in Chapter 5J-17,051(3)(b)15.a FAQ. of a closure in feet of plus or minus 0.05 feet times the square root of the distance in miles.

This SKETCH OF BOUNDARY SURVEY is based on: (i) recovered monumentation; (ii) the record description and (iii) the plat of the AMENDED PLAT OF GOLF COURSE SUBDIVISION (Plat Book 6 at Page 26).

A comparison between measured, plat, record and calculated dimensions is delineated heroon. Measured dimensions (M) are based directly on the recovered monumentation. Platted dimensions (P) are based on the said plat of the AMENDED PLAT OF GOLF COURSE SUBDIVISION. Record dimensions (R) are based on the record description. Calculated dimensions (C) are a protraction based on the record description; the aforementioned AMENDED PLAT OF GOLF COURSE SUBDIVISION and filed measurements.

The Subject Property does lie within a Special flood Hazard Area (SFHA) as shown on the National Flood Insurance Programs, Flood Insurance Rate Map for Miami-Dade County, Flonda and Incorporated Areas Map No. 12086/c03174, Community No. 120691, bearing an effective/revised date of September 11, 2009. Said map delineates the herein described land to be situated within Zone AE, base flood elevation 8 feet.

The Subject Property lies within the CD-3 Commercial, High Intensity Zoning District based on The Stulject-Properly lives within the CLF3-Commindreal, High Indiensity Zoning District based on the Official Properly lives within the CLF3-Commindreal, High Indiensity Zoning District based on the Clfy of Miami Beach Official (and depicted on the Clfy of Miami Beach Official Website - www.miamibeachmight). The sebacked for the CD-2 commercial, high intensity zoning district, pursuant to the Miami Beach Official website - www.miamibeachmight). The sebacked for the CD-2 commercial, high intensity zoning district, pursuant to the Miami Beach Official website - www.miamibeachmight and the Clf of the CD-2 commercial, high intensity zoning district, pursuant to the Clf of the CD-2 commercial, high intensity zoning district, and the Clf of the CD-2 commercial, high intensity zoning district, pursuant to the CD-2 commercial, high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercial high intensity zoning district, pursuant to the CD-2 commercia

O feet
Residential uses shall follow the RM-1, 2, 3 setbacks
10 feet when abutting a residential district, otherwise none
Residential uses shall follow the RM-1, 2, 3 setbacks
10 feet when abutting a residential district, unless separated by a
street or waterway otherwise none.
Residential uses shall follow the RM-1, 2, 3 setbacks
feet, 10 feet when abutting a residential district unless separated
by a street or waterway in which case if shall be 0 feet. Side Interior Side, Facing a Street

Under Section 142-337(c), of the Land Development Regulations of the Code of the City of Unger Section 142-337(c), or the Land Development Regulators on the Cobe of the City of Mann Beach the Current maximum building height for Non-occaniforn Ibss 17 Seet 7 Sotres). Mann Beach the Common Seet of the City of Seet 182 Seet 182

The zoning requirements stated herein are based on the sources as noted. It should also be noted that the setback requirements at the time of construction of the existing structure may have varied from the current requirements. Appearent seback encoachment may not indicate non-compliance with the herein stated requirements; contact the City of Miami Beach Planning Department for an Official Zoning Determination. The determination of "Zoning Compliance"

The gross floor area at ground level is 19,973 square feet more or less (excludes porches and corridors) and is **not** the gross building area

The height of the parapet wall of subject building is 18.0 feet above the adjacent grade. The highest point on the South face ornamental wall is 24.3 feet above the adjacent grade.

There is no on site parking within the Subject Property.

Only the surface indications of the underground utilities have been located in the field. The location of underground utility lines on or adjacent to the property was not secured. There were no utility plans provided by the utility companies or by the client nor were there any utility markings noted in the field. The Surveyor has performed no subsurface investigation or markings foucid in levilum. In Surveyor has periorized to substance investigation of determined the location of underground footers. It should be noted that there may be other underground utilities in addition to those evidenced by visible appurtenances shown on this sketch. The owner or his agent should verify all utility locations with the appropriate utility provider before using. The names of the adjoining owners and the associated tax folio number are based on the web based the Miami-Dade County Property Appraiser's Property Search Summary Report.

There is no visible evidence of any kind of any earth moving or building construction within

There is no observable evidence of recent street or sidewalk construction or repairs.

There is no observable evidence that any portion of site lies within a wetland area, nor was there any evidence provided to the surveyor that the site was delineated as a wetland area by here any evidence provided he appropriate authorities.

The property described hereon is the same as the property described as Parcel C in Exhibit "A" to Schedule A, of the First American Title Insurance Company, Commitment, File Number 1062-3195802 (PARCEL C), with an effective date of July 15, 2014, and all the easements, covenants and restrictions evidenced by Recorded Documents and/or other title exceptions provided to the Surveyor as noted in Schedule fill of the said title commitment or apparent from a physical inspection of the site or otherwise known to me have been plotted hereon or otherwise noted as to their effect on the subject property below.

Item 9) There is no roadway dedication statement or easements shown on the face of the AMENDED PLAT OF GOLF COURSE SUBDIVISION, recorded in Plat Book 6, at Page 26, the Building Line as shown is plotted hereon. Noting however, as evidenced by a note placed on the plat by the Clerk, the Board of County Commissioners of Dade County, Florida under Resolution No. 4406, recorded in Official Records Book 1884 at Page 501, accepted dedications or offers to dedicate roadways shown on plats. The roadways shown on call plat are plotted hereon. The said plat of the AMENDED PLAT OF GOLF COURSE SUBDIVISION does not disclose any other hotistable matters affection the subtest CUBDIVISION does not disclose any other

AMENDED PLAT OF GOLE COURSE SUBDIVISION does not aisclose any other plottable matters affecting the subject property.

The Subject Property as described hereon lies wholly within the lands described in Easement granted to Floridat Power and Light Company, recorded in Deed Book 4135, at Page 93. The easement is blanket in nature and can not be plotted.

NOTE all recording references noted hereon, refer to the Public Records of Miami-Dade County, Florida, unless otherwise noted.

Although no formal dedications for the roadways located adjacent to the Subject Property was determined, the roadways shown on the aforementioned plat and as constructed are an indication of the intent to decicate roadways, as noted above. Pursuant to Chapter 95.361(2), indication of the intent to dedicate roadways, as noted above. Pursuant to Chapter 95.361(2), of the Florida Statutes, a roadway constructed by a nongovernmental entity or were it cannot be determined who constructed the road, and when such road has been regularly maintained or repared for the immediate past 1 years by a county, a municipality, or the Department of Transportation, whether jointly or severally, such road shall be deemed to be dedicated to the public to the extent of the width that actually has been maintained or repaired for the prescribed period, whether or not the road has been formally established as a public highway.

Access tofrom the property is from Meridian Avenue, N Lincoln Lane and Meridian Court. Meridian Court lies East of and adjacent to the East limit of the said AMENDED PLAT OF GOLF COURSE SIBEDVISION (the same being the East line of the 30 foot 'Bridle Path' as shown on the said plat), Pursuant to the adronementioned Chapter 95.81(2) noted above, N Lincoln Lane (city of Milami Beach, fee parcel), Meridian Avenue (shown on the said AMENDED PLAT OF GOLF COURSE SUBDIVISION) and Meridian Court, all which are maintained by the City of Milami Beach, are public rights of way, for vehicular and pedestrian use.

This Survey, as revised on February 25, 2016, represents the location of both completed and un-completed improvements. Properly corners were not recovered at time of the Spot Survey and do not represent a BOUNDAPY SURVEY's a defined under the Standards of Practice, adopted by the Board of Professional Surveyors and Mappers, pursuant to Chapter 472.07? Florida Statutes, as set forth in <u>Chapter St-17. Florida Administrative Code</u>. The building noted hereon as "under construction" is based on the First Floor Plan, Sheet A 3.01 (through revision 7) and the Layout Plan, Sheet C 2 (through revision 6), for 72s LINCOLN LANE NORTH, prepared by Wollberg Alvarez as located from limited field locations.

SURVEYOR'S CERTIFICATION

To PPF 723 Lincoln Lane, LLC: PPF LRIII Portfolio, LLC: PPF RTL Lincoln Road, LLC: Lincoln To PPF 723 Lincoln Lane, LLC; PPF LRIII Portfolio, LLC; PPF RTI. Lincoln Road, LLC; Lincoln Lane MJ, LLC; Lincoln Road II, LLC; Ternanova Copyration; Ternanova Capital Corporation; First American Title Insurance Company, Bitzin Sumberg Baena Price & Axetrod, LLP; Wachovia Bark, NA; Bank of America, NA, a: I antional banking association and successor by merger to LaSalle Bark National Association, as Trustee for the Registered Holders of LB-USS Commercial Mortgage Parts Pricept Certificates, Series 2004-C6, LINR Property, LLC; Wells Pargo Bank, NA; Zena M. Dickstein, PA, and LR Merdfain, LLC.

This is to certify that this map or plat and the survey on which it is based were made in accordance with the 2016 Minimum Standard Detail Requirements for ALTA/NSPS Land Title Surveys, jointly established and adopted by ALTA and NSPS, and includes Items 1, 2, 3, 4, 5, 7(a), 7(b)(1), 3 and 14 of Table A thereof. The fictivority was completed on Junuary 19, 2017 and updated on June 29, 2018. The undersigned further certifies that this map or plat and the survey on which it is based meets the Standards of Practice, adopted by the Board of Professional Surveyors and Mappers, pursuant to Chapter 472.027 Florida Statutes, as set forth in Chapter 5-J.17, Florida Administrative Code, under Sections 5J-17.051 and 5J-17.052 and is a "BOUNDARY SURVEY" as defined in Section 5J-17.050(2).

E.R. BROWNELL & ASSOCIATES: INC.

Thomas Brownell, Executive Vice President
Professional Land Surveyor # 2891 Email address: tbrownell@erbrownell.com

The survey map and notes and/or report of the copies thereof are not valid without the original signature and raised seal of a Florida licensed surveyor and mapper. Any additions or deletions to the survey map and notes and/or report by other than the signing party or parties is prohibited without written consent of the signing party or parties.

SW-09 4957 305- \bigcirc 님 N N ANE \mathbf{Z} **TINCOL** LINCOL 2 2 \sim \sim L \Box Д Survey

per comments

per comments

per comments

for additional

for additional

Survey

Survey

Survey

Update
Revised
Revised
Revised
Revised
Revised
Update
Update

57316 57316C 57316C 57316C 57316F 57316F 57316H 57316H 57316H

06/21/14 08/06/14 08/12/14 08/12/14 08/12/14 01/22/15 02/26/15 02/26/16 01/3/17

Sheet: 1 OF 1

J.N. 57316-F LS-2864A

Inc. MAPPERS

ciates,

ASSO(PLANNERS

∞ ₹

rownell Leers

 $\mathbf{\Omega}$

 \mathbf{C}

orida, 1-3870 No.

Miami, Florid 305–860–38 PLS/PSM No

FILE 12/2

Ref.

ᇈ

74TH 3866

WOLFBERG ALVAREZ

AA 002416

Existing/ Allowed/ **ZONING DATA Provided** Required Site Address:

* 723 Lincoln Lane North, Miami Beach, FL 33139

Legal Description: * Parcel C: The South 37 1/2 feet of Lot 4 and all of Lot 3, in Block 35,

of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the Plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Miami-Dade County, Florida; And A strip of land thirty (30) feet wide and marked "BRIDLE PATH", adjacent to and lying East of North thirty-one and one-quarter (31-1/4) feet of Lot 3 and the South thirty-seven and one-half (37-1/2) feet of Lot 4, Block 35, of AMENDED PLAT OF GOLF COURSE SUBDIVISION, according to the Plat thereof, as recorded in Plat Book 6, at Page 26, of the Public Records of Miami-Dade County,

Site Zoning:

Florida.

* CD-3 Commercial, High Intensity Zoning District

Lot Area:

* Minimum Lot area as per Sec. 142-337

7,000 SF

0 FT

75 FT

7 stories

19,912 SF

~~~~~

2.24 FAR

44,504 SF

234 FT

3 stories

0 FT

0 FT

0 FT

73'-11"

44,504 GSF

Development Proposed:

\* As allowed under Sec. 142-332, a 3 story Commerical Use building.

\* Total Building Area: \* Development Areas: Floors

 $\sim$ Building Areas 1st Level: 15,825 GSF 18,223 GSF 2nd Level: 3rd Level: 8,916 GSF 1,540 GSF Roof Level: Total Bldg. Area: 44,504 GSF

\_\_\_\_\_\_<u>2</u> Floor Area Ratio: \* Maximum FAR as per(Sec 142-337, (a)(1) 2.25 FAR \* FAR Area (SF): 44,802 SF

Lot Width: \* Minimum Lot width as per Sec. 142-337

**Building Height:** \* Maximum Height as per Sec. 142-337

\* Maximum Number of Stories as per Sec. 142-337

**Number of Stories:** 

Rear (North):

\* Interior of Lot

Setbacks: \* Minimum Setbacks as per Sec. 142-307(d) Front (South): 0 FT \* Facing Lincoln Lane North Side (West): 0 FT \* Facing Meridian Avenue 0 FT Side (East): \* Facing Meridina Court

Parking:

\* Parking District Designation as per Sec. 130-31 (a) (2)

District No. 2 0.0 spaces

0 FT

0 spaces

723

| RLABRADA                                                    |            | MARCEL R. MORLOTE, A.I.A. FL. ARCHITECT FL. ARCH. REG. NO. 9564 |
|-------------------------------------------------------------|------------|-----------------------------------------------------------------|
|                                                             |            | <b>A PROJECT NO.</b> : 21500.00                                 |
| 8:45am                                                      | ISSUE DATE |                                                                 |
| ⊗                                                           | 04/01/2015 |                                                                 |
| 2015                                                        | NO.        | REVISION DATE                                                   |
| 20, 2                                                       | Λ          | 05/13/2015                                                      |
| ×a∨                                                         |            |                                                                 |
| Dwd                                                         | )          |                                                                 |
| 23LL.                                                       |            |                                                                 |
| 22-0                                                        |            |                                                                 |
| \A1.0                                                       |            |                                                                 |
| cture,                                                      |            |                                                                 |
| chite                                                       |            |                                                                 |
| :D\Ar                                                       |            |                                                                 |
| )\sbu                                                       | )          |                                                                 |
| )rawir                                                      |            |                                                                 |
| )15\[                                                       |            | DRAWING TITLE                                                   |
| ane North.2015\Drawinas\CD\Architecture\A1.00-723LL.dwa May |            | ZONING DATA                                                     |
| Lane                                                        |            | SHEET NUMBER                                                    |







### **ARQUITECTONICA**

2900 Oak Avenue, Miami, FL 33133 T 305.372.1812 F 305.372.1175 www.arquitectonica.com AAC000465 LINCOLN EATERY 723 LINCOLN LANE N






















































EXISTING SHELL SPACE





























## G-1.07 SITE PLAN













723 N Lincoln Lane