


2

1



Features:

- Accomodates Up to 80 Athletes
- 18 External Pull-Up Stations
- 12' Rope Climb Tower
- 2 Climbing Wings
- 5 Squat Stations
- 2 Stainless Steel Ace Bars
- 10 Year Warranty (limited)

Attachments:

- 5 Sets of Lifting J Cups
- 2 Sets of Safety Squat Arms
- 2 Dip Bars
- 2 Jump Platforms
- 1 Landmine/Grappler
- 2 Wall Ball Target

Accessories:

- 4 Battle Ropes
- 1 Climbing Rope
- Medicine Balls (2X 14lb, 1X 16lb, 3X 20lb)
- Kettlebells (2X 12kg, 4X 16kg, 2X 20kg, 4X 24kg)
- 8 Olympic Bars
- 8 Warm Up Bars
- Bumper Plate Sets (6X 5lb, 6X 10lb, 6X 15lb, 6X 25lb, 6X 45lb)
- 4 Sandbags
- 1 Flat Bench
- 8 Sets of Lockjaw Collars
- Mobility Bands (4 light and 4 heavy)
- Mobility Equipment (4 Foam Rollers and 4 Lacrosse Balls)
- 2 Sets of Gymnastic Rings
- 1 Set of 20 Agility Cones
- 8 Jump Ropes
- 4 Chalk Bags

B

B

A

A

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 BEAVERFIT & BEAVERFIT NORTH AMERICA.
 ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 BEAVERFIT & BEAVERFIT NORTH AMERICA IS
 PROHIBITED.



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

BEAVERFIT

TITLE:
20' Performance Locker Specs

SIZE A	DWG. NO.	REV A
------------------	----------	-----------------

SCALE: 1:128 WEIGHT: SHEET 1 OF 4

2


1

2

1

B

B



- 20' Dry Freight ISO Container Specs:
- Corrugated Steel Sides, Roof, and Swing Doors on One End
 - 2 Sets of Forklift Pockets, Laden and Unladen
 - 1 1/8in Thick Marine Plywood Floors, Forklift Tested to 16,000 lbs per 44in Squared
 - Vents for Pressure Equalization

- 20' Dry Freight ISO Dimensions:
- External Dimensions: 19ft 10.5in Long X 8ft High X 8ft Wide
 - Internal Dimensions: 19ft 4in Long X 7ft 4in High X 7ft 8in Wide
 - Door Opening: 7ft High X 7ft 8.125in Wide

- 20' Dry Freight ISO Technical Specs:
- Container Weight (empty): 4740 lbs
 - Gross Weight (total weight including container): 67200 lbs
 - Weight of Loaded 20' Performance Locker: 12500lbs
 - Remaining Capacity: 54700 lbs
 - Total Cubic Capacity (empty): 1098 Cubic Feet
 - Cubic Capacity (Bravo Configuration): 1000 Cubic Feet

A

A

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 BEAVERFIT & BEAVERFIT NORTH AMERICA.
 ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 BEAVERFIT & BEAVERFIT NORTH AMERICA IS
 PROHIBITED.



UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		DRAWN	
TOLERANCES:		CHECKED	
FRACTIONAL ±		ENG APPR.	
ANGULAR: MACH ± BEND ±		MFG APPR.	
TWO PLACE DECIMAL ±		Q.A.	
THREE PLACE DECIMAL ±		COMMENTS:	
INTERPRET GEOMETRIC TOLERANCING PER:			
MATERIAL			
FINISH			
DO NOT SCALE DRAWING			

BEAVERFIT

TITLE:
**20' Performance Locker
 Container Specs**

SIZE	DWG. NO.	REV
A		A

SCALE: 1:128 WEIGHT: SHEET 2 OF 4

2





1

2

1

B

B



A

A

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
BEAVERFIT & BEAVERFIT NORTH AMERICA.
ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
BEAVERFIT & BEAVERFIT NORTH AMERICA IS
PROHIBITED.



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL ±
ANGULAR: MACH ± BEND ±
TWO PLACE DECIMAL ±
THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
TOLERANCING PER:

MATERIAL

FINISH


DO NOT SCALE DRAWING

	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

BEAVERFIT		
TITLE: 20' Performance Locker External Dims		
SIZE A	DWG. NO.	REV A
SCALE: 1:128		WEIGHT:
		SHEET 3 OF 4

2

1



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 BEAVERFIT & BEAVERFIT NORTH AMERICA.
 ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 BEAVERFIT & BEAVERFIT NORTH AMERICA IS
 PROHIBITED.



UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±
 INTERPRET GEOMETRIC
 TOLERANCING PER:
 MATERIAL
 FINISH
 DO NOT SCALE DRAWING

UNLESS OTHERWISE SPECIFIED:	NAME	DATE
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

BEAVERFIT

TITLE:
 20' Performance
 Locker Rig Dims

SIZE A	DWG. NO.	REV A
SCALE: 1:128		WEIGHT:
SHEET 4 OF 4		