## O.M.B. No 3067-0077 Expires May 31, 1993

## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME CHEEO REGILTY OORP.	POLICY NUMBER		
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER	COMPANY NAIC NUMBER		
OTHER DESCRIPTION (Lot and Block Numbers, etc.)			
CITY BEACK FIOR	TE ZIP CODE		
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION			
Provide the following from the proper FIRM (See Instructions):			
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM 2.	ZONE 6. EASE FLOOD ELEVATION (n AO Zones, use depth)		
125098 0192 F 11-4-87 AS	S o C		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): MGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a EFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum-see Section B, Item 7).			
SECTION C BUILDING ELEVATION INFORMATION			
of			
case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)  6. The elevation of the lowest grade immediately adjacent to the building is:			
SECTION D COMMUNITY INFORMATICN			
1. If the community official responsible for verifying building elevations specifies that the reference is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation as defined by the ordinance is:	vation of the building's "lowest		


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	LICENSE NUMBER (or Affix	Sea)	
CERTIFIER'S NAME (Walk) F Page 2	#3284	•	
0 00/00	COMPANY NAME		
TITLE	COMPANY NAME	El Chie II des	
	CITY 10098 S. W	. 5379 51. SIAIE 4F	
MIAMI, FL. 33175			
SIGNATURE / SIGNATURE	DATE   12-41	PHONE 223-9907	
- Marcon -		amony and 3) building owner.	
Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.			
COMMENTS:			
_			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.