



4 ELEVATION
SP-001 SCALE: 3" = 1'-0"




## **TYPICAL NOTES:**

- 1. SIGNS SHALL BE 6'-0" TO 8'-0" IN LENGTH, WALL MOUNTED. A MAXIMUM OF TWO ROWS OF LETTERING IS ALLOWED, AND THE TOTAL SIZE MAY NOT EXCEED 15FT<sup>2</sup> AND CANNOT EXCEED THE WIDTH OF THE INTERIOR TENANT SPACE (DEMISING WALLS). EACH SIGN TO BE CENTERED OVER TENANTS ENTRY DOORWAY.
- 2. SIGNS SHALL HAVE A WALL OFFSET OF 1"TO  $2\frac{1}{2}$ " FOR REAR LIGHT GLOW.
- 3. SIGNS SHALL BE MADE WITH MAXIMUM 12" LETTERS.
- 4. SIGNS SHALL BE CLEAR ANODIZED BRUSHED ALUMINUM, STAINLESS STEEL, BACKLIT CHANNEL LETTERS MANUFACTURED WITH LED BACKLIGHTING.
- 5. ALL LIGHTING TRANSFORMERS OR OTHER EQUIPMENT REQUIRED BY THE SIGN SHALL BE MOUNTED INTERNAL TO THE TENANT SPACE. NO LIGHTING TRANSFORMERS OR OTHER NON-LETTER MOUNTING TO THE EXTERIOR FACADE.
- 6. ALL ACCENTS OR DETAILS TO THE TYPICAL SIGNAGE TO BE REVIEWED AND APPROVED BY BUILDING MANAGER PRIOR TO SUBMITTAL TO THE CITY OF MIAMI BEACH. CITY PERMIT STAFF SHALL REVIEW FOR CONSISTENCY WITH THESE SIGN RULES AND PERMIT REQUIREMENTS AS PART OF PERMIT SUBMITTAL.
- 7. ALL MOUNTING HARDWARE TO BE BRUSHED STAINLESS STEEL OR OTHER NON-CORROSIVE MATERIAL IN A COASTAL ENVIRONMENT. HARDWARE SHOULD MATCH THE
- 8. COLOR AND TEMPERATURE OF LED LIGHTING TO BE APPROVED BY LANDLORD AND CITY PERMIT STAFF. PROVIDE WHITE UNLESS OTHER IS APPROVED BY LANDLORD PRIOR TO CITY PERMIT SUBMITTAL.

## NOTES AND REQUIREMENTS



3 SIGNAGE AREA SCALE: 3" = 1'-0"





ARCHITECTURE AAC001062 JOSE L. GOMEZ AR0015416 8101 BISCAYNE BLVD. SUITE 309 MIAMI FL 33138-4664 TEL. (305) 559.1250 FAX (305) 551.1740

beilinsonarchitectspa.com