

801/807/815 ALTON ROAD

807 Alton Road Miami Beach, FL 33139 Folio: 02-4203-014-0330



333 SE 2ND AVENUE, SUITE 2066 MIAMI, FL 33131 Tel: 786.218.5335


License #AA 26002467
WWW.CASTELLANOSDESIGN.COM

No.	DATE	ISSUED / REVISED

DESIGN IN COLLABORATION WITH

PAUL LORENZO. 7915 EAST DR. # 1A NORTH BAY VILLAGE, FL 33141 TELEPHONE: 786.453.2455 EMAIL: LORENZOPAUL@HOTMAIL.COM

ALL DRAWN AND WRITTEN MATERIAL CONTAINED HEREIN IS THE SOLE PROPERTY OF CASTELLANOS DESIGN STUDIO, LLC. AND MAY NOT BE DUPLICATED, PUBLISHED, DISCLOSED OR USED WITHOUT EXPRESS WRITTEN CONSENT OF CASTELLANOS DESIGN STUDIO, LLC. THE DRAWINGS ARE SCOPE DOCUMENTS WHICH INDICATE THE GENERAL SCOPE OF WORK, AND SUCH, DO NOT NECESSARILY DESCRIBE ALL WORK REQUIRED FOR THE FULL PERFORMANCE AND COMPLETION OF THE WORK. GENERAL CONTRACTOR IS TO FURNISH AND INSTALL ALL ITEMS REQUIRED FOR THE PROPER COMPLETION OF ITS WORK WITHOUT ADJUSTMENT TO THE CONTRACT AMOUNT UNLESS SCOPE OF WORK CHANGES FROM THAT INDICATED ON THE DRAWINGS. IN THE EVENT OF A CONFLICT WITHIN OR AMONG THE CONTRACT DOCUMENTS, THAT DOCUMENT PLACING THE GREATEST BURDEN UPON GENERAL. CONTRACTOR SHALL GOVERN. THE GENERAL CONTRACTOR SHALL CAPEFULLY STUDY AND COMPARE ALL DRAWINGS, REPORTING ANY ERROR, INCONSISTENCY OR OMISSION HE MAY DISCOVER AND REPORT TO CDS AND IN NO CASE SHALL PROCEED IN UNCERTAINTY.



PROJECT NO: 2015-02


EXISTINGTREE SURVEY


CHECKED BY: SHEET NO:

DRAWN BY:

SCALE:

© 2016 BY CDS






STAKING FOR TREE/PALM PROTECTION DURING CONSTRUCTION N.T.S

EXISTING TREE SURVEY AND DISPOSITION LEGEND

SYMB	NAME - COMMON (SCIENTIFIC)		SIZE		CONDITION	DISPOSITION	NATIVE	
		DBH	HEIGHT	SPREAD			YES	NC
1	STRANGLER FIG (Ficus aurea)	4'	50'	700 sf.	POOR	REMOVE	Χ	
2	SABAL PALM (Sabal Palmetto)	12"	18'	12 SP	GOOD	REMAIN	Х	
3	ALEXANDER PALM (Ptychosperma elegans)	4"	18'	10' SP	GOOD	REMAIN		X
4	PINK TABEBUIA (Tabebuia heterophyla)	3.5"	16'	10 SP	GOOD	REMAIN		X
5	PINK TABEBUIA (Tabebuia heterophyla)	3.5"	12'	12 SP	GOOD	REMAIN		X
6	PINK TABEBUIA (Tabebuia heterophyla)	3.5"	16'	12 SP	GOOD	REMAIN		X
7	PIGMY DATE PALM (Phoenix roebelenii)	3"	8'	10 SP	GOOD	REMAIN		Х

SHRUBS TO REMAIN	QTY	HEIGHT	SPREAD	NATIVE
SILVER BUTTONWOOD (Conocarpus erectus sericeus)	8	5'	4' SP	X
SILVER BUTTONWOOD (Conocarpus erectus sericeus)	40	8'	5' SP	Х

1. TREE REMOVAL PERMIT MUST BE APPLIED FOR WITH CMB PRIOR TO THE REMOVAL OF TREE # 1 (FICUS AUREA).





333 SE 2ND AVENUE, SUITE 2066 MIAMI, FL 33131 Tel: 786.218.5335 License #AA 26002467


ISSUED / REVISED

WWW.CASTELLANOSDESIGN.COM

DESIGN IN COLLABORATION WITH

PAUL LORENZO. 7915 EAST DR. # 1A NORTH BAY VILLAGE, FL 33141 TELEPHONE: 786.453.2455 EMAIL: LORENZOPAUL@HOTMAIL.COM

ALL DRAWN AND WRITTEN MATERIAL CONTAINED HEREIN IS THE SOLE PROPERTY OF CASTELLANOS DESIGN STUDIO, LLC. AND MAY NOT BE DUPLICATED, PUBLISHED, DISCLOSED OR USED WITHOUT EXPRESS WRITTEN CONSENT OF CASTELLANOS DESIGN STUDIO, LLC. THE DRAWINGS ARE SCOPE DOCUMENTS WHICH INDICATE THE GENERAL SCOPE OF WORK, AND SUCH, DO NOT NECESSARILY DESCRIBE ALL WORK REQUIRED FOR THE FULL PERFORMANCE AND COMPLETION OF THE WORK. GENERAL CONTRACTOR IS TO FURNISH AND INSTALL ALL ITEMS REQUIRED FOR THE PROPER COMPLETION OF ITS WORK WITHOUT ADJUSTMENT TO THE CONTRACT AMOUNT UNLESS SCOPE OF WORK A CONFLICT WITHIN OR AMONG THE CONTRACT DOCUMENTS. THAT DOCUMENT PLACING THE GREATEST BURDEN UPON GENERAL CONTRACTOR SHALL GOVERN. THE GENERAL CONTRACTOR SHALL ERROR, INCONSISTENCY OR OMISSION HE MAY DISCOVER AND REPORT TO CDS AND IN NO CASE SHALL PROCEED IN UNCERTAINTY.




PROJECT NO: 2015-02 **TREE**

SHEET NO:

DISPOSITION PLAN

CHECKED BY: DRAWN BY L-1 © 2016 BY CDS

TREE DISPOSITION PLAN SCALE: 3/32"=1'-0"



PROPOSED LANDSCAPE LEGEND

SYMB	NAME - COMMON (SCIENTIFIC)	SIZE	QTY	NATIVE	
	TREES			YES	NO
AA	SILVER BUTTONWOOD (Conocarpus erectus sericeus)	25 g,12' ht, STD x 6' sp. 2" Cal	6	Х	
BB	MAST TREE (Polyalthia longifolia pendula)	25 g, 7'-8' ht. STD x '3' sp.	5		Х
CC	ALEXANDER PALM (Ptychosperma elegans)	FG 12'-14' ht.	4		Х
DD	ARECA PALM (Dypis lutesces)	25 g, 8'-10' ht. multi	1		Х
EE	SATIN LEAF	25 g, 12' ht. x 6' cal. 2"	3	Х	
	SHRUBS			•	•
Α	RED STOPPER (Eugenia rhombea)	18"-24" ht.	23	Х	
В	SMALL LEAF CLUSIA (Clusia guttifera)	3"-3.5" ht.	18		Х
С	WEST INDIAN HOLLY (Leea coccinea 'Rubra')	7 gal. 4' ht. multi stem	3		Х
D	MARLBERRY (Ardisia escallonioides)	7 gal. 4'-4.5' ht. full	4	Х	
Е	TI PLANT (Cordyline fructicosa 'Red sister')	3 gal. 3' ht. multi	4		Х
F	HIBISCUS (Hibiscus)	Bush 7 gal. 3'-3.5' ht.	1		Х
G	CROTON (Codiaeum variegatum 'Petra')	3 gal.	3		Х
Н	COONITE (Zamia pumila)	7 gal. 18'-24' x 24" sp.	6	Х	
I	DWARF IXORA (Ixora taiwanensis 'Dwarf red')	3 gal. 18"-24" ht.	12		Х
,	GROUND COVERS				
LM	LIRIOPE (Liriope muscari 'Big Blue')	1 gal	51		Х
DJ	DWARF ASIAN JASMINE (Trachelospermun asiaticum 'Minima)	1 gal.	50		Х
SF	SWORD FERN (Nephrolepis exaltata)	1 gal.	20	Х	
DP	DECORATIVE PEANUT (Arachis glabrata)	1 gal.	80		Х


EXISTING TREES TO REMAIN LEGEND

SYMB	NAME - COMMON (SCIENTIFIC)		SIZE		CONDITION	NATIVE	
		DBH	HEIGHT	SPREAD		YES	NO
2	SABAL PALM (Sabal Palmetto)		18'	12 SP	GOOD	Х	
3	MONTGOMERY PALM (Veitchia montgomeryana)		18'	10 SP	GOOD		Х
4	PINK TABEBUIA (Tabebuia heterophyla)		16'	10 SP	GOOD		Х
5	PINK TABEBUIA (Tabebuia heterophyla)	3.5"	12'	12 SP	GOOD		Х
6	PINK TABEBUIA (Tabebuia heterophyla)	3.5"	16'	12 SP	GOOD		Χ
7	PIGMY DATE PALM (Phoenix roebelenii)		8'	10 SP	GOOD		Х

NOTES

- CITY OF MIAMI BEACH LANDSCAPE ORDINANCE, CHAPTER 126 REQUIRES SPECIFIC SIZES AND QUANTITIES OF TREES AND SHRUBS TO BE INSTALLED. TREES: 28 TREES/NET LOT ACRE (30% TO BE FL. NATIVES). SHRUBS: 12 SHRUBS PER REQUIRED TREE (50% TO BE FL. NATIVES).
- 2. THIS SITE IS 15,019 SQ. FT. OR 34.5% OF AN ACRE.
- A. TREES REQUIRED AT THIS SITE: (10 WITH 3 NATIVES). THIS PLAN PROVIDES 12 TREES: (9) FLORIDA NATIVE AND (3) EXOTIC.
- B. SHRUBS REQUIRED AT THIS SITE: (120 WITH 60 NATIVES). THIS PLAN PROVIDES: 134 SHRUBS: (81) NATIVES AND (53) EXOTICS.
- 3. MULCH INSTALL 'FLORIMULCH' SHREDDED MELALEUCA, 3" DEEP IN ALL SHRUB BEDS EXCEPT WHERE NOTED OTHERWISE.
- 4. ALL PLANT MATERIALS SHALL BE MINIMUM FLORIDA GRADE #1.
 5. GRAVEL MULCH: LOCATED AT NORTH SIDE OF BUILDING 815 ALTON SHALL BE
- CRUSHED GRAY, 3/8". INSTALL 3" DEEP OVER WEED BARRIER.
 6. LANDSCAPE AREA BETWEEN BUILDINGS #801 AND #807: EXISTING MULCH IS
- 6. LANDSCAPE AREA BETWEEN BUILDINGS #801 AND #807: EXISTING MULCH IS CHATTAHOOCHE ROCK 1/2" MILL CHITO REMAIN
- CHATTAHOOCHE ROCK ½". MULCH TO REMAIN.

 7. GUARANTEE: THERE SHALL BE A ONE YEAR GUARANTEE ON ALL PLANT
- MATERIALS INSTALLED AT THIS SITE. THE WARRANTY SHALL BE PROVIDED BY THE SUB CONTRACTOR RESPONSIBLE FOR INSTALLATION. DEFECTIVE OR DYING PLANTS MUST BE REPLACED WITHIN 2 WEEKS OF NOTIFICATION SUCH PLANTS NEED TO BE REPLACED.
- 8. TREE STAKING: THE SUB CONTRACTOR SHALL MAINTAIN ALL TREE SUPPORTS FOR ONE YEAR. THIS SHALL INCLUDE ADJUSTMENTS TO SUPPORTS TO INSURE ALL TREE TRUNKS ARE MAINTAINED IN A VERTICAL POSITION. AFTER ONE YEAR THE SUB CONTRACTOR WILL REMOVE ALL STAKES AND RELATED MATERIALS.
- 9. SPRINKLER SYSTEM: REFER TO PAGE L-3 "SPRINKLER SYSTEM". SPRINKLER SYSTEM SHALL CONSIST OF A BACK FLOW PREVENTION DEVICE, DIGITAL TIMER, RAIN SENSOR, ELECTRIC VALVES, POP UP SPRAY HEADS, PVC MAIN LINE AND LATERAL LINES.



NOTES: 1. PRIMARY STAKES TO BE PARALLEL TO WALKWAYS 2. TRUNKS TO BE STRAIGHT & WITHOUT CURVES.

3. NO SCARRED OR BLACKENED TRUNKS.

4. AMEND SOILM IX IFNEEDED WITH 80% CLEAN SILICA SAND/20% SCREENED, PULVERIZED TOPSOIL.

PALM PLANTING DETAIL

801/807/815 ALTON ROAD

> 807 Alton Road Miami Beach, FL 33139 Folio: 02-4203-014-0330



333 SE 2ND AVENUE, SUITE 2066 MIAMI, FL 33131 Tel: 786.218.5335 License #AA 26002467

WWW.CASTELLANOSDESIGN.COM


No.	DATE	ISSUED / REVISED

DESIGN IN COLLABORATION WITH:

PAUL LORENZO. 7915 EAST DR. # 1A NORTH BAY VILLAGE, FL 33141 TELEPHONE: 786.453.2455 EMAIL: LORENZOPAUL@HOTMAIL.COM

ALL DRAWN AND WRITTEN MATERIAL CONTAINED HEREIN IS THE SOLE PROPERTY OF CASTELLANOS DESIGN STUDIO, LLC. AND MAY NOT BE DUPLICATED, PUBLISHED, DISCLOSED OR USED WITHOUT EXPRESS WRITTEN CONSENT OF CASTELLANOS DESIGN STUDIO, LLC.

THE DRAWINGS ARE SCOPE DOCUMENTS WHICH INDICATE THE GENERAL SCOPE OF WORK, AND SUCH, DO NOT NECESSARILY DESCRIBE ALL WORK REQUIRED FOR THE FULL PERFORMANCE AND COMPLETION OF THE WORK. GENERAL CONTRACTOR IS TO FURNISH AND INSTALL ALL ITEMS REQUIRED FOR THE PROPER COMPLETION OF ITS WORK WITHOUT ADJUSTMENT TO THE CONTRACT AMOUNT UNLESS SCOPE OF WORK CHANGES FROM THAT INDICATED ON THE DRAWINGS. IN THE EVENT OF A CONFLICT WITHIN OR AMONG THE CONTRACT DOCUMENTS, THAT DOCUMENT PLACING THE GREATEST BURDEN UPON GENERAL CONTRACTOR SHALL GOVERN. THE GENERAL CONTRACTOR SHALL CAREFULLY STUDY AND COMPARE ALL DRAWINGS, REPORTING ANY ERROR, INCONSISTENCY OR OMISSION HE MAY DISCOVER AND REPORT TO CDS AND IN NO CASE SHALL PROCEED IN UNCERTAINTY.



PROPOSED	

LANDSCAPE PLAN


CHECKED BY:

DRAWN BY:

SCALE:

C 2016 BY CDS

PROJECT NO: 2015-02



NOTES

- 1. MAINLINE TO BE 1 1/2" PVC SCH 40
- 2. NEW RAINBIRD ESP 4M TIMER W/ SENSOR TO BE INSTALLED ON EXTERIOR WALL
- 3. NEW RAINBIRD SERIES VALVES 1
- 4. CONTRACTOR SHALL DETERMINE FINAL POSITIONING AND SPACING OF DESIGN

LEGEND

- R NEW RAIN SENSOR RAINBIRD
- T NEW TIMER RAINBIRD ESP 4ME
- NEW 1 ½" WILKINS RPZ BACKFLOW PREVENTOR
- PVC SLEEVE SCH 40 SIZE NOTED ON PLAN
- SHUT OFF VALVE
- MAINLINE 1 ½" PVC SCHEDULE 40
- 1" RB VALVE W/ VALVE BOX
- RB SST PATTERN (SIDE STRIP)

SPRINKLER SYSTEM PLAN SCALE: 3/32" = 1'-0" 801/807/815 ALTON ROAD

> 807 Alton Road Miami Beach, FL 33139 Folio: 02-4203-014-0330



333 SE 2ND AVENUE, SUITE 2066 MIAMI, FL 33131 Tel: 786.218.5335 License #AA 26002467

WWW.CASTELLANOSDESIGN.COM


No.	DATE	ISSUED / REVISED

IRRIGATION DESIGN:

DESMAR

IRRIGATION AND LIGHTNING INC TELEPHONE: 786 312 3326 EMAIL: DESMARPCINC@GMAIL.COM

ALL DRAWN AND WRITTEN MATERIAL CONTAINED HEREIN IS THE SOLE PROPERTY OF CASTELLANOS DESIGN STUDIO, LLC. AND MAY NOT BE DUPLICATED, PUBLISHED, DISCLOSED OR USED WITHOUT EXPRESS WRITTEN CONSENT OF CASTELLANOS DESIGN STUDIO, LLC. THE DRAWINGS ARE SCOPE DOCUMENTS WHICH INDICATE THE GENERAL SCOPE OF WORK, AND SUCH, DO NOT NECESSARILY DESCRIBE ALL WORK REQUIRED FOR THE FULL PERFORMANCE AND COMPLETION OF THE WORK. GENERAL CONTRACTOR IS TO FURNISH AND INSTALLALL ITEMS REQUIRED FOR THE PROPER COMPLETION OF ITS WORK WITHOUT ADJUSTMENT TO THE CONTRACT AMOUNT UNLESS SCOPE OF WORK CHANGES FROM THAT INDICATED ON THE DRAWINGS. IN THE EVENT OF A CONFLICT WITHIN OR AMONG THE CONTRACT DOCUMENTS, THAT DOCUMENT PLACING THE GREATEST BURDEN UPON GENERAL CONTRACTOR SHALL GOVERN. THE GENERAL CONTRACTOR SHALL CAREFULLY STUDY AND COMPARE ALL DRAWINGS, REPORTING ANY ERROR, INCONSISTENCY OR OMISSION HE MAY DISCOVER AND REPORT TO CDS AND IN NO CASE SHALL PROCEED IN UNCERTAINTY.



PROJECT NO: 2015-02

SPRINKLER SYSTEM PLAN

CHECKED BY: SHEET NO:

DRAWN BY :

© 2016 BY CDS

SCALE:

L-3