

HPB FINAL SUBMITTAL

DATE: 09/11/2023

FILE NUMBER: HPB23-0592

SCOPE OF WORK: NEW RESTAURANT IN

AN EXISTING TWO STORIES BUILDING


(AND ROOFTOP) LOCATED AT 624

COLLINS AVE. MIAMI BEACH, FL. 33139

ISABELLE'S RESTAURANT

624 COLLINS AVE MIAMI BEACH, FL 33139





### ABBREVIATIONS MATERIAL LEGEN PROJECT TEAM SCOPE OF WORK / USE AND OCCUPANCY GA. GALV. G.B. G.C. OWNER: FIRST NATIONAL DEVELOPMENT INC GARFIELD AND REBECCA SPENCER 2490 BLACK ROCK TPKE # 333 FAIRFIELD, CONNECTICUT, 06825-2400 TEL. (203) 335.2428 ARCHITECT: BEILINSON GOMEZ ARCHITECTS PA ACOUS. ACOUSTICAL GAUGE RISER GALVANIZED GRAB BAR GENERAL CONTRACTOR AIR CONDITIONING RAD. R.D. REF. REFL RADIUS BEILINSON GOMEZ ARCHITECTS PA JOSE L. GOMEZ AR0015416 8101 BISCAYNE BLVD., SUITE 309-310 MIAMI, FL 33138-4664 FAX. (305) 551.1740 TEL. (305) 559.1250 gravel or crushed stone AREA DRAIN ROOF DRAIN concrete pre cast cement mortar plaster ADJ. ADJUSTABLE REFERENCE **DESIGN CRITERIA** AGGR. AGGREGATE GL. GLASS REFLECTED GND. GR. GYP. REFR. RF. RGTR. REFRIGERATOR ROOF REGISTER ALUMINUM APPROXIMATE GROUND GRADE INTERIOR DESIGNER: ESCALA FORMA STUDIO CARLOS A. RODRIGUEZ 8650 BISCAYNE BLVD. SUITE #2 ASSEMBLY - GROUP A-2 (RESTAURANT) 493 PATRONS (REFER TO A101 THRU A103 FOR DETAILED CALC.) ARCH. ARCHITECTURAL GYPSUM SITE SUMMARY ASB. ASBESTOS G.W.B. GYPSUM WALLBOARD RFINE REINFORCED REINF. REQ. RESIL. RM. R.O. RWD. R.W.L. MIAMI, FL 33138 TEL. (786) 348.3608 624 COLLINS AVE MIAMI BEACH, FL 33139 02-4203-004-0770 MXE - MIXED USE ENTERTAINMENT DISTRICT REQUIRED RESILIENT JIC PROJECT ADDRESS: ASPHALT HOSE BIB ROOM H.B. H.C. ROUGH OPENING BITUM. HOLLOW CORE BITUMINOUS REDWOOD RAIN WATER LEADER BL DG BUILDING HDWD HARD WOOD LEGAL DESCRIPTION BLOCK BLOCKING HDWE. H.M. HARDWARE HOLLOW METAL OCEAN BEACH ADDN NO 1 PB 3-11 LOT 7 BLK 34 LOT SIZE SITE VALUE OR 22635-4160 082004 5 COC 23377-1457 04 2005 6 HORIZ. BLKHD. BULKHEAD HORIZONTAL BM. BOT. HR. HGT. HOUR воттом SOUTH SOUND ATTENUATION FIRE BLANKETS SOLID CORE CAB. CABINET I.D. INSIDE DIAMETER (DIM.) S. SABF INSULATION C.B. CATCH BASIN INSUL. S.C. CEM CEMENT INT. INV. INTERIOR S.C.D. SCHED. SEAT COVER DISPENSER SCHEDULE CERAMIC CAST IRON C.I. C.G. CLG. S.D. SECT. SH. SHR. SHT. SIM. GOVERNING ZONING CODE: CITY OF MIAMI BEACH SOAP DISPENSER **ARCHITECTURAL** CORNER GUARD COVER SHEET GENERAL NOTES AND INDEX ZONING INFORMATION (ZONING DATA SHEET) ZONING AND HISTORIC DISTRICTS MAPS CONTEXT AND VICINITY LOCATION MAPS EXISTING A PROPOSED F.A. T. DIAGRAMS SISTEAN JAN. JST. JANITOR SECTION FLORIDA BUILDING CODE 2020, 7th ED. BUILDING CODE: CEILING SHELF A-000 A-001 A-001 A-001 A-002 A-003 A-004 A-005 A-100 PH003 PH003 PH003 EXIST-10: EXIST-10: EXIST-10: A-101 A-102 A-101 A-102 A-203 A-201 A-201 A-301 R-002 R-002 CAULKING CLOSET CLKG CLO. SHOWER EXISTING BUILDING: FLORIDA BUILDING CODE: EXISTING BUILDING CODE 2020. 7th ED. JOINT SHEET FLORIDA BUILDING CODE 2020, 7th ED. - ACCESSIBILITY ACCESSIBILITY: CLR. CLEAR SIMII AR 123 CONCRETE MASONRY UNIT CASED OPENING SIMILAR SANITARY NAPKIN DISPENSER SANITARY NAPKIN RECEPTACLE SPECIFICATION SOLUBIE C.M.U FIRE PROTECTION: S.N.D. FLORIDA FIRE PREVENTION CODE - 7th ED. LIFE SAFETY CODE - NFPA 101 - 2018 ED. C.O. finish schedule K KIT. KITCHEN COLUMN S.N.R. FLORIDA BUILDING CODE 2020, 7th ED. ASCE 7-16 MINIMUM DESIGN LOADS FOR BUILDING ACI 318-14 BUILDING CODE (REFER TO STRUCTURAL PLANS) CONC CONCRETE CONN. CONSTR. CONT. CORR. CONNECTION CONSTRUCTION SPEC. SQ. S.ST. S.SK. STA. STD. STL. STOR. STRL. SUSP. SQUARE MECHANICAL, ELECTRICAL 8, PLUMBING: LIFE SAFETY CODE - NFPA 101 - 2018 ED. NATIONAL ELECTRICAL CODE - NFPA 70 - 2017 ED. NATIONAL FIRE PROTECTION ASSOCIATION 72 - 2018 ED. FLORIDA FIRE PREVENTION CODE 2020 - 718 ED. FLORIDA BUILDING CODE 2020, 718 ED. FLORIDA BUILDING CODE 2020, 718 ED. MECHANICAL FLORIDA BUILDING CODE 2020, 718 ED. - MECHANICAL FLORIDA BUILDING CODE 2020, 718 ED. - ENERGY CONSER FLORIDA BUILDING CODE 2020, 718 ED. - ENERGY CONSER FLORIDA BUILDING CODE 2020, 718 ED. - ENERGY CONSER FLORIDA BUILDING CODE 2020, 718 ED. - ENERGY CONSER FLORIDA BUILDING CODE 2020, 718 ED. - ENERGY CONSER FLORIDA BUILDING HE MED FLAMS) LAB. LAM. LABORATORY CONTINUOUS STAINI ESS STEFI SERVICE SINK STATION CORRIDOR LAMINATE COLUMN REFERENCE (a) NUMBER OR LAV. L.F. LKR. LAVATORY LINEAR FEET CTSK COUNTERSLINK CNTR. C.T. COUNTER STANDARD CERAMIC TILE STEEL STORAGE STRUCTURAL LOCKER LT. LTG. LTWT. CTR. CENTER LIGHT LIGHT WEIGHT SUSPEND SYM. SYMMETRICAL D M MAX. M.C. TRD. T.B. TREAD TOWEL BAR DEPARTMENT MEDICINE CABINE DRINKING FOUNTAIN MACH MACHINE TOP OF CURB DET. DIA. DIM. MECH. MEMB. MET. MFR. MECHANICAL MEMBRANE TELEPHONE TEMPERED T. & G. THK. TOIL. T.P. T.P.D. TONGUE AND GROOVE DIMENSION METAL MANUFACTURER DISPENSER THICK MH. MIN. MIR. TOILET TOP OF PAVEMENT TOILET PAPER DISPENSER DOWN DOOR OPENING DOOR MIRROR DWR DRAWER MISC MISCELL ANEOUS T.V. T.W. TYP. T.O.B. TELEVISION TOP OF WALL TYPICAL TOP OF BEAM MATCH LINE MASONRY OPENING DOWN SPOUT M.L. M.O. DRY STANDPIPE DWG. DRAWING MTD. MOUNTED TOP OF CONCRETE TOP OF SLAB MUL. MULLION T.O.C. T.O.S. E EAST EACH EXPANSION JOINT N. NORTH N.I.C. NOT IN CONTRACT NO. OR # NUMBER U UNF. U.O.N. UNFINISHED EA. E.J. UNLESS OTHERWISE NOTED URINAL LINDERWRITERS LAB FI EVATION ELECTRICAL ELEVATOR NOT TO SCALE O.A. OBS. O.C. O.D. OFF. OPNG. OP. HD. OPP. EMER EMERGENCY OVERALL V.I.F. VERIFY IN FIFLD ENCL **ENCLOSURE** OBSCURE VERT. V.T. VERTICAL ELECTRICAL PANEL BOARD ON CENTER VINYL TILE EQ. EQPT EQUAL OUTSIDE DIMENSION VEST VESTIBILIE EQUIPMENT OFFICE OPENING E.S **EMERGENCY OVERFLOW** ELECTRIC WATER COOLER EXISTING EXPOSED E.W.C OPPOSITE HAND OPPOSITE EXST. EXPO. EXP. WEST WEIGHT EXPANSION WITH EXT EXTERIOR WATER CLOSET WOOD PRCST. FIRE ALARM PRE-CAST W/O WP. WITHOUT FLAT BAR FLOOR DRAIN PROPERTY LINE PRESSURE TREATED WATERPROOF FOUNDATION FDN. PLATE

### ISABELLE'S RESTAURANT

624 COLLINS AVE MIAMI BEACH, FL 33139

P.I.AM.

PLAS. PLYWD. POL. PR. PT.

P.T.D.

Q: Q.T.

FIRE EXTINGUISHER

FLUORESCENT FACE OF CONCRETE

FACE OF FINISH

FACE OF STUDS FIREPROOF

FLOOR

FLASHING.

FULL SIZE FOOT OR FEET

FOOTING FURRING

FUTURE FIFLD VERIFY FIRE VALVE CABINET

FLASH

FLUOR F.O.C.

F.O.F

F.O.S. FPRF. F.S.

FTG. FURR FUT.

FIRE EXTINGUISHER CAB. FIRE HOSE CABINET

PLASTIC LAMINATE

PLASTER PLYWOOD POLISHED

PAPER TOWEL DISPENSER

PARTITION


PAPER TOWEL RECEPTACLE

QUARRY TILE


PAIR


POINT






	COMMERCIAL -	ZONIN	G DATA	SHEET	
ITEM	Project Information				
1	Address: 624 COLLINS AVE, MIAMI BEACH, FL 33139	Folio number(s):	02-4203-004- 0770	Year built:	1922
2	Board file number(s), Determination of Architectural Significance:	13688		Lot Area:	7,000 S.F.
3	Located within a Local Historic District (Yes or No):	Zoning District:	MXE	Lot width:	50 FT.
4	Individual Historic Site (Yes or No):	YES		Lot Depth:	140 FT.
5	Base Flood Elevation:	8'	Grade value	e in NGVD:	EXISTING
6	Adjusted grade (BFE+Grade / 2):	EXISTING	Free board:	EXIS	TING
7	Proposed Use:	ASSEMBLY (G	ROUP A-2 - RE	ESTAURANT)	
8	Proposed Accesory Use:	ASSEMBLY			
9	Signed and sealed Landscape Plans:	N/A			
	ZONING INFORMATION / CALCULATION	Required	Existing	Proposed	Deficiencies
13	Floor Area Ratio (FAR)	2.0 = 14,000 S.F.	(1.30) 9,116 S.F.	(1.65) 11,594 S.F.	N/A
14	Building Height	50 FT.	26'-0"	39'-3"	N/A
15	At grade parking lot on the same lot	N/A	N/A	N/A	N/A
а	Front setbacks	N/A	N/A	N/A	N/A
b	Side interior setback	N/A	N/A	N/A	N/A
С	Side facing street setback	N/A	N/A	N/A	N/A
d	Rear setback	N/A N/A		N/A	N/A
16	Subterrenean, Pedestal & Tower (non-Oceanfront)	Required	Existing	Proposed	Deficiencies
а	Front setbacks	10'-0"	4'-6"	EXISTING	N/A
	Side interior setback (north side)	5'-0"	5'-0"	EXISTING	N/A
b	Side interior setback (south side)	5'-0"	0'-9"	EXISTING	N/A
С	Side facing street setback	N/A	N/A	N/A	N/A
d	Rear setback	0'-0"	5'-5"	EXISTING	N/A
17	Subterrenean, Pedestal & Tower (non-Oceanfront)	Required	Existing	Proposed	Deficiencies
а	Front setbacks	N/A	N/A	N/A	N/A
b	Side interior setback	N/A	N/A	N/A	N/A
С	Side facing street setback	N/A	N/A	N/A	N/A
d	Rear setback	N/A	N/A	N/A	N/A
18	Minimum Apartment Unit Size	Required	Existing	Proposed	Deficiencies
a	New Construction	N/A	N/A	N/A	N/A
b	Rehabilitated Buildings	N/A	N/A	N/A	N/A
С	Hotel Unit	N/A	N/A	N/A	N/A
19	Average Apartment Unit Size	Required	Existing	Proposed	Deficiencies
а	New Construction	N/A	N/A	N/A	N/A
b	Rehabilitated Buildings	N/A	N/A	N/A	N/A
С	Hotel Unit	N/A	N/A	N/A	N/A
20	Required Open-space ratio (RPS, CPS)	N/A	N/A	N/A	N/A
21	Parking	**1 space for every 4 seats	N/A	Valet parking	N/A
22	Loading	N/A	N/A	N/A	N/A
Notes	Notes: Indicate N/A if not applicable.  **Restaurant requires 1 space for every 4 seats				
**Total 101 seats at roof level (101 / 4 = 25.25) Total 26 required parking spaces for Roof level					












A4 ENLARGED AERIAL VICINITY CONTEXT MAP




	1	DWG. TITLE
		CONTEXT AND VICINITY
		LOCATION MAP
		SCALE
		N.T.S.
		PROJECT NO.
		2023-15
		DATE
		08-18-2023
		SHEET NUMBER
		- A004
DATE	REVISION	A004

EXISTING F.A.R. DIAGRAMS PROPOSED F.A.R. DIAGRAMS








ISABELLE'S RESTAURANT
624 COLLINS AVE
MIAMI BEACH, FL 33139


\*\*COPFRIGHT 2019 ALL RIGHTS RESERVED. THESE DRAWINGS AND DOCUMENTS ARE INSTRUMENTS OF SERVICE SHALL RAMAN THE PROPERTY OF BRILINSON GOMES ARCHITECTS FA WHETHER THE PROJECT FOR BRICH THEY WERE PREPARED IS EXECUTED OR NOT. THEY ARE NOT TO BE USED
19 ALL WHATE . ON OTHER PROJECT SOL EXTENSIONS TO THIS. PROJECT FOR COMPENSATION TO BELLINSON GOMES ARCHITECTS FA. WHETHER THE PROJECT FOR BRICH THEY WERE PREPARED IS EXECUTED OR NOT. THEY ARE NOT TO BE USED
19 ALL WHATE . ON OTHER PROJECT SOL EXTENSIONS TO THIS. PROJECT FOR COMPENSATION TO BELLINSON GOMES ARCHITECTS FA. SEPRODUCTIONS OF PRAVINGS AND
19 ALL WHATE . ON OTHER PROJECT SOL EXTENSIONS TO THIS. PROJECT SOL CONTROLLED AND ASSOCIATION TO BELLINSON GOMES ARCHITECTS FA. SEPRODUCTIONS OF PRAVINGS AND
19 ALL WHATE . ON OTHER PROJECT SOL EXTENSIONS TO THIS. PROJECT SOL CONTROLLED AND ASSOCIATION TO BELLINSON GOMES ARCHITECTS FA. SEPRODUCTIONS OF PRAVINGS AND
19 ALL WHATE . ON OTHER PROJECT SOL EXTENSIONS TO THIS. PROJECT SOL CONTROLLED AND ASSOCIATION TO BELLINSON GOMES ARCHITECTS FA. SEPRODUCTIONS OF PRAVINGS AND
19 ALL WHATE . ON OTHER PROJECT SOL EXTENSIONS TO THIS. PROJECT SOL EXTENSIONS TO THIS PROJECT SOL EXTENSIONS TO THE PROJECT SOLD THE PROJECT SOLD THE PROJECT SOLD THE PROJECT SOLD THE PROJE





C1 BUILDING MAIN FACADE (FRONTAGE AT COLLINS AVENUE)
PHOTO TAKEN: 06-20-2023

C4 REAR BUILDING FACADE (VIEW FROM COLLINS COURT PUBLIC ALLEY)
PHOTO TAKEN: 06-20-2023





A1 NORTHERN BUILDING FACADE (PUBLIC GARAGE/COMMERCIAL BLDG. ADJACENT TO THE LEFT)
PHOTO TAKEN: 06-20-2023

A4 SOUTHERN BUILDING FACADE (COMMERCIAL - MIXED USED BLDG. ADJACENT TO THE RIGHT) PHOTO TAKEN: 06-20-2023

# ISABELLE'S RESTAURANT 624 COLLINS AVE MIAMI BEACH, FL 33139 COPYRIGHT 2019 ALL RIGHTS RESERVED. THESE DRAWINGS AND DOCUMENTS ARE INSTRUMENTS OF SERVICE SHALL REMAIN THE PROPERTY OF BELINSON GOMEZ ARCHITECTS P.A. WHETHER THE PROJECT FOR WHICH THEY WERE PREPARED IS EXECUTED OR NOT. THEY ARE NOT TO BE USED IN ANY MARKER ON O'THEY PROJECT SO BE EXTENSIONS TO THIS PROJECT EXCEPT BY AGREE MAY IN WRITTING AND WITH THE APPROPRIATE COMPRENATION OF SET AND ADVENTIGATION OF DESCRIPTION AGREE ORDERS AND TO SET AND ADDRESS OF THE STANDARD OF THE ST

DWG. TITLE

EXISTING STRUCTURE
(BLDG.) PHOTOGRAPHS

SCALE

N.T.S.

PROJECT NO.

2023-15

DATE

08-18-2023

SHEET NUMBER


PH001



C1 INTERIOR OF THE BUILDING: VIEW TO MAIN HALL PHOTO TAKEN: 06-20-2023


C4 INTERIOR OF THE BUILDING: VIEW TO THE MAIN HALL FROM THE 2ND FLOOR LEVEL PHOTO TAKEN: 06-20-2023






A1 INTERIOR OF THE BUILDING: VIEW TO ELEVATOR LOBBY AT 2ND FLOOR LEVEL. PHOTO TAKEN: 06-20-2023

A4 INTERIOR OF THE BUILDING: 2ND FLOOR LEVEL. PHOTO TAKEN: 06-20-2023



PLANS



### ARCHITECTURAL FEATURES AND MATERIALS TO BE PRESERVED

- (01) ALTERNATE EAVES AT EACH OF THE WINDOWS CLAD WITH SPANISH "S" CLAY BARREL TILES, ALSO DESCRIBED AS A MANSARD ROOF (RESTORER AS REQUIRED)
- 02) RELIEF CARTOUCHE TO BE PRESERVED (RESTORER AS REQUIRED)
- (33) ARCHED PARAPET WALL WITH A CAST IN PLACE CONCRETE COPING CONCRETE TO REMAIN (04) RECESSED ARCHED ENTRYWAY TO REMAIN
- PREVIOUS EXISTING SHADE AWNING AT GROUND FLOOR FRONT WINDOW AND ENTRANCE
  TO BE REPLACE.


  PAINTED IN WHITE SMOOTH STUCCO FINISH TO REMAIN (REPAIR AS REQUIRED)

- FIXED GLASS ALUMINUM WINDOWS WITH ITS DECORATIVE STUCCO SILLS TO BE REPLACED (PROPOSED NEW WINDOWS, STOREFRONT AND DOORS SHALL MATCH EXISTING.)
- (08) SYMMETRICAL TRIPARTITE COMPOSITION @ FRONT FACADE TO PRESERVE RESTORER AS REQUIRED)
- 09 CENTERED STEPS AT ENTRANCE TO BE REMODELED
- PIERCED MASONRY BALUSTRADE TO BE REPLACED WITH AND STOREFRONT WHILE MAINTAINING THE COMPOSITION AND ARCHED OPENING.



A1 VIEW FROM WESTERN SIDEWALK ON COLLINS AVE. INTERCEPTION WITH 6TH STREET PHOTO TAKEN: 2023








C1 VIEW FROM THE BUILDING ROOFTOP TOWARDS THE INTERCEPTION OF COLLINS AVE. AND 6TH STREET PHOTO TAKEN: 06-20-2023


C4 VIEW FROM THE BUILDING ROOFTOP TOWARDS THE INTERCEPTION OF COLLINS AVE. AND 7TH STREET PHOTO TAKEN: 06-20-2023






A1 VIEW FROM WESTERN SIDEWALK ON COLLINS AVE. INTERCEPTION WITH 6TH STREET PHOTO TAKEN: 06-20-2023

A4 VIEW FROM THE REAR OF THE BUILDING AT THE ALLEY TOWARDS 6TH STREET PHOTO TAKEN: 06-20-2023





### **GENERAL DEMOLITION NOTES:**

SCOPE: FURNISH EQUIPMENT AND PERFORM LABOR REQUIRED TO EXECUTE THIS WORK AS FURNISH EQUIPMENT AND PERFORM LABOR REQUIRED TO EXECUTE THIS WORK AS INDICATED ON THE DRAWNINGS, AS SPECIFIED AND NECESSARY TO COMPLETE THE CONTRACT, INCLUDING BUT NOT LIMITED TO, THESE MAJOR ITEMS.

A PROTECTION OF EXISTING WORK TO REMAIN.

B. TEMPORARY BARRICADES.

C. REMOVAL, STORAGE AND PROTECTION OF ITEMS TO BE REUSED.

- REMOVAL OF PARTITIONS, DOORS, WALL COVERINGS AS INDICATED. DEBRIS REMOVAL.

- GENERAL REQUIREMENTS:
  A FIELD CONDITIONS: TAKE INTO CONSIDERATION AS NECESSARY WORK, ALL OBVIOUS EXISTING CONDITIONS AND INSTALLATIONS OF THE SITE AS THOUGH THEY WERE COMPLETELY SHOWN OR DESCRIBED.
  B. ALL CONTRACTORS SUBMITTING PROPOSALS FOR THIS WORK SHALL FIRST EXAMINE.
- B. ALL CONTRACTORS SUBMITTING PROPOSALS FOR THIS WORK SHALL FIRST EXAMINE THE SITE AND ALL CONDITIONS AND LIMITATIONS THEREON AND THEREABOUTS. ALL PROPOSALS SHALL TAKE INTO ACCOUNT ALL SUCH CONDITIONS AND LIMITATIONS WHETHER OR NOT THE SAME ARE SPECIFICALLY SHOWN OR MENTONED IN ANY OF THE CONTRACT DOCUMENTS AND EVERY PROPOSAL SHALL BE CONSTRUED AS INCLUDING WHATEVER SUMS ARE NECEDED TO COMPLETE THE WORK IN EVERY PART AS SHOWN, DESCRIBED OR REASONABLY REQUIRED OR IMPLIED, AND ATTAIN THE COMPLETED CONDITIONS CONTEMPLATED BY THE CONTRACT.

  C. CONFER WITH ON SITE PROPERTY MANAGER AS TO DISPOSITION OF MATERIALS.
- WHICH SINE MAY WISH TO RETAIN. SPECIFICALLY INCLUDED EQUIPMENT AND DOORS OF ALL TYPES. IF ON SITE MANAGER ELECTS TO RETAIN ANY OF THE REMOVED ITEMS, PROTECT AND STORE AS DIRECTED BY MANAGER AT MANAGER'S EXPENSE. D. CODES: PERFORM ALL WORK IN ACCORDANCE WITH THE BUILDING CODE OF THE
- D. COUSES: PER-POWER ALL WORK IN ACCORDANCE WITH THE BUILDING COUSE OF REGOVERNING BODY HAVING JURISIOITION, THE GOVERNING STATE INDUSTRIAL SAFETY ORDERS AND THE REQUIREMENTS OF THE OCCUPATIONAL SAFETY AND HEALTH ACT. E. UNFORESSEN CONDITIONS: INCLUDE IN THE BASE BID MISCELLANEOUS CUTTING AND PATCHING NECESSITATED AS A RESULT OF UNFORESSEN CONDITIONS AND THE
- GENERAL DEMOLITION:

  A. PARTITIONS: REMOVE PARTITION FINISH, STUDS, PLATES AND SILL, WHERE ONLY A PARTIAL RUN IS REMOVED, CUT BACK FINISH MATERIALS TO THE CENTERLINE OF THE WORKING OF ABUTTING SURFACES AS REQUIRED TO MAKE NEW WORK JOIN AND MATCH

EXISTING SURFACES TO REMAIN NO EXTRA PAYMENTS BASED ON THE PLEA OF

EMISING SUPPALES ID REMAIN. NO EARNA PATMENTS BASED ON THE PLEA OF UNFORESEEN CONDITIONS WILL BE ALLOWED. F. PHASING OF THE WORK CONFER WITH THE ARCHITECT AS TO THE SEQUENCING AND THE PHASING OF VARIOUS PARTS OF THE WORK COOPERATE FULLY TO THE END THAT CERTAIN FACILITIES AND SERVICES ARE MAINTAINED IN OPERATION UNTIL MIMEDIATELY BEFORE THEIR REMOVAL IS REQUIRED TO PERMIT INSTALLATION OF WEW

- NORK.
  3. REMOVED MATERIALS AND OTHER DEBRIS:
- ALL REMOVED MATERIAL, NOT OTHERWISE DESIGNATED, AND ALL DEBRIS BECOMES THE PROPERTY OF THE CONTRACTOR WHO SHALL REMOVE IT FROM THE SITE. DO NOT ALLOW MATERIALS AND DEBRIS GENERATED BY DEMOLITION ACTIVITIES TO ACCUMULATE. REMOVE DAILY AND EBRIS GENERATED BY DEMOLITION ACTIVITIES TO ACCUMULATE. REMOVE DAILY AND EBRIS GENERAL LEGGES MANDER. LEAVE ALL SPACES BROOM CLEDA NISPOSE OF IN A LEGAL MAND CORNERS PROPERLY
- CLEAN
- ERS: TEMPORARY BARRIERS ARE TO BE FURNISHED. IF APPLICABLE A BANGLESS I EMPOWART BANGLESS ARE TO SE FUNDINSHEU, IF APPLICABLE.

  GLASS: PROVIDE SUCH PROTECTION AS MAY BE REQUIRED TO PREVENT GLASS
  BREAKAGE AT NO ADDITIONAL COST REPLACE ALL BROKEN GLASS.

  C. PROTECTION OF PERSONNEL ERECT SIGNS, BARRICADES AND SUCH OTHER FORMS
  OF WARNING AS MAY BE REQUIRED TO PREVENT PERSONNEL FROM PUTTING
  THEMSELVES IN THE WAY OF INJURY.
- THEMSELVES IN THE WAY OF INJURY.

  D. EXISTING WORK TO REMAIN: PROVIDE SUCH FORMS OF PROTECTION AS MAY BE NECESSARY TO PREVENT DAMAGE TO EXISTING WORK AND EQUIPMENT TO REMAIN. E. ITEMS TO BE RUSED: EXERCISE THE GREATEST POSSIBLE CARE WHEN REMOVING ITEMS SO-HED NEUSED. EXERCISE THE GREATEST POSSIBLE CARE WHEN REMOVING ITEMS SO-HED NEUSE. USE ONLY MECHANICS SKILLED IN THE APPROPRIATE TRADES. IDENTIFY POINT OF REUSE. STORE AND PROTECT AT LOCATIONS DIRECTED. F. DURING DEMOLITION WORKERS ARE TO WEAR DUST MASKS AND PROTECTIVE GLOVES & HEAD GEARS.

NEXT ADJACENT SPACE SUPPORT TO REMAIN LEAVE REMAINING MATERIALS WITH A

- NEAT ADJUNCTION SHE SUPPORT IN REMAINE LEVER REMAINING MATERIALS.

  B. DO NOT REMOVE ANY STRUCTURAL WALLS (LOAD BEARING OR SHEAR WALLS) OR OTHER STRUCTURAL ELEMENTS UNLESS SPECIFICALLY AS NOTED AS STRUCTURAL ELEMENTS UNLESS SPECIFICALLY AS NOTED AS STRUCTURAL ELEMENTS OF THE STRUCTURAL ELEME
- LEMENTS. . ALL CMU WALLS SHALL BE INSPECTED BY A STRUCTURAL ENGINEER PRIOR THEIR DEMOLITION.

  D. SEE ELECTRICAL DEMO NOTES FOR EXISTING ELECTRICAL, SECURITY, DATA, AND
- PHONE PANEL.

  E. VERIPY IN FIELD IF EXISTING WALL IS 1H RATED.

  E. VERIPY IN FIELD IF EXISTING WALL IS 1H RATED.

  F. ALL LIFE SAFETY SYSTEM WILL REMAIN OPERATIONAL FOR THE ADJACENT SPACES DURING DEMOLITION WORK.

  G. WORK AREA WILL BE VACANT & CLOSED DURING DEMOLITION

  H. GC. TO COMPLY WITH NPA 10 9E D. SECTION 164.

  I. MEANS OF EGRESS AND LIFE SAFETY EQUIPMENTS WILL NOT BE OBSTRUCTED BY OPEDIES COVILABILED.

### MECHANICAL / ELECTRICAL / PLUMBING & FIRE PROTECTION

- CHANICAL

  ALL EXISTING HVAC UNITS LOCATED WITHIN THE DEFINED SPACE SHALL BE REPLACED TOGETHER WITH ALL ASSOCIATED CONDENSATE DRAINAGE PIPMS, UPON COMPLETION OF FIRST STAGE OF DEMO WORK, PROJECT ARCHITECT AND ENGINEER WILL WIST THE PROPOSED SPACE FOR FURTHER EVALUATION AND RECOMMENDATIONS FOR SECOND STAGE OF DEMOLITION. ALL MECHANICAL UNITS TO BE REMOVED, PROTECTED & STORED AS DIRECTED BY BUILDING MANAGER AT MANAGERS EXPENSE.

  AND EMELTED AND OUTSIDE AR INFAIRE DUCK COCATED WITH EDEFINED SPACE OF THE PROPERS OF
- ALL CHILLED WATER AND / OR CONDENSER WATER PIPING AS WELL AS ANY

- REFRIGERANT PIPING ASSOCIATED WITH ANY OF THE ELIMINATED HVAC UNITS LOCATED WITHIN THE DEFINED SPACE SHALL REMAIN AND SHALL BE VALVED AND CAPPED OFF FOR FURTHER EVALUATION DURING SECOND STAGE OF DEMOLITION. ANY FIRE OR FIRE/SIMOKE DAMPERS FOUND IN DEMINS WALLS OR FLOORS WITHIN THE PROPOSED TEAMANT SPACE SHALL BE MAINTAINED.
- PROPOSED TENANT SPACE SHALL BE MAINTAINED.

  CAREFULLY REVIEW PLANS AND DETERMINE LINES TO BE REMOVED AND THOSE TO BE KEPT ACTIVE OR TO BE REACTIVATED. PROTECT LINES TO REMAIN. PROVIDE FOR MINIMUM SERVICE INTERRYPTION OF LINES TO REMAIN, (CONFER WITH ON SITE

- ECTRICAL:

  ALL EXISTING POWER OUTLETS, EQUIPMENT DISCONNECTS AND ASSOCIATED SPLICE
  BOXES, WIRING AND DEVICES SHALL REMAIN.
  ANY EMERGENCY AND EXIT LIGHTS LOCATED AT PERIMETER WALLS OF THE DEFINED
  SPACE AS WELL AS AT LOCATIONS ADJACENT TO MAIN EGRESS DOORS OF THE DEFINED
  SPACE SHALL REMAIN IN PLACE.

  ANY SUSPENDED / EXPOSED STRIP FLUORESCENT TYPE LIGHT FIXTURES SHALL REMAIN
  N BLACE.
- ANY SUSPENDED / EXPOSED STRIP FLUORESCENT TYPE LIGHT FIXTURES SHALL REMAIN IN PLACE.

  ALL ELECTRICAL PANELS FOUND WITHIN THE DEFINED SPACE SHALL REMAIN IN PLACE.

  ALL ELECTRICAL PANELS FOUND INSTALLED ON AN EXISTING WALL DENTIFIED FOR DEMOLITION, SHALL REMAIN SUSPENDED FROM CONDUITS, FOR FURTHER EVALUATION AND RECOMMENDATIONS FOR SECOND STAGE OF DEMOLITION.

  WHEN ELIMINATING EXISTING POWER, EQUIPMENT AND LIGHTING CIRCUITS FROM EXISTING PANELS, DEMOLITION CONTRACTOR SHALL CONFIRM THAT THERE ARE NO DEVICES LOCATED OUTSIDE OF THE DEFINED SPACE AND TIED TO THE SAME CIRCUIT NITENDED FOR ELIMINATION. IN THE EVENT THAT SUCH CONDITION IS DISCOVERED, POWER SUPPLY TO DEVICES LOCATED OUTSIDE OF THE PROPOSED SPACE SHALL BE MAINTAINED, WHILE THE DEVICES WITHIN THE PROPPOSED SPACE ARE ELIMINATED.

  ALL MAIN SERVICE FEEDERS AND CONDUITS EXTENDING FROM THE EXISTING BUILDING 6.

  FIFCTRICAL ROOMS TO ANY OF THE EXISTING ELECTRICAL PANELS LOCATED WITHING ELECTRICAL
- ALL MAIN SERVICE FEEDERS AND CONDUITS EXTENDING FROM THE EXISTING BUILDING ELECTRICAL PANIES. LOCATED WITHIN THE DEFINED SPACE SHALL REMAIN AND SHALL BE IDENTIFIED / MARKED WITH ASSOCIATED SURGE POINT.
  ALL EXISTING ELECTRICAL METERS ASSOCIATED WITH PANELS LOCATED WITHIN THE

- PROPOSED TENANT SPACE SHALL BE IDENTIFIED AND SHALL REMAIN IN PLACE
- PROFUSED LEMAN SPACE SHALL IS LIEVITHED AND SHALL REMAIN IN PLACE.

  UPON COMPLETION OF FIRST STAGE OF DEMOLITION WORK, PROJECT ARCHITECT AND ENGINEER SHALL INSPECT THE SITE TOGETHER WITH THE ELECTRICAL DEMOLITION CONTRACTOR AND ESTABLISH PARAMETERS FOR SECOND STAGE OF ELECTRICAL DEMOLITION WORK.
- REMOVE FIXTURES AND EQUIPMENT AS INDICATED. WHEN INDICATED FOR REUSE. CLEAN, STORE AS DIRECTED AND PROTECT. IDENTIFY POINT OF REUSE.

- FIRE SPRINKLER SYSTEM:

  1. ALL EXISTING FIRE SPRINKLER DISTRIBUTION WITHIN THE PROPOSED TENANT SPACE IS

- TO REMAIN. ANY BRANCH PIPE AND SPRINKLER HEADS LOCATED WITHIN CLOSETS AND TO REMAIN, ANY BRANCH PIRE AND SPRINKLER HEADS LOCATED WITHIN CLOSE IS AND SMALL OFFICE SPACES, BATH ROOMS, ETC. IDENTIFIED TO BE DEMOLISHED SHALL BE ELIMINATED, AND PIPING CAPPED OFF AT MAIN BRANCH.

  UPON COMPLETION OF DEMOLITION OF ALL EXISTING INTERIOR PARTITIONS, PROJECT ARCHITECT AND ENGINEER SHALL INSPECT THE SITE AND PROVIDE ADDITIONAL PROJECTION OF THE STEEP AND PROVIDE ADDITIONAL PROJECTION OF THE STEEP AND PROVIDE ADDITIONAL
- ARCHITECT AND ENINEER STATE INSPECT THE SITE AND FROVIDE ADDITIONAL DEMOLITION CRITERIA AS NECESSARY.

  ALL EXISTING TAMPERFLOW SWITCHES AND CONTROL VALVES ASSOCIATED WITH EXISTING SPRINKLER SYSTEM SHALL REMAIN IN PLACE WITHIN THE PROPOSED TENANT SPACE. ALL MAIN BRANCH PIPING AND VALVES SHALL BE IDENTIFIED.

SFACE, ALL MAIN BRANCH PIPING AND VALVES SHALL BE IDENTIFIED.

FIRE ALARM SYSTEM.

1. MAIN AS WELL AS SLAVE TYPE FIRE ALARM SYSTEMS SHALL REMAIN IN PLACE AND MAIN AS WELL AS SLAVE TYPE FIRE ALARM SYSTEMS SHALL REMAIN IN PLACE.

2. ALL FIRE ALARM FLOW SWITCHES, TAMPER SWITCHES AND PULL STATIONS LOCATED WITHIN THE PROPOSED TENANT SPACE SHALL REMAIN IN PLACE.

3. ANY SMOKE DETECTOR, DUCT DETECTOR, HORN / STROBE DEVICE LOCATED WITHIN ROOMS IDENTIFIED FOR DEMOLITION SHALL BE ELIMINATED AND THEIR ZONE SIGNAL SHALL BED DISABLED AT THE MAIN CONTROL PANEL, UNILESS SUCH DEVICE IS FOUND TO BE ASSOCIATED WITH A HVAC SYSTEM IDENTIFIED TO REMAIN.

4. ALL HORN / STROBE DEVICES LOCATED ALONG THE PERIMETER WALLS OF THE PROPOSED TENANT SPACE SHALL REMAIN ACTIVE.

5. ALL FIRE ALARM DEVICES ASSOCIATED WITH ABANDONED GREASE HOOD SYSTEMS SHALL BE ELIMINATED AND DISCONNECTED FROM THE MAIN CONTROL PANEL.


SHALL BE ELIMINATED AND DISCONNECTED FROM THE MAIN CONTROL PANEL. ALL ZONES AND SIGNAL POINTS RELATED TO FIRE ALARM DEVICES ASSOCIATED WITH THE PROPOSED TENANT SPACE SHALL BE IDENTIFIED AT MAIN FIRE ALARM SYSTEM

THE PROPOSED TENNINT SPACE SPACE IDENTIFIED AT MAIN THE READAM STSTEM PANEL.


UPON COMPLETION OF INTERIOR DEMOLITION, PROJECT ARCHITECT AND ENGINEER MAY INSPECT THE SITE AND PROVIDE ADDITIONAL GUIDELINES FOR FURTHER DEMOLITION OF THE EXISTING FIRE ALEARN SYSTEM COMPONENTS.




SCALE AS SHOWI PROJECT NO. 2023-15 SHEET NUMBER EXIST101



















EXIST. / DEMO EAST ELEVATION SCALE: 3/16" = 1'-0"

EXIST. / DEMO WEST ELEVATION SCALE: 3/16" = 1'-0"

AS SHOWN

2023-15

PROJECT NO.

SHEET NUMBER EXIST201



COPPRIGHT 2019 ALL RIGHTS RESERVED. THESE DRAWINGS AND DOCUMENTS ARE INSTRUMENTS OF SERVICE SHALL REMAIN THE PROPERTY OF BELLINSON GOMEZ ARCHITECTS P.A. WHETHER THE PROJECT FOR WHICH THEY WERE PREPARED IS EXECUTED OR NOT. THEY ARE NOT TO BE USED

A A C 0 1 0 6 2 M 1 AN 1 FL 3 1 3 8 - 4 6 6 4

A C 0 1 0 6 2 T 138.54 6 6 4

A C 0 0 1 0 6 2 T 138.54 6 6 4

A C 0 0 1 0 6 2 T 138.54 6 6 4

B C 0 1 5 4 1 5 5

B C 1 5 4 1 5

B C 1 5 4 1 5

B C 1 5 4 1 5


B C 1 5 4 1 5

B C 1 5 4 1 5

B C 1 5 4 5 5 1 5 1 5

**ISABELLE'S RESTAURANT** 

624 COLLINS AVE MIAMI BEACH, FL 33139



COPYRIGHT 2019 ALL RIGHTS RESERVED. THESE DRAWINGS AND DOCUMENTS ARE INSTRUMENTS OF SERVICE SHALL REMAIN THE PROPERTY OF BELLIANS THE PROPERTY OF BELLIANS ON GOMEZ ARCHITECTS P. A. WHETHER THE PROJECT FOR WHICH THEY WERE PREPARED IS EXECUTED OR NOT. THEY ARE NOT TO BE USED

IN ANY MANNER ON OTHER PROJECTS OR EXTENSIONS TO THIS PROJECT EXCEPT BY AGREEMENT IN WRITING AND WITH THE APPROPRIATE COMPENSATION TO BELLIANS ON GOMEZ ARCHITECTS P. A. IS PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE FIRST OF THE PROJECT FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFYING ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS ISBLE FOR VERIFY IN ALL SITTED FOR THE PROJECT SOR SEPONS IS THE PROJECT SO

AS SHOWN


2023-15


PROJECT NO.


SHEET NUMBER


EXIST202

624 COLLINS AVE MIAMI BEACH, FL 33139





















PROPOSED EAST ELEVATION

SCALE: 3/16" = 1'-0"

PROPOSED WEST ELEVATION


SCALE: 3/16" = 1'-0"




### PROPOSED SOUTH ELEVATION


SCALE: 3/16" =


























A6 DARK BRONZE ANODIZED ALUMINUM STOREFRONT, WINDOWS, AND DOORS.



A4 NEW GLASS CANOPY WITH ALUMINUM BRACKET ATTACHED TO THE WALLS.



A2 BLACK AND WHITE STRIPED CANVAS AWNING OVER THE STOREFRONT AT MAIN FACADE.



A5 smooth stucco finish painted in white.



 $\ensuremath{\text{A3}}$  NeW 42" Height frameless glass guardrail at rooftop and staircase.



4			DWG. TITLE	MATERIALS
-			SCALE	
				N.T.S.
			PROJECT NO.	
				2023-15
			DATE	
				08-18-2023
			SHEET NUMBE	
Δρ	ATE	REVISION		A401





A1 RENDERING




		DWG. TITLE	RENDERING
		SCALE	
		-	N.T.S.
		PROJECT NO.	
		-	2023-15
		DATE	
			08-18-2023
		SHEET NUMBE	
DATE	REVISION		R001
	DATE	DATE REVISION	SCALE  PROJECT NO.  DATE  SHEET NUMBE






A5 AERIAL VIEW RENDERING A1 ROOFTOP RENDERING BEILLINSON ISABELLE'S RESTAURANT 624 COLLINS AVE MIAMI BEACH, FL 33139









A1 ROOFTOP BAR RENDERING



			DWG. TITLE	RENDEI
			SCALE	
				٨
			 PROJECT NO.	
				20.
			DATE	
				08-18-
			SHEET NUMBE	R
$\overline{\wedge}$	DATE	REVISION		R00