HPB23-0588: 1601 – 1627 Washington Avenue











1601 – 1627 Washington Ave






Site History

- **1950:** Fred J. Osius Building developed at 1627 Washington Ave
- **1999:** City enters into long-term ground lease of surface parking lot at 1601 Washington for development of "Lincoln Place"
- **2001:** Lincoln Place developed at 1601 Washington Ave





Fred J. Osius Building





TOP: 1989 PHOTOGRAPH(18)





















"LE ROYALE"

1601 Washington Ave. Miami Beach, FL 33139



AREA OF WORK HISTORICAL DISTRICT FLAMINGO PARK



KOBI KARP









SITE PICTURE SCALE N/A

2 SITE PICTURE

3 SITE PICTURE



SCALE: N/A







5 SITE PICTURE


6 SITE PICTURE

KOBI KARP









SITE PICTURE

SCALE: N/A

8 SITE PICTURE SCALE N/A

9 SITE PICTURE SCALE N/A





































EXISTING 5th FLOOR PLAN.

SCALE: 1/32" = 1'-0"

THIS AREAS IS NOT PART
OF THE SCOPE OF WORK













OF THE SCOPE OF WORK


AREA OF WORK

KOBI KARP



















EXISTING 9th ROOF PLAN.


SCALE: 1/16" - 1'-0"

EXISTING 9th ROOF PLAN.

SCALE: 1/16" = 1'-0"

THIS AREAS IS NOT PART OF THE SCOPE OF WORK






DEMO WEST ELEVATION



NOTES

- EXISTING SCREEN FRAMING STRUCTURE TO BE CLADDED MATCH THE PROPOSED FACADE
- EXISTING ALUMINUM & GLASS WINDOWS AND DOORS TO REMAIN AND PREPARE TO RECEIVE A NEW BRONZE ESP COATING (ELECTRO-STATIC PAINT) OVER EXIST. ALUM STOREFRONTS, WINDOWS, FRAMES AND MULLIONS. (EXCLUDING THOSE ON THE CURVED FACADE THAT WILL BE REMOVED.)
- REMOVE & REPLACE ALL EXISTING ALUMINUM & GLASS DOORS AND WINDOWS OF THE CORNER CURVED FACADE ALL NEW ALUM/GLASS WINDOWS AND DOORS INSTALLED IN EXISTING OPENINGS SHALL BE IMPACT RESISTANT WITH PRODUCT APPROVAL NOA WITHOUT THE USE OF SHUTTERS. ALL GLAZING SHALL BE CATEGORY II LAMINATED SAFETY TESTED FOR LARGE MISSILE IMPACT, GLAZING TO AT A MIN. TO HAVE A U-FACTOR OF 1.00 AND A MIN. SHGC OF 0.50 WITH MIN.45% HEAT REJECTION. ALUM/GLASS WINDOWS AND DOORS ARE A SEPARATED DEFERRED PERMIT SUBMITTAL, REMOVE AND REPLACE ALL. EXISTING DOORS FRAMES AND FINISH HARDWARE. INSTALL IN EXISTING OPENINGS SAME SIZE, PROVIDE AN IMPACT RESISTANT ASSEMBLY WITH PRODUCT APPROVAL NOA AS A SEPARATE DEFERRAL PERMIT SUBMITTAL, GC. SHALL CONFIRM AND FIELD VERIFY EVERY EXISTING WALL OPENING, QUANTITIES, SIZES AND TYPES PRIOR TO REMOVAL OF EXISTING AND FABRICATION OF NEW TO REPLACE. ALL OPENING SHALL HAVE JOINT SEALANT TO MATCH COLOR OF WINDOWS DOORS OR LOUVERS AND BE COMPATIBLE FOR PERFORMANCE OF A WEATHER TIGHT ASSEMBLY
- REMOVE EXISTING FACADE DECORATION AND REPLACE FOR NEW METAL CLADDING FINISH, REF. SHEET A5.0 DETAILS.
- REMOVE EXISTING STUCCO AND REPLACE FOR NEW STONE VENEER FINISH, REF. SHEET AS 0 DETAILS.
- EXISTING PARKING GARAGE OPENINGS TO REMAIN.









NOTES

- EXISTING SCREEN FRAMING STRUCTURE TO BE CLADDED MATCH THE PROPOSED FACADE.
- EXISTING ALUMINUM & GLASS WINDOWS AND DOORS TO REMAIN AND PREPARE TO RECEIVE A NEW BRONZE ESP COATING (ELECTRO-STATIC PAINT) OVER EXIST. ALUM STOREFRONTS, WINDOWS, FRAMES AND MULLIONS. (EXCLUDING THOSE ON THE CURVED FACADE THAT VIILL BE REMOVED.)
- REMOVE & REPLACE ALL EXISTING ALUMINUM & GLASS DOORS AND WINDOWS OF THE CORNER CURVED FACADE ALL NEW ALUM/GLASS WINDOWS AND DOORS INSTALLED IN EXISTING OPENINGS SHALL BE IMPACT RESISTANT WITH PRODUCT APPROVAL NOA WITHOUT THE USE OF SHUTTERS. ALL GLAZING SHALL BE CATEGORY II LAMINATED SAFETY TESTED FOR LARGE MISSILE IMPACT, GLAZING TO AT A MIN. TO HAVE A U-FACTOR OF 1.00 AND A MIN. SHGC OF 0.50 WITH MIN.45% HEAT REJECTION. ALUM/GLASS WINDOWS AND DOORS ARE A SEPARATED DEFERRED PERMIT SUBMITTAL, REMOVE AND REPLACE ALL. EXISTING DOORS, FRAMES AND FINISH HARDWARE . INSTALL IN EXISTING OPENINGS SAME SIZE PROVIDE AN IMPACT RESISTANT ASSEMBLY WITH PRODUCT APPROVAL NOA AS A SEPARATE DEFERRAL PERMIT SUBMITTAL, GC. SHALL CONFIRM AND FIELD VERIFY EVERY EXISTING WALL OPENING, QUANTITIES, SIZES AND TYPES PRIOR TO REMOVAL OF EXISTING AND FABRICATION OF NEW TO REPLACE. ALL OPENING SHALL HAVE JOINT SEALANT TO MATCH COLOR OF WINDOWS, DOORS OR LOUVERS AND BE COMPATIBLE FOR PERFORMANCE OF A WEATHER TIGHT ASSEMBLY
- REMOVE EXISTING FACADE DECORATION AND REPLACE FOR NEW METAL CLADDING FINISH, REF. SHEET A5.0 DETAILS.
- REMOVE EXISTING STUCCO AND REPLACE FOR NEW STONE VENEER FINISH, REF. SHEET A5.0 DETAILS.
- EXISTING PARKING GARAGE OPENINGS TO REMAIN.










NOTES

- EXISTING SCREEN FRAMING STRUCTURE TO BE CLADDED
 MATCH THE PROPOSED FACADE.
- EXISTING ALUMINUM & GLASS WINDOWS AND DOORS TO REMAIN AND PREPARE TO RECEIVE A NEW BRONZE ESP COATING (ELECTRO-STATIC PAINT) OVER EXIST. ALUM STOREFRONTS, WINDOWS, FRAMES AND MULLIONS. (EXCLUDING THOSE ON THE CURVED FACADE THAT WILL BE REMOVED.)
- REMOVE & REPLACE ALL EXISTING ALUMINUM & GLASS DOORS AND WINDOWS OF THE CORNER CURVED FACADE ALL NEW ALUM/GLASS WINDOWS AND DOORS INSTALLED IN EXISTING OPENINGS SHALL BE IMPACT RESISTANT WITH PRODUCT APPROVAL NOA WITHOUT THE USE OF SHUTTERS. ALL GLAZING SHALL BE CATEGORY II LAMINATED SAFETY TESTED FOR LARGE MISSILE IMPACT, GLAZING TO AT A MIN. TO HAVE A U-FACTOR OF 1.00 AND A MIN. SHGC OF 0.50 WITH MIN.45% HEAT REJECTION. ALUM/GLASS WINDOWS AND DOORS ARE A SEPARATED DEFERRED PERMIT SUBMITTAL, REMOVE AND REPLACE ALL. EXISTING DOORS, FRAMES AND FINISH HARDWARE, INSTALL IN EXISTING OPENINGS SAME SIZE PROVIDE AN IMPACT RESISTANT ASSEMBLY WITH PRODUCT APPROVAL NOA AS A SEPARATE DEFERRAL PERMIT SUBMITTAL, GC. SHALL CONFIRM AND FIELD VERIFY EVERY EXISTING WALL OPENING, QUANTITIES, SIZES AND TYPES PRIOR TO REMOVAL OF EXISTING AND FABRICATION OF NEW TO REPLACE. ALL OPENING SHALL HAVE JOINT SEALANT TO MATCH COLOR OF WINDOWS, DOORS OR LOUVERS AND BE COMPATIBLE FOR PERFORMANCE OF A WEATHER TIGHT ASSEMBLY.
- REMOVE EXISTING FACADE DECORATION AND REPLACE FOR NEW METAL CLADDING FINISH. REF. SHEET A5.0 DETAILS.
- REMOVE EXISTING STUCCO AND REPLACE FOR NEW STONE VENEER FINISH, REF, SHEET A5.0 DETAILS.
- EXISTING PARKING GARAGE OPENINGS TO REMAIN.























KOBI KARP











2 PROPOSED GROUND LEVEL ENLARGED ELEV. SCALENI/A







4 PROPOSED STONE VENEER SCALEN/A



5 PROPOSED AWNING EXAMPLE SCALEN/A



Thank you!







